

Product Submittal Sheet

Technical Services: 888-437-3244 Engineering Services: 877-832-3206 Sales: 800-543-7140 clarkdietrich.com

					05.40.00 (Cold-Formed Metal Framing)
Product cate		PRO350 (3-1/2" flange RedHeader PRO) As Header 362PRO350-68 (50ksi, CP60) - Unpunched			
Product nam		•		•	
	68	mils (14ga)	Coating:	CP60 per ASTM C955	
Geometric P	roperties				
Web depth	3.625 in	Design thickness		0.0713 in	
Flange width	3.500 in	Min. steel		0.0677 in	PL PL
Stiffening lip	1.000 in	0 in Yield strength, Fy		50 ksi	
5 1			0 / 1		Y A
Gross Sectio	n Propertie	s of Full Sect	tion, Stroi	ng Axis	
Cross sectional area (A)				0.862 in ²	
Member weight per foot of length				2.93 lb/ft	
Moment of inertia (Ix)				1.995 in ⁴	
Section modulus (Sx)				1.101 in ³	
Radius of gyration (Rx)				1.521 in	
Gross moment of inertia (ly)				1.529 in ⁴	x †
Gross section modulus (Sy)				0.772 in ³	
Gross radius of gyration (Ry)				1.332 in	
					 Replaces lay-in and boxed headers.
Effective Section Properties, Strong Axis					• Reduces material pieces, weight & screws.
Moment of inertia for deflection (Ixe)				1.973 in ⁴	
Moment of inertia for deflection (lye*)				1.483 in ⁴	 Insulation installs quicker.
Section modulus (Sxe)				0.922 in ³ 0.751 in ³	
Section modulus (Sye*) Allowable bending moment (Max - Local)				27.60 in-k	
Allowable bending moment (Max - Local) Allowable bending moment (May - Local*)				22.48 in-k	Ordering Information:
Allowable bending moment (Max - Locar) Allowable bending moment (Max - Distortional)				28.63 in-k	Header lengths should be ordered ½" shorter to fit insi
Allowable bending moment (May - Distortional*)				20.08 in-k	HDSC Header Brackets.
Allowable shear force in web (Vax)				4370 lb	(Header length = inside of jamb to inside of jamb - $\frac{1}{2}$ ")
Torsional Properties					HDSC Header Bracket profile data:
					See HDSC Header Bracket submittal sheet for allowal

St. Venant torsion constant (J x 1000) 1.461 in⁴ Warping constant (Cw) 6.669 in⁶ -3.428 in Distance from shear center to neutral axis (Xo) Radii of gyration (Ro) 3.980 in Torsional flexural constant (Beta) 0.258

Section Property Notes

* Iye, Sye, and May are for a positive moment with the return lips in compression. (Installing the header with the flanges pointing up)

ASTM & Code Standards:

- AISI S100-12 and S100-07 w/S2-10 supplements
- · Effective properties incorporate the strength increase from cold work of forming
- Structural framing is produced to meet or exceed ASTM C955
- Sheet steel meets or exceeds mechanical and chemical requirements of ASTM A1003
- · SDS & Product Certification Information is available at www.clarkdietrich.com

Sustainability Credits:

For more details and LEED letters contact Technical Services at 888-437-3244 or visit www.clarkdietrich.com/LEED


LEED v4 MR Credit -- Building Product Disclosure and Optimization: EPD (1 point) - Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) - Innovation Credit (up to 2 points).

LEED 2009 Credit MR 2 & MR 4 -- ClarkDietrich's steel products are 100% recyclable and have a national average recycled content of 34.2% (19.8% post-consumer and 14.4% pre-consumer). If seeking a higher number to meet Credit MR 5, please contact us at (info@clarkdietrich.com / 888-437-3244)

Project Information Contractor Information Name: Name: Address: Contact Phone: Fax:

Architect Information Name: Contact: Phone: Fax:

CD-RHPRO-H © 06/01/16 ClarkDietrich



See HDSC Header Bracket submittal sheet for allowable clip loads. All headers require the attachment of the HDSC Clip at each end with headers installed leg up.