

# PIERI<sup>®</sup> RELEASE 444

Form Release Agent

---

## Product Description

This innovative concrete release agent is used for heated and non-heated forms. PIERI<sup>®</sup> RELEASE 444 is paintable, non-staining, resistant to rain wash-off, void-free, and provides a smooth release. It is also high temperature resistant and provides corrosion resistance properties to steel forms, with no powdery residue. Coverage: approximately 2,500–3,000 ft<sup>2</sup>/gal (61–74 m<sup>2</sup>/L).

## Uses

PIERI<sup>®</sup> RELEASE 444 is excellent for usage on wood, concrete, steel, plastic, fiberglass, aluminum, and Formica forms. It is not recommended for Masonite forms and can be used with heated and non-heated forms. It is particularly favorable for all elevated temperature production including 190°F (88°C) or higher and its usage results in clean, uniform, natural surface appearance.

## Directions for Use

PIERI<sup>®</sup> RELEASE 444 achieves optimal performance when used undiluted. Pre-clean forms by removing any oil or grease residues from the use of other release agents; this prevents interference with desired results. Apply PIERI<sup>®</sup> RELEASE 444 on heated or cold forms by brush, roller, cloth, or by a fogging-type sprayer or a sprayer with an adjustable nozzle to control the amount of material being applied. However, care should be taken to not over-apply.

Do not allow the over-sprayed release to dry if additional mopping or wiping will be required.

Then pour or place concrete into the treated form (form can be tacky or dry). Strip casting from the form after required set-up time. Remove, if any, light concrete dust from the form surface, before treating with PIERI<sup>®</sup> RELEASE 444 again.

## Packaging & Handling

PIERI<sup>®</sup> RELEASE 444 is available in 55 gallon (208 L) drums and 5 gallon (19 L) pails. PIERI<sup>®</sup> RELEASE 444 has a shelf life of two years from date of manufacture if stored in a cool dry place in its closed original container. Keep away from all sources of heat, sparks or flame.

## Physical Specifications

Specific Gravity: 0.80

Flash Point: 105°F (41°C)

## Safety

Read SDS before use.

### North America customer service: 1-877-4AD-MIX (1-877-423-6491)

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate, and is offered for consideration, investigation and verification by the user, but we do not warrant the results to be obtained. Please read all statements, recommendations, and suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation, or suggestion is intended for any use that would infringe any patent, copyright, or other third party right.

PIERI is a trademark, which may be registered in the United States and/or other countries, of GCP Applied Technologies Inc. This trademark list has been compiled using available published information as of the publication date and may not accurately reflect current trademark ownership or status.

© Copyright 2018 GCP Applied Technologies Inc. All rights reserved.

GCP Applied Technologies Inc., 62 Whittemore Avenue, Cambridge, MA 02140 USA.

In Canada, GCP Canada, Inc., 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6.

This document is only current as of the last updated date stated below and is valid only for use in the United States. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on [www.gcpat.com](http://www.gcpat.com). Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.

Last Updated: 2018-08-24

[gcpat.com/solutions/products/pieri-decorative-solutions/pieri-release-444](http://gcpat.com/solutions/products/pieri-decorative-solutions/pieri-release-444)