HOOVER TREATED WOOD PRODUCTS, INC

TECHNICAL NOTE

FOR ADDITIONAL INFORMATION: www.frtw.com or 1-800-TEC-WOOD (832-9663)

FASTENER RECOMMENDATIONS DURA-GUARD® Preservative Treated Wood

With *DURA-GUARD®* treated wood, always use building-code approved, corrosion-resistant fasteners and connectors that are suitable for use in pressure-treated wood.

Recommended Fasteners: use hot-dipped galvanized fasteners (meeting ASTM A153) or stainless steel.

Recommended Connectors: use ASTM A653 (Type G185) zinc-coated steel.

For Permanent Wood Foundations and corrosive environments, such as Coastal areas with saltwater spray, use code approved stainless steel fasteners and connectors.

DURA-GUARD® treated wood is not suitable for direct contact with uncoated steel or aluminum building products.