Sales:(888)248-8076 Fax:(847)680-7883 www.mbastuds.com

Submittal Data – Flat Strapping

Member Designator 300FS-54

Coating CP60

Physical Properties

Design Thickness 0.0566 in


Mil 54 mil

Gauge 16 Gauge

Width 3.00 in

Yield Strength 33 ksi

Weight Per Foot 0.577 lb/ft



Leg Length	Thickness (mils)	Gauge	Length
1"			
1-1/2"			
2"	18	25	
3"	27	22	
4"	30	20D	
5"	33	20S	10' or custom lengths
6"	43	18	
7"	54	16	
8"	68	14	
9"	97	12	
10"			
11"			
12"			

General Notes

- 1. Physical properties and load tables have been calculated in conformance with the 2001 NASPEC for the Design of Cold-Formed Steel Structural Members, including the 2004 Supplement, and the IBC 2006, unless noted otherwise.
- 2. All structural framing members have a protective coating conforming to ASTM C 955.
- 3. Reference ASTM specification A 1003/A 1003 M table 1 for the universe of allowable coatings for light gauge steel framing.
- 4. Stud/joists are manufactured to custom lengths. Stud/joists are manufactured with punched webs unless otherwise specified at time of order.
- 5. Track is produced in standard lengths of 10 feet unless a custom track length is indicated. Track is manufactured with unpunched webs.
- 6. Structural framing members are marked with product information per the requirements of ASTM C 955 section 12.
- 7. All delivered material must be kept dry, preferably by being stored inside a building under a roof. If it is necessary to store material outside, it must be stacked off the ground, properly supported on a level platform, and fully protected from the weather. Reference ASTM C 754 section 8 and ASTM C 1007 section 4.

LEED Green Building Credits

MR Credit 2: Construction Waste Management – MBA steel framing is 100% recyclable.

 $MR\ Credit\ 4:\ Recycled\ Content-MBA\ steel\ framing\ is\ formed\ from\ no\ less\ than\ 25.5\%\ post-consumer\ and\ 6.8\%\ pre-consumer\ recycled\ content.$

MR Credit 5: Regional Materials – MBA has manufacturing facilities in multiple states.

