773 Metal Sales

Installation Guide POST FRAME

metalsales.us.com

IMPORTANT INFORMATION

The application and detail drawings in this manual are strictly for illustration purposes and may not be applicable to all building designs or product installations. All projects should conform to applicable building codes for that particular area. It is recommended to follow all building regulations and standard industry practices.

Metal Sales Manufacturing Corporation is not responsible for the performance of the roof system if it is not installed in accordance with the suggested instructions referenced in this installation manual or in the product overview. (See Product Manual or Product Technical Literature). If there is a conflict between this manual and the actual erection drawings, the erection drawings are to take precedence.

Prior to ordering and installing materials, all dimensions should be verified by field measurements.

Metal Sales reserves the right to modify, without notice, any details, recommendations or suggestions. Any questions you may have regarding proper installation of the roofing system should be directed to your Metal Sales representative, see pages 2 and 3.

Consult Metal Sales for any additional information not outlined in this manual.

This manual is designed to be utilized as a guide when installing Post Frame and Residential roofing systems.

It is the responsibility of the erector to ensure the safe installation of this product system.

SAFETY

STUDY APPLICABLE OSHA AND OTHER SAFETY REQUIREMENTS BEFORE FOLLOWING THESE INSTRUCTIONS.

The installation of metal wall systems is a dangerous procedure and should be supervised by trained knowledgeable erectors. USE EXTREME CARE WHILE INSTALLING WALL PANELS. It is not possible for Metal Sales to be aware of all the possible job site situations that could cause an unsafe condition to exist. The erector of the wall system is responsible for reading these instructions and determining the safest way to install the wall system.


These instructions are provided only as a guide to show a knowledgeable, trained erector the correct relationship of parts to one another. If following any of the installation steps would endanger a worker, the erector should stop work and decide upon a corrective action.

Provide required safety railing, netting, or safety lines for crew members working on the roof.

Do not use the roof panel as a walking platform. The roof panels will not withstand the weight of a person standing at the edge of the panel.

Do not stand on the roof panel until the panels have been attached. Fall protection for workers installing wall panels must be provided.

Metal Sales



NOTE: Shaded areas represent territories served by each location.

POST FRAME BRANCH LOCATIONS

1. DENVER

7990 East I-25 Frontage Road Longmont, CO 80504 303.702.5440 800.289.7663 800.289.1617 Fax

2. JACKSONVILLE

7110 Stuart Avenue Jacksonville, FL 32254 904.783.3660 800.394.4419 904.783.9175 Fax 800.413.3292 Fax

3. JEFFERSON

352 East Erie Street Jefferson, OH 44047 440.576.9070 800.321.5833 440.576.9242 Fax 800.233.5719 Fax

4. INDEPENDENCE

1306 South Powell Road Independence, MO 64057 816.796.0900 800.747.0012 816.796.0906 Fax

5. SELLERSBURG

7800 Highway 60 Sellersburg, IN 47172 812.246.1866 800.999.7777 812.246.0893 Fax 800.477.9318 Fax

6. ROGERS

22651 Industrial Boulevard Rogers, MN 55374 763.428.8080 800.328.9316 763.428.8525 Fax 800.938.9119 Fax

7. NASHVILLE

4314 Hurricane Creek Boulevard Antioch, TN 37013 615.641.7100 800.251.8508 615.641.7118 Fax 800.419.4372 Fax

8. SPOKANE

2727 East Trent Avenue Spokane, WA 99202 509.536.6000 800.572.6565 509.534.4427 Fax

9. KELSO

2680 Coweeman Park Drive Kelso, WA 98626 253.872.5750 800.431.3470 253.872.2008 Fax

10. NEW ALBANY

999 Park Place New Albany, IN 47150 812.944.2733 812.944.1418 Fax

11. ROCK ISLAND

8111 West 29th Street Rock Island, IL 61201 309.787.1200 800.747.1206 309.787.1833 Fax

12. DEER LAKE

29 Pinedale Industrial Road Orwigsburg, PA 17961 570.366.2020 800.544.2577 570.366.1648 Fax 800.544.2574 Fax

13. TEMPLE

3838 North General Bruce Drive Temple, TX 76501 254.791.6650 800.543.4415 254.791.6655 Fax 800.543.4473 Fax

14. WOODLAND

1326 Paddock Place Woodland, CA 95776 530.668.5690 800.759.6019 530.668.0901 Fax

15. FONTANA

14213 Whittram Avenue Fontana, CA 92335 909.829.8618 800.782.7953 909.829.9083 Fax

16. ANCHORAGE

4637 Old Seward Highway Anchorage, AK 99503 907.646.7663 866.640.7663 907.646.7664 Fax

17. BAY CITY

5209 Mackinaw Road Bay City, MI 48706 989.686.5879 888.777.7640 989.686.5870 Fax 888.777.0112 Fax

18. DETROIT LAKES

1435 Egret Avenue Detroit Lakes, MN 56501 218.847.2988 888.594.1394 218.847.4835 Fax 888.594.1454 Fax

19. MOCKSVILLE

188 Quality Drive Mocksville, NC 27028 336.751.6381 800.228.6119 336.751.6301 Fax 800.228.7916 Fax

20. FORT SMITH

7510 Ball Road Fort Smith, AR 72908 479.646.1176 877.452.3915 479.646.5204 Fax

21. SIOUX FALLS

2700 West 3rd Street, Suite 4 Sioux Falls, SD 57104 605.335.2745 888.299.0024

CORPORATE OFFICE

7800 Highway 60 Sellersburg, IN 47172 800.406.7387 800.944.6884 Fax

TECHNICAL SUPPORT

TECH SERVICES DEPT.

7800 Highway 60 Sellersburg, IN 47172 502.855.4300 800.406.7387 800.944.6884 Fax


POST FRAME TABLE OF CONTENTS

General Information	PAGE NO.
Important Information	1
Branch Territory Map	
Branch Locations	
Panel Information	
Classic Rib®	6.7
Pro-Panel II®	
Delta Rib	
5V-Crimp	,
2.5" Corrugated Roof	
2.5" Corrugated Wall	
1.25" Corrugated	
Post Frame Flashing Profiles	
Residential Flashing Profiles	
Accesorries	24
Foam Closures	25
Closures & Ridge Vents	
•	
Sealants	
Translucent Panels	
Roof Jacks	29
Material Handling	00
Receiving Material	
Bundle Handling	
Mechanical Handling	
Unstacking Material	
Transporting Material	31
Storage	
General	
Foot Traffic	
Required Tools	32
Design / Installation Considerations	
General	
Condition of Substructure	33
Field Cutting and Touch-Up	
Field Cutting	34
Touch-Up Paint	34
Ventilation	
Fastener Selection Guide	35
Installation Overview	36

POST FRAME TABLE OF CONTENTS (CONT.)

Post Frame Panel Installation	PAGE NO.
Installing Inside Closures (Step 1)	37
Installing First Panel (Step 2)	
Installing Endlap Panel (Step 3)	
Installing Sidelap Panel (Step 4)	
14" Universal Ridge Detail	
Low Profile Ridge Vent Detail	
Outside Corner Detail	
Inside Corner Detail	
Gable Trim Detail	
Rake Trim Detail	40
Universal Sidewall Detail	
Universal Endwall Detail	
Eave Molding Detail	
Universal Gambrel Detail	
Angle Base Detail	41
Double Angle Detail	41
Drip Cap Detail	
Base Molding Detail	
Cannonball Track Cover Detail	42
National Track Cover Detail	42
Door Jamb Molding Detail	43
Mini-Angle - U-Flashing Detail	43
Post Trim Detail	43
Door Post Trim Detail	43
Overhead Door Trim Detail	44
Soffit Detail	44
12" Soffit Detail	44
24" Soffit Detail	44
Installation Overview	45
Residential Panel Installation	
Installing Inside Closures (Step 1)	
Installing First Panel (Step 2)	
Installing Second Panel (Step 3)	
Installing Second Eave Panel (Step 4)	
14" Universal Ridge Detail	
Ridge / Hip Cover Detail	
Vented Ridge Detail	
Gable Trim Detail	
Eave Detail	
Gutter Detail	
Valley Detail	
Pitch Break Detail	
Chimney / Cricket Detail	
Roof Penetration Detail	
Care and Maintenance	
Notes	51

POST FRAME CLASSIC RIB®



PANEL OVERVIEW

- ► Finishes: MS Colorfast45®, ColorFit40™, MS Crinkle Finish and Acrylic Coated Galvalume®
- ▶ Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume®

AZ50 per ASTM A 792 for painted Galvalume®

AZ35 per ASTM A 792 for painted Galvalume® (ColorFit40™ only)

G60, G90 or G100 per ASTM A 653 for Galvanized

- Gauges: 29 ga and 26 ga standard; 24 ga optional
- ▶ Panel Length: Minimum: 5'-0"; Maximum: 45'-0" recommended
- ▶ **Profile**: 36" panel coverage, 3/4" rib height
- Info: Exposed fastened panel, low profile, bell-top trapezoidal rib on 9" centers
- Minimum roof slope: 3:12

TESTING AND APPROVALS


- UL 2218 Impact Resistance Class 4
- UL 790 Fire Resistance Rating Class A, per building code
- UL 263 Fire Resistance Rating per assembly
- UL 580 Uplift Resistance Class 90 Constructions: #560, 584
- ASTM E 331, Water Penetration, with Strip Mastic in sidelap
- ASTM E 455, Diaphragm Capacity
- Texas Windstorm Evaluations RC-161 and RC-391
- 2023 FBC Approvals FL9482.2, FL9482.3, 10999.3, FL 10999.4, FL14645.6, FL14645.7, FL14645.8, FL14645.9 and FL 46539.1
- Miami-Dade County, Florida NOA 21-0629.10 expires 8/24/2026
- ICC Evaluation Report ESR-2385

SECTION PROPERTIES


			SE	CTION PR	OPERTIE	S									M LC er spa			f	
	Ga Width Yield		Weight	Top in Co	npression	Bottom in C	ompression		lı	nward	l Loa	d			0	utwar	d Loa	ad	
Ga	Ga width	ksi	psf	lxx	Sxx	lxx	Sxx	<u> </u>											
				in⁴/ft	in³/ft	in⁴/ft	in³/ft	1.5'	2'	2.5'	3'	3.5'	4'	1.5'	2'	2.5'	3'	3.5'	4'
29	36	80	0.63	0.0097	0.0162	0.0060	0.0140	171	97	62	43	32	24	197	112	72	50	37	25
26	36	80	0.80	0.0123	0.0207	0.0080	0.0181	221	125	81	56	41	32	251	143	92	64	47	32
24	36	50	1.05	0.0163	0.0268	0.0117	0.0241	.				35	271	154	99	69	51	39	


- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- 2. Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear and deflection. Allowable load does not address web crippling, fasteners, support material or load testing. Allowable load considers the three or more equal spans condition. Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.
- 5. Diaphragm Capacity 246 plf average Ultimate Shear Strength using the above fastening pattern on 2x supports located 2' on center, per ASTM E 455.

PANEL LAP DETAIL



FASTENING PATTERNS





POST FRAME PRO-PANEL II®

36" Coverage Anti-Siphon Groove 31/8" — 23/4" — Optional Profile

PANEL OVERVIEW

Finishes: MS Colorfast45[®], ColorFit40[™], MS Crinkle Finish and Acrylic Coated Galvalume[®]

▶ Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume®

AZ50 per ASTM A 792 for painted Galvalume®

AZ35 per ASTM A 792 for painted Galvalume[®] (ColorFit40[™] only)

G60, G90 or G100 per ASTM A 653 for Galvanized

Gauges: 29 ga and 26 ga standard

Panel Length: Minimum: 5'; Maximum: 45' recommended

▶ **Profile**: 36" panel coverage, 5/8" rib height

▶ Info: Exposed fastened, low profile roof and wall panel; Trapezoidal rib on 9" centers

Minimum roof slope: 3:12

TESTING AND APPROVALS


- UL 2218 Impact Resistance Class 4
- UL 790 Fire Resistance Rating Class A, per building code
- UL 263 Fire Resistance Rating per assembly
- ASTM E 283 Air Leakage 0.0076 cfm/ft² at 6.24 psf *
- ASTM E 331 Water Penetration none at 12 psf*
- ASTM E 330 Structural Performance
- ASTM E 455 Diaphragm Capacity
- 2023 FBC Approvals FL14645.12 and FL46539.2
- * uses tape sealant and stitch screws 1' on center in side lap

SECTION PROPERTIES

			SECT	ION PR	OPERTI	ES						LE l					•		
Ga	Width	Yield	Weight		mpression	Bottom In C	ompression Sxx		Ir	ward	l Loa	ad			Οι	ıtwar	d Lo	ad	
	in	ksi	psf	in⁴/ft	in³/ft	in⁴/ft	in³/ft	1.5' 2' 2.5' 3' 3.5' 4'		4'	1.5'	2'	2.5'	3'	3.5'	4'			
29	36	80	0.62	0.0060	0.0123	0.0043	0.0128	155	88	57	40	27	18	150	85	55	38	27	18
26	36	80	0.79	0.0083	0.0171	0.0057	0.0165	200	114	73	51	34	23	207	118	76	53	34	23


- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- 2. Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear and deflection. Allowable load does not address web crippling, fasteners, support material or load testing. Allowable load considers the three or more equal spans condition. Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.


PANEL LAP DETAIL






FASTENING PATTERNS





POST FRAME DELTA RIB



PANEL OVERVIEW

- ▶ Finishes: MS Colorfast45® and Acrylic Coated Galvalume®
- Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume[®] AZ50 per ASTM A 792 for painted Galvalume[®] G90 per ASTM A 653 for Galvanized
- ▶ Gauges: 29 ga and 26 ga standard, 24 ga optional
- Panel Length: Minimum: 5'; Maximum: 40' recommended
- ▶ **Profile**: 24" panel coverage, 13/16" rib height
- Info: Exposed fastened, low profile roof and wall panel; Trapezoidal rib on 8" centers
- Minimum roof slope: 3:12

TESTING AND APPROVALS


- UL 2218 Impact Resistance Class 4
- UL 790 Fire Resistance Rating Class A, per building code
- UL 263 Fire Resistance Rating per assembly

SECTION PROPERTIES


			SECT	ION PR	OPERTI	ES											DS, ings	-	
	Ga Width	V: - 1-1	\A/-!I-4		mpression	Bottom In C	ompression		In	war	410	ıd			Oı	ıtwaı	rd Lo	ad	
Ga	width	Yield ksi	Weight psf	lxx	Sxx	lxx	Sxx	Inward Load				itwai	u Lo	au					
			ρο.	in⁴/ft	in³/ft	in⁴/ft	in³/ft	3'	3.5'	4'	4.5'	5'	6'	3'	3.5'	4'	4.5'	5'	6'
29	24	80	0.64	0.0115	0.0193	0.0100	0.0228	67	50	37	29	19	11	58	43	33	26	19	11
26	24	80	0.82	0.0165	0.0283	0.0135	0.0295	89	66	48	34	25	14	86	64	48	34	25	14
24	24	50	1.07	0.0230	0.0403	0.0195	0.0394	101	74	57	44	32	19	103	76	58	44	32	19


- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- 2. Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing. Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.

PANEL LAP DETAIL



FASTENING PATTERN





PANEL OVERVIEW

- ▶ Finishes: MS Colorfast45® and Acrylic Coated Galvalume®
- Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume®

 AZ50 per ASTM A 792 for painted Galvalume®

G90 per ASTM A 653 for Galvanized

- ▶ Gauges: 26 ga standard; 24 ga optional
- ▶ Panel Length: Minimum: 5'; Maximum: 45' recommended
- ▶ **Profile**: 24" panel coverage, 1/2" rib height
- Minimum roof slope: 3:12
- ▶ Info: "V" rib roof panel 12" on center. Applies over plywood with minimum 30# felt underlayment


TESTING AND APPROVALS

- UL 2218 Impact Resistance Class 4
- UL 790 Fire Resistance Rating Class A, per building code
- UL 263 Fire Resistance Rating per assembly
- UL 580 Uplift Resistance Class 90 Constructions: #579 and #453
- Texas Windstorm Evaluation RC-160
- 2023 FBC Approvals FL14645.2 and FL14645.3
- Miami-Dade County, Florida NOA 23-0222.06 (26 ga) expires 6/29/2028
- Miami-Dade County, Florida NOA 24-0212.05 (0.032" Aluminum) expires 4/24/2029


SECTION PROPERTIES

			SECT	ION PRO	OPERTIE	ES						OADS, _l pacings	
	Ga		\A/a : la 4		mpression	Bottom In C	ompression			Outware	d I oad		
Ga	in	Yield ksi	Weight psf	lxx	Sxx	lxx	Sxx			Outwar	u Loau		
			ρο.	in⁴/ft	in³/ft	in⁴/ft	in³/ft	0.5'	1'	1.5'	2'	2.5'	3'
26	24	50	0.78	0.0025	0.0070	0.0015	0.0055	197	100	71	62	50	42
24	24	50	1.02	0.0030	0.0089	0.0020	0.0073	3 197 100 71 62 50 42					


- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- 2. Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing. Panel weight is not considered.
- Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.





FASTENING PATTERN



OPTIONAL FASTENING PATTERNS







PANEL OVERVIEW

▶ Finishes: MS Colorfast45® and Acrylic Coated Galvalume®

Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume® AZ50 per ASTM A 792 for painted Galvalume®

G90 per ASTM A 653 for Galvanized

Gauges: 26 ga standard; 24 ga optional

▶ Panel Length: Minimum: 5'; Maximum: 45' recommended

▶ Profile: 21-1/3" panel coverage, 1/2" rib height

Minimum roof slope: 3:12

▶ Info: Ribs on 2.66" centers. Applies over plywood with minimum 30# felt underlayment

TESTING AND APPROVALS


- UL 2218 Impact Resistance Class 4
- UL 790 Fire Resistance Rating Class A, per building code
- UL 263 Fire Resistance Rating per assembly
- Texas Windstorm Evaluation RC-159
- 2023 FBC Approval FL14645.1
- ICC Evaluation Report ESR-2385

SECTION PROPERTIES


			SECT	ION PR	OPERTI	ES											DS, ings	_	
	Width Yield Weight Top In Compression Bottom In Compression Inward Load								ıd			0.	ıtwai	rd Lo	ad				
Ga	in	ksi	psf	lxx	Sxx	lxx	Sxx								itwai	I L L C	au		
			ρσ.	in⁴/ft	in³/ft	in⁴/ft	in³/ft	2' 2.5' 3' 3.5' 4' 4.5'			2'	2.5'	3'	3.5'	4'	4.5'			
30	21.33	80	0.66	0.0051	0.0202	0.0051	0.0185	107	55	32	20	14	9	107	55	32	20	14	9
29	21.33	80	0.70	0.0056	0.0215	0.0056	0.0208	118	60	35	22	15	10	118	60	35	22	15	10
26	21.33	50	0.90	0.0073	0.0275	0.0073	0.0274	153	78	45	29	19	13	153	78	45	29	19	13
24	21.33	50	1.17	0.0096	0.0354	0.0096	0.0354	200	102	59	37	25	18	200	102	59	37	25	18
22	21.33	50	1.53	0.0124	0.0457	0.0124	0.0457	259	133	77	48	32	23	259	133	77	48	32	23


- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection.
 Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing.
 Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.


ROOF PANEL LAP DETAIL



FASTENING PATTERNS







PANEL OVERVIEW

► Finishes: MS Colorfast45® and Acrylic Coated Galvalume®

Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume® AZ50 per ASTM A 792 for painted Galvalume® G90 per ASTM A 653 for Galvanized

▶ Gauges: 26 ga standard; 24 ga optional

▶ Panel Length: Minimum: 5'; Maximum: 45' recommended

▶ **Profile**: 24" panel coverage, 1/2" rib height

Minimum roof slope: 3:12

▶ Info: Ribs on 2.66" centers. Applies over plywood with minimum 30# felt underlayment

TESTING AND APPROVALS


- UL 2218 Impact Resistance Class 4
- UL 790 Fire Resistance Rating Class A, per building code
- UL 263 Fire Resistance Rating per assembly

SECTION PROPERTIES


			SECT	ION PR	OPERTI	ES					VAB vari								
	1A/: al4la	Viald	Mainh4		mpression	Bottom In C	ompression		In	war	d I na	hd			Oı	ıtwa	rd Lo	he	
Ga	Width in	Yield ksi	Weight psf	lxx	Sxx	lxx	Sxx	Inward Load 2' 2.5' 3' 3.5' 4' 4.5'					itwa	- LO	au				
			ρο.	in⁴/ft	in³/ft	in⁴/ft	in³/ft				4.5'	2'	2.5'	3'	3.5'	4'	4.5'		
30	24	80	0.59	0.0045	0.0180	0.0045	0.0165	96	49	28	18	12	8	96	49	28	18	12	8
29	24	80	0.62	0.0050	0.0191	0.0050	0.0185	105	54	31	20	13	9	105	54	31	20	13	9
26	24	50	0.80	0.0065	0.0245	0.0065	0.0244	136	70	40	25	17	12	136	70	40	25	17	12
24	24	50	1.04	0.0085	0.0315	0.0085	0.0315	178	91	53	33	22	16	178	91	53	33	22	16
22	24	50	1.36	0.0110	0.0407	0.0110	0.0407	230	118	68	43	29	20	230	118	68	43	29	20

- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection.
 Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing.
 Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.

WALL PANEL LAP DETAIL




FASTENING PATTERN



POST FRAME

1.25" CORRUGATED



PANEL OVERVIEW

▶ Finishes: MS Colorfast45® and Acrylic Coated Galvalume®

► Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume® AZ50 per ASTM A 792 for painted Galvalume®

G90 per ASTM A 653 for Galvanized Gauges: 26 ga standard; 24 ga optional

Panel Length: Minimum: 3'; Maximum: 30' recommended

▶ Profile: 24" panel coverage, 1/2" rib height

Minimum roof slope: 3:12

▶ Info: Ribs on 1.25" centers. Applies over plywood with minimum 30# felt underlayment

TESTING AND APPROVALS


- UL 2218 Impact Resistance Class 4
- UL 790 Fire Resistance Rating Class A, per building code
- UL 263 Fire Resistance Rating per assembly

SECTION PROPERTIES


			SECT	ION PR	OPERTI	ES											DS, ings		
	(42)		VA/a i au la 4		npression	Bottom In C	ompression		In	war	l I na	hd			Ou	ıtwaı	rd Lo	ad	
Ga	in	ksi	Weight psf	lxx	Sxx	lxx	Sxx	Inward Load				itwai		uu					
			ρο.	in⁴/ft	in³/ft	in⁴/ft	in³/ft	1'	1.25'	1.5'	1.75'	2'	2.5'	1'	1.25'	1.5'	1.75'	2'	2.5'
30	24	80	0.61	0.0010	0.0066	0.0010	0.0063	167	86	50	31	21	11	167	86	50	31	21	11
29	24	80	0.64	0.0010	0.0070	0.0010	0.0067	167	86	50	31	21	11	167	86	50	31	21	11
26	24	50	0.81	0.0015	0.0087	0.0015	0.0085	196	126	74	47	31	16	202	113	65	41	27	14

- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- 2. Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing. Panel weight is not considered.
- Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase for wind.

PANEL LAP DETAIL




FASTENING PATTERN



USING SCREWS:

For fastening with screws, it is best to use a painted or plated screw, Type A or driller tip with a flat rubber washer. The correct screw gun is also important to the proper installation of self-drilling or self-tapping screws. A tool with the appropriate speed and torque setting (as recommended by the fastener manufacturer) will help prevent fastener thread strip-out and possible damage to the panel or its coating. Typically 40 screws should be used per square for 2' wide panels and 80 screws should be used per square for 3' wide panels.

CORRECT Sealing material slightly visible at edge of washer. Assembly is water tight.	TOO LOOSE Sealing material is not visible; not enough compression to seal.	TOO TIGHT Washer is deformed; sealing material pressed beyond fastener edge.




SEATING THE WASHER - Apply sufficient torque to seat the washer - do not overdrive the fastener.

TO PREVENT WOBBLING - Make sure fastener head is completely engaged in the socket. If the head does not go all the way in the socket - tap the magnet deeper into the socket to allow full head engagement. Metal chips will build up from drilling and should be removed from time to time.


PROTECT DRILL POINT - Push only hard enough on the screw gun to engage clutch. This prevents excess friction and burn out of the drill point. Correct pressure will allow screw to drill and tap without binding.

POST FRAME


POST FRAME FLASHING PROFILES




1▶ BASE MOLDING




1▶ ANGLE BASE




2▶ J-CHANNEL




3▶ 14" UNIVERSAL RIDGE




3▶ 20" UNIVERSAL RIDGE




4▶ SOFFIT




4▶ 12" SOFFIT



4▶ 24" SOFFIT



5▶ UNIVERSAL ENDWALL



POST FRAME FLASHING PROFILES

6 UNIVERSAL SIDEWALL **7**▶ MINI ANGLE **8**▶ INSIDE CORNER С 4" 11/2" 31/2" 4" 11/2" ⁷/₈" **10**▶ NATIONAL TRACK COVER 10 TOP MOUNT TRACK COVER **9▶** POST TRIM 31/2" 13/4" 35/8" 1⁷/₈" С 41/2" 21/2" 147 91/4" 1³/₈" **11▶** GABLE TRIM **10**▶ CANNONBALL TRACK COVER **11▶** RAKE TRIM 23/8" $1^{3}/_{8}$ " 147° 67/8" 1¹/₁₆" 51/4" 23/4" 1⁵/₁₆" 15) DOOR JAMB **13**▶ OUTSIDE CORNER 14 OVERHEAD DOOR TRIM 4" 17/8" 15/8" $9^{1}/_{4}$ " or $7^{1}/_{4}$ " 7⁷/₈" ⁵/8"

POST FRAME FLASHING PROFILES

16▶ DRIP CAP **17**▶ DOOR POST TRIM **18▶** FRAMING CLOSURE C 31/4" 11/4" 5⁵/₈" 21/2" ⁷/₈" 11/2" 35/8" 20 TRANSLUCENT PANEL **21**▶ EAVE MOLDING 22 DOUBLE ANGLE 105° 41/8" See Panel Profile 130° LENGTHS: 8'-0",10'-0",12'-0" 23 WIDE Z-METAL 24 UNIVERSAL GAMBREL **25▶** RAKE/EAVE TRIM 15/8" -31/2" 23/4" 120° 11/2" 23/4" 3/8" Hem **26**▶ 3/8" F&J CHANNEL **26▶** 3/4" F&J CHANNEL 11/4" 11/4" 3/4" 3/8" 23/4" 21/4" C

POST FRAME RESIDENTIAL FLASHING PROFILES 5 **1**▶ 14" UNIVERSAL RIDGE COVER **1▶** RIDGE / HIP COVER **1**▶ 13" STEP RIDGE / HIP COVER 5 1/2" Specify Angle **4** UNIVERSAL ENDWALL **2**▶ GABLE TRIM **3**▶ EAVE TRIM 37/8" 51/4" Specify Angle Specify Angle 3" 3 1/2" **4** PITCH BREAK **5**▶ UNIVERSAL SIDEWALL **6▶** VALLEY C 4" Specify Angle 4" Specify Angle 31/2" ⁷/₈" 6"

24

POST FRAME FOAM CLOSURES

APPLICATION	SIZE	ТҮРЕ	WEIGHT	COLOR
Inside Closure	36"	Polyethylene Foam	0.3 lbs	Grey
Outside Closure	36"	Polyethylene Foam	0.3 lbs	Grey
APPLICATION	SIZE	TYPE	WEIGHT	COLOR
Inside Closure	36"	Polyethylene Foam	0.3 lbs	Grey
Outside Closure	36"	Polyethylene Foam	0.3 lbs	Grey
APPLICATION	SIZE	TYPE	WEIGHT	COLOR
Inside Closure	24"	Polyethylene Foam	0.2 lbs	Grey
Outside Closure	24"	Polyethylene Foam	0.2 lbs	Grey
APPLICATION	SIZE	TYPE	WEIGHT	COLOR
Inside Closure	24"	Polyethylene Foam	0.2 lbs	Grey
Outside Closure	24"	Polyethylene Foam	0.2 lbs	Grey
APPLICATION	SIZE	ТҮРЕ	WEIGHT	COLOR
Inside/Outside Closure	24"	Polyethylene Foam	0.2 lbs	Grey
APPLICATION	SIZE	ТҮРЕ	WEIGHT	COLOR
Inside/Outside				
	Outside Closure APPLICATION Inside Closure	Outside Closure 36" APPLICATION SIZE Inside Closure 36" APPLICATION SIZE Inside Closure 24" Outside Closure 24" APPLICATION SIZE Inside Closure 24" APPLICATION SIZE Inside Closure 24" APPLICATION SIZE Inside Closure 24" Outside Closure 24"	Outside Closure 36" Polyethylene Foam APPLICATION SIZE TYPE Inside Closure 36" Polyethylene Foam Outside Closure 36" Polyethylene Foam APPLICATION SIZE TYPE Inside Closure 24" Polyethylene Foam Outside Closure 24" Polyethylene Foam APPLICATION SIZE TYPE Inside Closure 24" Polyethylene Foam Outside Closure 24" Polyethylene Foam Outside Closure 24" Polyethylene Foam APPLICATION SIZE TYPE Inside/Outside 24" Polyethylene Foam APPLICATION SIZE TYPE Inside/Outside 24" Polyethylene Foam	Outside Closure 36" Polyethylene Foam 0.3 lbs APPLICATION SIZE TYPE WEIGHT Inside Closure 36" Polyethylene Foam 0.3 lbs Outside Closure 36" Polyethylene Foam 0.3 lbs APPLICATION SIZE TYPE WEIGHT Inside Closure 24" Polyethylene Foam 0.2 lbs Outside Closure 24" Polyethylene Foam 0.2 lbs APPLICATION SIZE TYPE WEIGHT Inside Closure 24" Polyethylene Foam 0.2 lbs Outside Closure 24" Polyethylene Foam 0.2 lbs APPLICATION SIZE TYPE WEIGHT Inside Closure 24" Polyethylene Foam 0.2 lbs APPLICATION SIZE TYPE WEIGHT Inside/Outside 24" Polyethylene Foam 0.2 lbs

POST FRAME CLOSURES & RIDGE VENTS

UNIVERSAL CLOSURE

SIZE	TYPE	PRODUCT NO.	WT/100	COLOR
1" x 1 ¹ / ₂ " x 25'	Polyethylene Foam	6411499	2.0 lbs	Grey
1" x 1 ¹ / ₂ " x 50'	Polyethylene Foam	6411299	4.0 lbs	Grey



LP2 RIDGE VENT •	CLASSIC RIB
Python Vent Material Panel Profile	36"

SIZE	TYPE	PRODUCT NO.	WEIGHT	COLOR
36" Wide	Python™ Polyester Vent Material	6451899	0.7 lbs	Grey



SIZE	TYPE	PRODUCT NO.	WEIGHT	COLOR
36" Wide	Python™ Polyester Vent Material	6440669 6441499 6465099	0.7 lbs	Grey



SIZE	TYPE	PRODUCT NO.	WEIGHT	COLOR
24" Wide	Python™ Polyester Vent Material	6441099	0.5 lbs	Grey

	100 m 160 m	

Modified polyester fiber-based
vent material

PROFILE	TOTAL LF	PACKAGE	PRODUCT NO.	WEIGHT	COVERAGE
Classic Rib	50'	2 Rolls at 25'	6442100	4.7 lbs	25' Ridge
Classic Rib	100'	2 Rolls at 50'	6441699	10.7 lbs	50' Ridge
Pro-Panel II	50'	2 Rolls at 25'	6442200	4.7 lbs	25' Ridge
Pro-Panel II	100'	2 Rolls at 50'	6441599	10.7 lbs	50' Ridge
5V-Crimp	50'	2 Rolls at 25'	6423106	4.7 lbs	25' Ridge
5V-Crimp	100'	2 Rolls at 50'	6423000	10.7 lbs	50' Ridge



SIZE	TYPE	PRODUCT NO.	WT/100	WEIGHT
1" x 1 ¹ / ₂ " x 25'	Polyethylene Foam	6442100	2.0 lbs	Grey
1" x 1 ¹ / ₂ " x 50'	Polyethylene Foam	6411299	4.0 lbs	Grey

POST FRAME ACCESSORIES

TOOTTIVAILE AGGE	00011120				
SINGLE BEAD TUBE SEALANT	SIZE	TYPE	PRODUCT NO.	WT/24	
	³ / ₈ " x ³ / ₃₂ " x 50'	Butyl	6404099	48.0 lbs	24 Rolls

DOUBLE BEAD TUBE SEALANT	SIZE	TYPE	PRODUCT NO.
	⁷ / ₈ " x ³ / ₁₆ " x 25'	Butyl	6403899
	⁷ / ₈ " x ³ / ₁₆ " x 40'	Butyl	6403999

TUBE SEALANT	SIZE	TYPE	PRODUCT NO.	WT/CTN	CTN QTY
	10.3 oz	Urethane White	6402830	29.1 lbs	30 Tubes
THE THAT	10.3 oz	Urethane Bronze	6402999	29.1 lbs	30 Tubes
B and a second	10.3 oz	Urethane Grey	6402829	29.1 lbs	30 Tubes

MS-HT UNDERLAYMENT	SIZE	TYPE	COVERAGE	WEIGHT
Self-adhered underlayment	36" x 67'-0"	Peel and Stick	2 Squares	44 lbs

WT/CTN

57.6 lbs

48.0 lbs

CTN QTY

24 Rolls

10 Rolls

POST FRAME TRANSLUCENT PANELS







FIBERGLASS PANELS

PROFILE	LENGTH	WIDTH	PRODUCT NO.	WEIGHT	COLOR
Classic Rib	2'-0"	37.88"	6150702 6150130	1.6 lbs	White
Classic Rib	8'-0"	37.88"	6150730	8.0 lbs	White
Classic Rib	10'-0"	37.88"	6150830	10.0 lbs	White
Classic Rib	12'-0"	37.88"	6150930	12.0 lbs	White
Pro-Panel II	8'-0"	37.88"	6140230	8.0 lbs	White
Pro-Panel II	10'-0"	37.88"	6140430	10.0 lbs	White
Pro-Panel II	12'-0"	37.88"	6140630	12.0 lbs	White
Delta-Rib	8'-0"	26.25"	6115230	6.0 lbs	White
Delta-Rib	10'-0"	26.25"	6115430	8.0 lbs	White
Delta-Rib	12'-0"	26.25"	6115630	10.0 lbs	White
1.25" Corrugated	12'-0"	26"	6105630	10.0 lbs	White
2.5" Corrugated	10'-0"	26"	6110530	8.0 lbs	White
2.5" Corrugated	12'-0"	26"	6110630	10.0 lbs	White

POST FRAME ROOF JACKS

ROUND BASE









SIZE	TYPE	PRODUCT N	NO. BASE DIAMET	ER WEIGHT	
#1 Flashe	r Rubber	68501XX*	1/4" - 2"	0.9 lbs	
#2 Flashe	r Rubber	68502XX*	13/4" - 31/4"	1.5 lbs	
#3 Flashe	r Rubber	68503XX*	1/4" - 5"	2.1 lbs	
#4 Flashe	r Rubber	68504XX*	3" - 61/4"	2.8 lbs	
#5 Flashe	r Rubber	68505XX*	4 ¹ / ₄ " - 7 ¹ / ₂ "	3.9 lbs	
#6 Flashe	r Rubber	68506XX*	* 5" - 9"	4.6 lbs	
#7 Flashe	r Rubber	68507XX*	° 6" - 11"	5.9 lbs	
#8 Flashe	r Rubber	68508XX*	* 7" - 13"	7.0 lbs	
#9 Flashe	r Rubber	68509XX*	* 10" - 19"	10.2 lbs	
*Special order colors: 93=Brown; 94=Green; 95=Red; 96=Blue; 97=White; 98=Grey; 99=Black					
#1 Flashe	r HT Silicon	e 6850011	1/4" - 2"	3.0 lbs	
#2 Flashe	r HT Silicon	e 6850012	13/4" - 31/4"	3.5 lbs	
#3 Flashe	r HT Silicon	e 6850013	1/4" - 5"	4.0 lbs	
#4 Flashe	r HT Silicon	e 6850014	3" - 6 ¹ / ₄ "	4.5 lbs	
#5 Flashe	r HT Silicon	e 6850015	41/4" - 71/2"	5.0 lbs	
#6 Flashe	r HT Silicon	e 6850016	5" - 9"	6.0 lbs	

6850017

6850018

6850019

6" - 11"

7" - 13"

10" - 19"

11.0 lbs

12.0 lbs

13.0 lbs

RETROFIT





	'		'	
SIZE	TYPE	PRODUCT NO.	PIPE DIAMETER	WEIGHT
#1 Masterflash	Retrofit HT	6850060	1/4" - 2"	1.2 lbs
#2 Masterflash	Retrofit HT	6850061	1-1/4" - 3"	2.5 lbs
#3 Masterflash	Retrofit HT	6850062	1/4" - 4"	3.9 lbs
#1 Masterflash	Retrofit E.P.D.M	6850073	3/4" - 2-3/4"	1.2 lbs
#2 Masterflash	Retrofit E.P.D.M	6850074	2" - 7-1/4"	2.5 lbs
#3 Masterflash	Retrofit E.P.D.M	6850075	3/4" - 10"	3.9 lbs
#1 Masterflash	Retrofit E.P.D.M	6850070	3/4" - 2-3/4"	1.2 lbs
#2 Masterflash	Retrofit E.P.D.M	6850071	2" - 7-1/4"	2.5 lbs
#3 Masterflash	Retrofit E.P.D.M	6850072	3/4" - 10"	3.9 lbs
#1 Masterflash	Retrofit E.P.D.M	6850046	1/2" - 4"	1.2 lbs
#2 Masterflash	Retrofit E.P.D.M	6850047	1-1/4" - 3"	2.5 lbs
#3 Masterflash	Retrofit E.P.D.M	6850048	1/4" - 5"	3.9 lbs

HT Silicone

HT Silicone

HT Silicone

#7 Flasher

#8 Flasher

#9 Flasher

RECEIVING MATERIAL

It is the responsibility of the installer to unload material from the delivery truck. The installer shall be responsible for providing suitable equipment for unloading of material from the delivery.

Metal Sales is not responsible for any damages or shortages unless they are documented in writing and presented to Metal Sales within 48 hours. A claim should be made against the carrier as soon as possible.

After receiving material:

- Check the condition of the material
- Review the shipment against the shipping list to ensure all materials are all accounted for
- If damages or shortages are discovered, it should be noted on the Bill of Lading at the time of delivery

BUNDLE HANDLING

Each bundle should be handled carefully to avoid being damaged. Care should be taken to prevent bending of the panel or scratching of the finish. Whenever possible, the bundle should remain crated until it is located in its place of storage or use. If bundles must be opened, we recommend you re-crate them before lifting. To avoid damage lift the bundle at its center of gravity.

CAUTION

Improper loading and unloading of bundles and crates may result in bodily harm and/or material damage. Metal Sales is not responsible for bodily injuries and/or material damages resulting from improper loading and unloading.

MECHANICAL HANDLING

Forklift - A forklift may be used for panels up to 20'-0" long. Make sure the forks are at their maximum separation. Do not transport open bundles. When transporting bundles across rough terrain, or over a longer distance, some means of supporting the panel load must be used.

Crane - A crane should be used when lifting panels with lengths greater than 20'-0". Be sure to utilize a spreader bar to ensure the even distribution of the weight to the pick up points. As a rule when lifting panels, no more than ¹/₃ of the length of the panel should be left unsupported. Never use wire rope because this will damage the panels.






UNSTACKING MATERIAL

For panels over 5'-0" in length at least two people on the ends of the panel are required. Additional help will be needed for every 10'-0" in length beyond that.

Take care when unstacking to ensure panels are lifted up and not across other panels in the stack. Minimize handling of panels when unstacking and stacking to avoid damage. Be sure to wear appropriate safety equipment including clean gloves, as panel edges are sharp. Inspect panels before lifting. Metal Sales is not responsible for damage created by unstacking panels incorrectly. Dragging or sliding the panels will cause the corners and edges to scratch the paint.

Defect claims must be reported upon inspection and *before* panels are handled or installed.


Restacking – Align bottom-side edge with the stack and lay panel onto the stack, nesting with the panels.




TRANSPORTING MATERIAL

Handling of individual panels should be done carefully and properly to avoid bending or damaging. Panels should be carried by grasping the edge so that the panel is vertical to the ground. Normally, individual panels can be handled by people placed every 6'-0" to 8'-0" along the length of the panel.

The panel should not be carried horizontal to the ground as this could cause the panel to buckle or bend in the center.






INCORRECT

GENERAL

Please inspect panels for moisture accumulation. If moisture has formed, the panels should be unbundled, wiped dry, and allowed to dry completely. Once dry, carefully re-stack the panels and loosely recover allowing for ample air circulation.

Bundled sheets should be stored high enough off of the ground to allow for air circulation and prevent contact with accumulating water. Elevate one end of the bundle to allow any moisture to run off the panels. Metal Sales recommends covering the bundle with a Tarp. Do not use tight fitting plastic-type Tarp as panel bundle covers. While they may provide protection from heavy downpours, they can also retard necessary ventilation and trap heat and moisture that may accelerate metal corrosion. If panels are to be stored in possible bad weather, we suggest they be stored inside. Extended storage of panels in a bundle is not recommended. **Under no circumstances should the panels be stored near or come in contact with salt water, corrosive chemicals, ash or fumes generated or released inside the building or nearby plants, foundries, plating works, kilns, fertilizer and wet or green lumber.**



Care of metal panels and flashings must be exercised throughout erection. Foot traffic can cause distortion of panel and damage to finish. Traffic over the installed system must be kept to an absolute minimum. Installers should wear rubber sole shoes to keep from scuffing material while walking on the roof.

When walking on the roof panels is unavoidable, walk only in the flats of the panel. Walking on the ribs can cause damage to the panels.

REQUIRED TOOLS

Standard required tools for field installation include:

- Screw Guns
- Magnetic Bits
- Metal Nibbler or Shear
- Tin Snips
- Tape Measure
- Hammer
- Chalk Line
- Drill with bits
- Pop Rivet Gun

- Safety Goggles
- Gloves
- Ear Plugs
- Fall Protection

DESIGN / INSTALLATION CONSIDERATIONS

GENERAL

Metal Sales' panels are designed to be installed over open framing and/or directly over a wood substrate (minimum 5/8") with 30# felt moisture barrier (or an Ice and Water Shield when required by Local Building Codes).

Always check with local building codes prior to all installations for any additional requirements that may be specific to your area.

Galvanized and Galvalume panels should not be in contact with, or subject to, water runoff from copper, lead or uncoated steel materials.

Condensate water from air conditioning units typically contains dissolved copper. This condensate should be discharged through a plastic pipe extended beyond the edge of the roof.

There are two critical measurements involving metal panels: the length of panel overhang required at the eave, and the peak end. In each case a certain measurement is required. Check each measurement to ensure panel placement gives you the distance required at the eave, and peak condition. In most cases any variance can be taken out at the eave or peak ends.

CONDITION OF SUBSTRUCTURE

The roof should be inspected for any trapped moisture or structural damage such as bowing or sagging rafters and warped or loose roof purlins or solid decking. These areas should be repaired prior to installing new metal panels.


Prior to installation, make sure there are no nails or fasteners protruding from the roof framing or wood substrate which could damage the panels and impede the installation process.

When installed, panel distortion may occur if not applied over properly aligned and uniform substructure.

Whether installing over new or existing roof, the installer should check the roof deck for squareness before installing panels. Several methods can be used to verify squareness of the structure for proper installation of the panels.

METHOD "A" - One method for checking the roof for squareness is to measure diagonally across one slope of the roof from similar points at the ridge and eave and obtain the same dimension.

METHOD "B" - The 3-4-5 triangle system may also be used. To use this system, measure a point from the corner along the edge of the roof at a module of three (3). Measure a point from the same corner along another edge at a module of four (4). By measuring diagonally between the two points established, the dimension should be exactly a module of five (5) to have a square corner. Multiple uses of this system may be required to determine building squareness. If the endwall cannot be made square, the roof system cannot be installed as shown in these instructions.



FIELD CUTTING

Tin snips or a "nibbler" type electric tool are recommended for field cutting metal panels. Cutting the steel generates slivers or metal chips. These slivers and metal chips must be immediately removed from the panels because they will damage the finish and shorten the life of the product.

One method of preventing this problem is to flip the panels over when cutting. This allows the slivers and metal chips to be brushed from the back side and avoids damaging the paint on the top side of the panels.

When cutting metal panels and flashings, goggles must be worn for eye protection.


CAUTION

All product surfaces should be free of debris at all times. Installed surfaces should be wiped clean at the end of each work period. Never cut panels over metal surfaces.

Metal shavings will rust on the surface, voiding the warranty.

TOUCH-UP PAINT

All painted panels and flashings have a factory applied baked on finish. Handling and installing panels may result in some small scratches or nicks to the paint finish. Touch-up paint is available in matching colors from Metal Sales. It is recommended that a small brush be used to apply touch-up paint to those areas that are in need of repair. Touch-up paint does not have the superior chalk and fade resistance of the factory applied paint finish and will normally discolor at an accelerated rate. Aerosol paint should not be used because of the overspray that may occur.




VENTILATION

Proper design and installation of vapor barriers and ventilation systems are important to prevent condensation and the resulting problems of moisture damage and loss of insulation efficiency.

Condensation occurs when moisture laden air comes in contact with a surface temperature equal to or below the dew point of the air. This phenomenon creates problems that are not unique with metal buildings; these problems are common to all types of construction.

The underside of the metal roof on a typical metal building (no attic) should be protected from condensation by insulating with a faced insulation. This should reduce the potential of condensation forming on the underside of the panels. On buildings that have an attic space or are being retrofitted with a metal roofing system, vents should be placed at both the eave and peak of the roof in order to prevent a buildup of moisture (humidity) in the attic space.




POST FRAME FASTENER SELECTION GUIDE

POST FRAME FASTENER SELECTION GUIDE					
POP RIVET	SIZE	TYPE	FINISH	APPLICATION	
	1/8" X 3/8"	А	Unpainted	Flashing to Panel, Flashing to Flashing	
	1/s" X 3/s"	Α	Painted	Flashing to Panel, Flashing to Flashing	
PANCAKE HEAD WOODSCREW	SIZE	TYPE	FINISH	APPLICATION	
	#10-12 x 1"	А	Plated	Panel or Flashing to wood substructure	
WOODSCREW	SIZE	ТҮРЕ	FINISH	APPLICATION	
	#10-14 x 1" #10-14 x 1 ¹ / ₂ " #10-14 x 2"	A A A	Painted Painted Painted	Panel or Flashing to wood substructure	
STITCH SCREW	SIZE	TYPE	FINISH	APPLICATION	
	1/4"- 14 x ⁷ /8"	Stitch	Painted	Flashing to Panel, Flashing to Flashing, Panel Sidelap	

INSTALLATION OVERVIEW

- As shown below with the number designations, install panel against the prevailing wind. Installing Wall Panels first then Roof Panels
- ▶ To minimize corrosion, siding panels should not be installed all the way to the ground.
- ▶ Siding panels should lap over the foundations or splash boards at least three inches.
- Make sure panels are square and plumb, to assure straight and proper alignment of the entire row of panels.
- For areas with high wind considerations, closer fastener spacing may be required.
- ▶ It is necessary to attach a temporary guide to the foundation to use as an alignment guide when installing siding panels.
- Anti-Siphon groove side of panel must be overlapped with the non siphon groove side of the adjacent panel (if applicable)
- ▶ When endlapping panels: at the side laps, both of the ridge panels must overlap both eave panels.
- ▶ At Endlaps apply Tape Sealant across the full width of the upper end of the eave panels.



POST FRAME

POST FRAME PANEL INSTALLATION


NOTE:

- -Eave Molding and Valley Flashings must first be installed before panel installation can begin.
- -Panels can be installed going from either left to right or right to left / looking from eave to highside.

INSTALLING INSIDE CLOSURES




- 1. Apply a row of Tape Sealant across the top leg of the Eave Molding along the width of the building.
- 2. Align and place Inside Closures over the Tape Sealant. It is critical that Inside Closures are square to building as this will control the alignment of the panels. (See page 29 to check building square).
- 3. Apply a row of Tape Sealant across the top of the Inside Closure (Not shown for clarity).



INSTALLING FIRST PANEL



- 1. Install the first panel over the Inside Closure allowing desired overhang. Make sure the panel is square to the eave and rake.
- 2. Fasten through panel, closure and sealants into decking with appropriate amount of fasteners to meet local building code. (See fastening patterns on pages 7, 9, 11, 13, 15 or 19). Fasteners must penetrate closure and sealant.
- 3. After securing panel at eave, repeat the fastening pattern at all panel support locations.




POST FRAME PANEL INSTALLATION

INSTALLING ENDLAP PANEL (IF REQUIRED)

STEP 3

- 1. Apply a row of Tape Sealant across and over the ribs of the eave panel about 3" from panel end.
- 2. Install the ridge panel over the eave panel and Tape Sealant with a 6" Endlap. Fasten through both panels and Tape Sealant into support with appropriate amount of fasteners to meet local building code. (See fastening patterns on pages 7, 9, 11, 13, 15 or 19). Fasteners must penetrate sealant.
- 3. After securing panel, repeat the fastening pattern at all panel support locations.


Note: when endlapping multiple panels: at the side laps, both the ridge panels must overlap both eave panels.





INSTALLING SIDELAP PANEL




- 1. Place the lapping seam of the second panel on top of previously installed panel so that panel ends are flush at eave (See below).
- 2. Fasten through panel, closure, and Tape Sealant into support with appropriate amount of fasteners to meet local building code. (See fastening patterns on pages 7, 9, 11, 13, 15 or 19). Fasteners must penetrate closure and sealant.
- 3. After securing panel, repeat the fastening pattern at all panel support locations.










OUTSIDE CORNER DETAIL WALL PANEL **FASTENER** TAPE SEALANT STITCH SCREW (1'-0" O.C.) **OUTSIDE CORNER**











* Fastener to be 8"-12" O.C. depending on panel profile.


ANGLE BASE DETAIL




DOUBLE ANGLE DETAIL


* Fastener to be 8"-12" O.C. depending on panel profile.









CANNONBALL TRACK COVER DETAIL





NATIONAL TRACK COVER DETAIL


BASE MOLDING DETAIL














DOOR POST TRIM DETAIL






12" SOFFIT DETAIL




24" SOFFIT DETAIL



INSTALLATION OVERVIEW

- As shown below with the number designations, install panel against the prevailing wind.
- Make sure panels are square and plumb, to assure straight and proper alignment of the entire row of panels.
- For areas with high wind considerations, closer fastener spacing may be required.
- ▶ It is necessary to attach a temporary guide to the foundation to use as an alignment guide when installing siding panels.
- Anti-Siphon groove side of panel must be overlapped with the non-siphon groove side of the adjacent panel (if applicable).



POST FRAME

RESIDENTIAL PANEL INSTALLATION


NOTE:

-Eave Molding, Gutter and Valley Flashings must first be installed before panel installation can begin. -Panels can be installed going from either left to right or right to left / looking from eave to peak.

INSTALLING INSIDE CLOSURES




- 1. Apply a row of Tape Sealant across the top leg of the Eave Molding along the width of the building.
- 2. Align and place Inside Closures over the Tape Sealant. It is critical that Inside Closures are square to building as this will control the alignment of the panels. (See page 29 to check building square).
- 3. Apply a row of Tape Sealant across the top of the Inside Closure (not shown for clarity).



INSTALLING FIRST PANEL




- 1. Install the first panel over the Inside Closure to allow for desired overhang. Make sure the panel is square to the eave and rake.
- 2. Fasten through panel, closure and sealants into decking with appropriate amount of fasteners to meet local building code. (See fastening patterns on pages 7, 9, 11, 13, 15 or 19). Fasteners must penetrate closure and sealant.
- 3. After securing panel at eave, repeat the fastening pattern at the appropriate spacing to meet local building codes.



INSTALLING SECOND PANEL




- 1. Apply a row of Tape Sealant across and over the ribs of the first panel about 3" from panel end.
- 2. Install the second panel over the first panel and Tape Sealant with a 6" Endlap. Fasten through both panels and Tape Sealant into support with appropriate amount of fasteners to meet local building code. (See fastening patterns on pages 7, 9, 11, 13, 15 or 19). Fasteners must penetrate sealant.
- 3. After securing panel at eave, repeat the fastening pattern at the appropriate spacing to meet local building codes.



INSTALLING SECOND EAVE PANEL





- 1. Place the lapping seam of the second panel on top of previously installed panel so that panel ends are flush at eave (See below).
- 2. Fasten through panel, closure and Tape Sealant into support with appropriate amount of fasteners to meet local building code. (See fastening patterns on pages 7, 9, 11, 13, 15 or 19). Fasteners must penetrate closure and sealant.
- 3. After securing panel at eave, repeat the fastening pattern at the appropriate spacing to meet local building codes.




14" UNIVERSAL RIDGE DETAIL **RIDGE / HIP COVER DETAIL ROOF PANEL** STITCH SCREW **ROOF PANEL** (EVERY MAJOR RIB*) STITCH SCREW **OUTSIDE CLOSURE (RDG)** (EVERY MAJOR RIB*) UNIVERSAL CLOSURE (HIP) **OUTSIDE CLOSURE** TAPE SEALANT TAPE SEALANT **FASTENER FASTENER** RIDGE / HIP COVER 14" UNIVERSAL RIDGE MOISTURE **MOISTURE** BARRIER **BARRIER** * Fastener to be 8"-12" O.C. depending on panel profile. * Fastener to be 8"-12" O.C. depending on panel profile. **VENTED RIDGE DETAIL GABLE TRIM DETAIL ROOF PANEL ROOF PANEL** STITCH SCREW STITCH SCREW (1'-0" O.C.) (EVERY MAJOR RIB*) TAPE SEALANT **COBRA RIDGE VENT** MOISTURE BARRIER 13" STEP RIDGE COVER **GABLE TRIM** TAPE SEALANT **MOISTURE FASTENER BARRIER OUTSIDE CLOSURE** STITCH SCREW (EVERY MAJOR RIB*) TAPE SEALANT * Fastener to be 8"-12" O.C. depending on panel profile. * Fastener to be 8"-12" O.C. depending on panel profile.

POST FRAME RESIDENTIAL DETAILS







VALLEY DETAIL





PITCH BREAK DETAIL



^{*} Fastener to be 8"-12" O.C. depending on panel profile.









AVAILABLE SIZES

MINI (1/4" TO 11/8" O.D. PIPE) #2 (13/4" TO 3" O.D. PIPE) #4 (3" TO 6" O.D. PIPE) #6 (6" TO 9" O.D. PIPE) #8 (7" TO 13" O.D. PIPE)

POST FRAME CARE

CARE AND MAINTENANCE

Though factory applied prepainted finishes are very durable and will last many years, eventually it may be desirable to thoroughly clean or repaint them.


Dirt pickup may cause apparent discoloration of the paint when it has been exposed in some dirt-laden environments for long periods of time. In areas of strong sunlight, slight chalking may cause some change in appearance. A good cleaning will often restore the appearance of these buildings and render repainting unnecessary. An occasional light cleaning will help maintain a good appearance.

In many cases, simply washing the building with plain water using a hose or pressure sprayer will be adequate. In areas where heavy dirt deposits dull the surface, a cloth or soft bristle brush and solution of water and detergent (1/3 cup of laundry detergent per gallon of water for example) may be used. This should be followed by an adequate rinse of water. Do not use wire brushes, abrasives, or cleaning tools which will damage the coating surface.

Mildew may occur in areas subject to high humidity but is not normally a problem due to the high inherent mildew resistance of the baked finish that is used. To remove mildew along with the dirt, the following solution is recommended.

- ¹/₃ cup detergent (Tide® or equivalent)
- ²/₃ cup trisodium phosphate (Solex® or equivalent)
- 1 quart of 5% sodium hypochlorite solution (Clorox® or equivalent)
- 3 quarts of water

Strong solvents and abrasive type cleaners should be avoided. Most organic solvents are flammable and toxic and must be handled accordingly. When using a solvent, consult maintenance professionals and label instructions for proper handling and disposal of washings. If required, a mild solvent such as mineral spirits can be used to remove caulking compounds, oil, grease, tars, wax, and similar substances. Use a cloth dampened with mineral spirits and apply only to areas which are contaminated. Follow up the use of this mild solvent with detergent cleaning and rinsing.



POST FRAME	NOTES
-	
-	
-	
-	
-	
·	
-	
-	