CLIP-LOC





CLIP-LOC





SECTION PROPERTIES									ALLOWABLE UNIFORM LOADS, psf For various clip spacings											
Ga	Width in	Mada		Top In Compression		Bottom In Compression		Inward Load					Outward Load							
		Yield ksi	nsf	lxx in⁴/ft	Sxx in³/ft	lxx in⁴/ft	Sxx in³/ft													
			p51					2.5'	3'	3.5'	4'	4.5'	5'	2.5'	3'	3.5'	4'	4.5'	5'	
26	16	50	1.00	0.0919	0.0761	0.0473	0.0573	208	146	108	83	65	53	45	42	40	37	35	32	
24	16	50	1.30	0.1185	0.0983	0.0638	0.0756	274	192	142	109	86	70	58	49	42	37	32	29	
22	16	50	1.69	0.1523	0.1272	0.0878	0.1005	363	255	188	145	115	93	56	47	40	35	31	28	

1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.

 Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing. Panel weight is not considered.

3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.

4. Allowable loads do not include a 1/3 stress increase for wind.

፲፲ទ Metal Sales

Anchorage, AK 866.640.7663 Bay City, MI 888.777.7640 Deer Lake, PA 800.544.2577 Denver, CO 800.289.7663

metalsales.us.com

Detroit Lakes, MN 888.594.1394 Fontana, CA 800.782.7953 Fort Smith, AR 877.452.3915 Independence, MO 800.747.0012 Jacksonville, FL 800.394.4419 Jefferson, OH 800.321.5833 Mocksville, NC 800.228.6119 Nashville, TN 800.251.8508 Rock Island, IL 800.747.1206 Rogers, MN 800.328.9316 Seattle, WA 800.431.3470 Sellersburg, IN 800.999.7777 Sioux Falls, SD 888.299.0024 Spokane, WA 800.572.6565 Temple, TX 800.543.4415 Woodland, CA 800.759.6019