
CN88-124 CF WALL

CONTEMPRA SERIES




ARCHITECTURAL COMMERCIAL INDUSTRIAL PANEL

CONCEALED FASTENED

12" COVERAGE WALL AND LINER PANEL OPEN FRAMING OR SOLID SUBSTRATE

PANEL OVERVIEW

- ► Finish: Standard: PVDF and Acrylic-Coated Galvalume®
 - Optional: multi-pass Kynar 500^{\circledast} and Fluropon $^{\! \otimes}$ PURE
- ► Corrosion Protection: AZ50 per ASTM A 792 for Painted Galvalume®
 - AZ55 per ASTM A 792 for Acrylic-Coated Galvalume®
 - G90 per ASTM A 653 for Painted Galvanized
- ► Gauges: 24 ga standard; 22 ga and 20 ga optional
- ▶ 12" panel coverage, ⁷/₈" panel height
- ► Assymmetrical ribs on 4" centers
- ► Clip-attached, concealed-fastened panel system
- ▶ Panel Length: 5' minimum, 30' maximum
- ▶ Panels can be installed horizontally or vertically
- ▶ Panels are interchangeable for accent effects
- ▶ Use on single-skin or field-assembled wall systems



TESTING


- ► ASTM E 283 Air Leakage
- ► ASTM E 331 Water Penetration
- ► ASTM E 330 Load Test
- ► ASTM E 1592 Load Test



CN88-124 WALL



ATTACHMENT DETAIL



FASTENING INFORMATION

- Concealed Fastened Clip is 2-1/4" x 1-3/4" x 3/4", from 16 ga, G90 material with 2 fastener holes.
- Clip Fasteners should be driven just to contact between fastener head / clip / panel / support. Beyond contact, the clip can crush the open hem of the panel and make engagement of the next panel difficult. Overdriven fasteners will cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 Low Profile Wood Screw

Attaching to Steel:

< 18 ga: 1/4"-13 Deck Screw

≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller


> 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

Left-to-Right Installation of Vertically-Oriented Panels



SECTION PROPERTIES									ALLOWABLE UNIFORM LOADS, psf For various clip spacings									
Ga	Width in	Yield ksi	Weight psf		mpression	Bottom In Compression		Inward Load					Outward Load					
				lxx in⁴/ft	Sxx in³/ft	lxx in⁴/ft	Sxx in³/ft	iliwala Load				Outward Load						
								2'	3'	4'	5'	6'	2'	3'	4'	5'	6'	
24	12	50	1.32	0.0413	0.0789	0.0454	0.0946	120	97	71	47	23	89	73	57	41	26	
22	12	50	1.73	0.0586	0.1158	0.0627	0.1339	120	97	71	47	23	89	73	57	41	26	
20	12	33	2.09	0.0788	0.1645	0.0788	0.1684	120	97	71	47	23	89	73	57	41	26	

- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection and load testing
 of comparable profiles on 16 ga girts. Allowable load does not consider other support conditions such as, web crippling, fasteners or support material. Panel
 weight is not considered.
- 3. Allowable load considers the 3 or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

©MSMC/9-2023