

T12 PANEL



T12 PANEL

Condensed Technical Reference



		SECTION PROPERTIES								ALLOWABLE UNIFORM LOADS, psf (3 or More Equal Spans)											
	Ga	Width in	Yield ksi	Weight psf		npression Sxx	Bottom In C	Bottom In Compression		Inward Load					Outward Load						
					in⁴/ft	in³/ft	in⁴/ft	in³/ft	4'	5'	6'	7'	8'	9'	4'	5'	6'	7'	8'	9'	
	24	36.5	50	1.19	0.0855	0.1208	0.0888	0.1217	174	112	69	43	29	20	172	111	69	43	29	20	
	22	36.5	50	1.57	0.1151	0.1584	0.1151	0.1584	228	147	89	56	38	26	228	147	89	56	38	26	

1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.

2. Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing. Panel weight is not considered.

3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.

4. Allowable loads do not include a 1/3 stress increase for wind.

TTS Metal Sales

Anchorage, AK 866.640.7663 Bay City, MI 888.777.7640 Deer Lake, PA 800.544.2577 Denver, CO 800.289.7663

metalsales.us.com

Detroit Lakes, MN 888.594.1394 Fontana, CA 800.782.7953 Fort Smith, AR 877.452.3915 Independence, MO 800.747.0012 Jacksonville, FL 800.394.4419 Jefferson, OH 800.321.5833 Mocksville, NC 800.228.6119 Nashville, TN 800.251.8508 Rock Island, IL 800.747.1206 Rogers, MN 800.328.9316 Seattle, WA 800.431.3470 Sellersburg, IN 800.999.7777 Sioux Falls, SD 888.299.0024 Spokane, WA 800.572.6565 Temple, TX 800.543.4415 Woodland, CA 800.759.6019