


TLC-14 WALL PANEL

Condensed Technical Reference



SECTION PROPERTIES									ALLOWABLE UNIFORM LOADS, psf for various fastener spacings											
Ga	Width in	Yield ksi	Weight psf	Top In Compression Bottom In Compression			Inward Load					Outward Load								
				lxx in⁴/ft	Sxx in³/ft	lxx in⁴/ft	Sxx in³/ft						Outward Load							
								2'	3'	4'	5'	6'	8'	2'	3'	4'	5'	6'	8'	
24	12	50	1.51	0.0633	0.0635	0.1271	0.1171	50	45	39	34	28	18	80	71	62	53	39	22	
22	12	50	1.97	0.0892	0.0910	0.1789	0.1684	63	56	50	44	38	25	88	78	68	59	49	30	
20	12	33	2.37	0.1260	0.1349	0.2430	0.2382	63	56	50	44	38	25	88	78	68	59	49	30	
18	12	33	3.14	0.1830	0.2011	0.3370	0.3349	63	56	50	44	38	25	88	78	68	59	49	30	

1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.

2. Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear and deflection. Allowable load does not address web crippling, fasteners, support material or load testing.

- 3. Allowable load considers the 3 or more equal spans condition. Panel weight is not considered.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

TTS Metal Sales

Anchorage, AK 866.640.7663 Bay City, MI 888.777.7640 Deer Lake, PA 800.544.2577 Denver, CO 800.289.7663

metalsales.us.com

Detroit Lakes, MN 888.594.1394 Fontana, CA 800.782.7953 Fort Smith, AR 877.452.3915 Independence, MO 800.747.0012 Jacksonville, FL 800.394.4419 Jefferson, OH 800.321.5833 Mocksville, NC 800.228.6119 Nashville, TN 800.251.8508 Rock Island, IL 800.747.1206 Rogers, MN 800.328.9316 Seattle, WA 800.431.3470 Sellersburg, IN 800.999.7777 Sioux Falls, SD 888.299.0024 Spokane, WA 800.572.6565 Temple, TX 800.543.4415 Woodland, CA 800.759.6019