

TLC-14 WALL PANEL

Condensed Technical Reference



	SECTION PROPERTIES									ALLOWABLE UNIFORM LOADS, psf For various fastener spacings											
	Ga	Width in	Yield ksi	Weight psf	Top In Compression Bottom In Compress			ompression	Inward Load					Outward Load							
					lxx in⁴/ft	Sxx in³/ft	lxx in⁴/ft	Sxx in³/ft	Inwaru Loau												
									2'	3'	4'	5'	6'	8'	2'	3'	4'	5'	6'	8'	
	24	12	50	1.50	0.0625	0.0616	0.1243	0.1115	50	33	25	20	19	18	80	53	40	32	27	25	
	22	12	50	1.96	0.0880	0.0881	0.1720	0.1563	63	42	31	29	27	25	88	58	44	35	32	30	
	20	12	33	2.38	0.1230	0.1299	0.2310	0.2170	63	42	31	29	27	25	88	58	44	35	32	30	

1. Theoretical section properties have been calculated per AISI S100-2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.

 Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection and ASTM E 330 testing on 16 ga girts. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing with other supports. Panel weight is not considered.

3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.

4. Allowable loads do not include a 1/3 stress increase for wind.

Metal Sales

Anchorage, AK 866.640.7663 Bay City, MI 888.777.7640 Deer Lake, PA 800.544.2577 Denver, CO 800.289.7663

metalsales.us.com

Detroit Lakes, MN 888.594.1394 Fontana, CA 800.782.7953 Fort Smith, AR 877.452.3915 Independence, MO 800.747.0012 Jacksonville, FL 800.394.4419 Jefferson, OH 800.321.5833 Kelso, WA 800.431.3470 Mocksville, NC 800.228.6119 Nashville, TN 800.251.8508 Rock Island, IL 800.747.1206 Rogers, MN 800.328.9316 Sellersburg, IN 800.999.7777 Sioux Falls, SD 888.299.0024 Spokane, WA 800.572.6565 Temple, TX 800.543.4415 Woodland, CA 800.759.6019