
## **TLC-13 WALL PANEL**





ARCHITECTURAL COMMERCIAL INDUSTRIAL PANEL

CONCEALED FASTENED

12" COVERAGE SOFFIT, FASCIA, WALL AND LINER PANEL

OPEN FRAMING OR SOLID SUBSTRATE

### **PANEL OVERVIEW**

► Finish: Standard: PVDF


Optional: multi-pass PVDF

► Corrosion Protection: AZ50 per ASTM A 792 for painted Galvalume®

G90 per ASTM A 653 for Galvanized

- Gauges: 24 ga, 22 ga and 20 ga
- ▶ 12" panel coverage, 1<sup>1</sup>/<sub>2</sub>" panel height
- ► Flush face with 2" reveal, concealed fastened, non-end lapping panel system
- Roll-Formed Panels
- ▶ Panel Length: 5' minimum, 40' maximum
- ▶ Use on single-skin or field-assembled wall systems
- ▶ Panels can be installed horizontally or vertically and are interchangeable for accent effects
- Custom capabilities include:

-Perforated panels for wind screens and liner panels




#### **TESTING AND APPROVALS**

- ► ASTM E 283 Air Leakage
- ► ASTM E 331 Water Penetration
- ► ASTM E 330 Uniform Static Air Pressure Difference
- ► ASTM E 1592 Load Test

**Metal Sales** 

# **TLC-13 WALL PANEL**





SECTION PROPERTIES									ALLOWABLE UNIFORM LOADS, psf For various fastener spacings											
Ga	Width in	\		Top In Compression Bottom In Compression				Inward Load					Outward Load							
		Yield ksi	Weight psf	lxx in⁴/ft	Sxx in³/ft	lxx in <sup>4</sup> /ft	Sxx in³/ft	iliwalu Loau					Outward Load							
		Koi	PSI					2'	3'	4'	5'	6'	8'	2'	3'	4'	5'	6'	8'	
24	12	50	1.51	0.0617	0.0606	0.1253	0.1119	50	33	25	20	19	18	80	53	40	32	27	25	
22	12	50	1.97	0.0890	0.0904	0.1730	0.1569	63	42	31	29	27	25	88	58	44	35	32	30	
20	12	33	2.39	0.1290	0.1385	0.2330	0.2178	63	42	31	29	27	25	88	58	44	35	32	30	

- 1. Theoretical section properties have been calculated per AISI S100-2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- Allowable load is calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection and ASTM E
  330 testing on 16 ga girts. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support
  material or load testing with other supports. Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.

### **Metal Sales**

#### metalsales.us.com

Anchorage, AK 866.640.7663 Bay City, MI 888.777.7640 Deer Lake, PA 800.544.2577 Denver, CO 800.289.7663 Detroit Lakes, MN 888.594.1394 Fontana, CA 800.782.7953 Fort Smith, AR 877.452.3915 Independence, MO 800.747.0012 Jacksonville, FL 800.394.4419 Jefferson, OH 800.321.5833 Kelso, WA 800.431.3470 Mocksville, NC 800.228.6119 Nashville, TN 800.251.8508 Rock Island, IL 800.747.1206 Rogers, MN 800.328.9316 Sellersburg, IN 800.999.7777 Sioux Falls, SD 888.299.0024 Spokane, WA 800.572.6565 Temple, TX 800.543.4415 Woodland, CA 800.759.6019