



1/22/2007

### Pecora-Deck 800 Series Coverage Chart

Application	Primer – 808 <sup>1</sup>	Base Coat – 802 <sup>1</sup>	Intermediate Coat – 804 <sup>1</sup>	Top Coat – 806 <sup>1</sup>
<b>Pedestrian</b>	250 to 300	50	None	100
<b>HD Pedestrian</b>	250 to 300	50	80	80
<b>Vehicular</b>	250 to 300	50	100 <sup>2</sup>	100
<b>HD Vehicular</b>	250 to 300	50	100 X 2	100
<b>Mech. / Equip. Rm.</b>	250 to 300	50	None	100
<b>Tennis Deck</b>	250 to 300	50	None	200 1 <sup>st</sup> & 2 <sup>nd</sup> coat 150 on final coat
<b>Elevated Pool Deck</b>	250 to 300	50	None	200 1 <sup>st</sup> 150 on final coat

1 – Square feet per gallon

2 – Apply 2nd Intermediate coat to driving surfaces , ramps and high wear areas

### Typical Aggregate Application and Coverage

Application	Mesh Size	Application To:	Coverage <sup>3</sup>
<b>Pedestrian</b>	35 to 65	Top Coat	8-10
<b>HD Pedestrian</b>	35 to 65	Intermediate Coat	15-25
<b>Vehicular</b>	16 <sup>1st</sup> /20 <sup>2nd</sup>	2 Intermediate Coats	10-1st Int. coat (15-25 -2nd Intermed. Coat)
<b>HD Vehicular</b>	16 <sup>1st</sup> /20 <sup>2nd</sup>	2 Intermediate Coats	10-1st coat (15 to 25 -2nd Coat)
<b>Mech. / Equip. Rm.</b>	30	Top Coat	10
<b>Tennis Deck</b>	80 to 100	1 <sup>st</sup> and 2 <sup>nd</sup> Top Coat	25
<b>Elev. Pool</b>	80 to 100	1 <sup>st</sup> Top Coat	25

<sup>3</sup> Lbs./ square foot

Please refer to specific instruction sheet for each application.

Available at the following link: <http://www.pecora.com/Productcat.asp?CatsId=16>