

Structural Stud 800S137-68G90

Product Description 14 GA GALV 8.00" WEB x 1.37" FLANGE C-STUD .068 MIN GAUGE G90

Coating G90

Physical Properties

Design Thickness (in) 0.0713
 Minimum Thickness (in) 0.0677
 Web Width (in) 8.0000
 Flange Width (in) 1.3750
 Stiffening Lip (in) 0.3750
 Yield Strength (ksi) 50.0000




Gross Section Properties	
Cross Sectional Area (A)	0.782
Weight of Member (lb/ft)	2.66
Section Modulus (Sx)	1.576
Moment of Inertia (Ix)	6.305
Radius of Gyration (Rx)	2.839
Gross Moment of Inertia (Iy)	0.134
Gross Radium of Gyration (Ry)	0.414

Effective Section Properties	
Moment of Inertia for deflection (Ixe)	6.286
Section Modulus (Sxe)	1.468
Allowable Bending moment (Ma)	43.97
Allowable shear force in web (U)(Vag)	4221
Allowable shear at punch (Vanet)	3367

Torsional Properties	
St. Venant torsion constant (J x 1000)	1.325
Warping constant (Cw)	1.789
Distance from shear center to neutral axis (Xo)	-0.661
Radii of gyration (Ro)	2.944
Torsional flexural constant (Beta)	0.950

Punch Out



ASTM & Code Standards

- AISI S100-12 & ICC ES ESR-4062
- Framing meets ASTM A1003, A653 & C955

Notes

1. Calculated properties are based on AISI S100-16, North American Specification for Design of Cold-Formed Steel Structural Members.
2. The centerline bend radius is based on inside corner radii shown in thickness chart.
3. Effective properties incorporate the strength increase from the cold work of forming as applicable per AISI A3.3.2.
4. Tabulated gross properties are based on full-unreduced cross section of the studs, away from punch outs.
5. For deflection calculations, use the effective moment of inertia.
6. Allowable moment includes cold-work of forming.

Mill Steel Framing LEED Green Credits

- MR Credit 2** • ConstructionWaste Management – Mill Steel Framing steel framing is 100% recyclable
- MR Credit 4** • Recycled Content – Mill Steel Framing products contain no less than 25.5% post-consumer and 6.8% pre-consumer recycled content
- MR Credit 5** • Regional Materials – Mill Steel Framing has manufacturing facilities in Indiana, Alabama & Texas
- V4 MR Credits** • Building Product Disclosure and Optimization EPD (1 point)
- Materials Ingredients (1 point) – Construction and Demolition Waste Management (1 point)

