StiffClip® TD | www.steelnetwork.com/Product/StiffClipTD

StiffClip[®] TD


The Steel Network, Inc. www.steelnetwork.com

Material Composition

Clip: ASTM A1003/A1003M Structural Grade 60 (410) Type H, ST60H (ST410H): 60ksi (410MPa) minimum yield strength, 70ksi (480MPa) minimum tensile strength, 118mil minimum thickness (10 gauge, 0.1242" design thickness) with ASTM A653/A653M G90 (Z275) hot dipped galvanized coating.

TD Plate: ASTM A36/A36M: 36ksi (250MPa) minimum yield strength, 58-80ksi (400-550MPa) minimum tensile strength, with ASTM B633 Type II Yellow Zinc Coating, Paint, Powder Coating, or E-Coating, or approved equivalent.





StiffClip TD Allowable Loads

StiffClip [®] TD, Recommended Allowable Load for Steel Framing (lbs): F3								
Stud		w/12 #12 Screws	w/18 #12 Screws	w/27 #12 Screws				
Thickness Mils (ga)	Yield Strength (ksi)	w/12 #12 Screws	W/10 #12 SCIEWS	w/27 #12 Screws				
33 (20)	33	2,261	3,391	5,087				
33 (20)	50	3,266	4,900	7,349				
43 (18)	33	3,365	5,047	7,571				
43 (18)	50	4,861	7,292	10,718				
54 (16)	33	4,732	7,097	10,646				
54 (16)	50	6,834	10,251	10,718				
68 (14)	50	9,662	10,718	10,718				
97 (12)	50	10,188	10,718	10,718				
Maximum Allowable Clip Load		10,718						

StiffClip* TD, Recommended Allowable Load for Wood Framing (lbs): F3									
	Douglas Fir / Southern Pine			Spruce Pine-Fir / Hem-Fir					
Fastener Type	Quantity of Fasteners			Quantity of Fasteners					
	12	18	27	12	18	27			
10d	2,846	4,268	6,403	2,465	3,698	5,547			
16d	3,279	4,919	7,378	2,838	4,257	6,386			
#12 Wood Screw	3,451	5,177	7,766	3,046	4,569	6,854			
Maximum Allowable Clip Load	10,718			10,718					

Notes:

- Fasten within 1.25" from the angle heel using the existing anchor hole.

- Guide holes are in place for fastener installation efficiency. The number of fasteners are determined by the designer.
- Attachment to stud is made with up to 27 #12 screws. symmetrically placed.
- StiffClip TD resists vertical uplift loads.
- Allowable loads for steel framing have not been increased for wind, seismic, or other factors.
- Allowable shear for nails is increased 60% for wind and seismic loads in wood framing.
- For wood, moisture content > 19%. Consult The Steel Network, Inc. for reductions to values.

Load Direction

F3


Pressure or Suction

Nomenclature

StiffClip TD is available in one size and utilizes a 0.75" plate on top of the 2.375" leg

Designate: StiffClip[®] TD

Example Details





StiffClip TD Series Blast and Seismic Design data www.steelnetwork.com

** For more information or to review a copy of this report, please visit our website at http://www.steelnetwork.com/Site/TechnicalData