







**METAL FRAMED ASSEMBLIES**



American Gypsum

Fire Rating	STC	GA No.	Description
1 hour	45-49	WP 1070	1 layer of 1/2" FIREBLOC gypsum wallboard applied parallel to each side of 2 1/2" steel studs, 24" on center.
FIRE		SOUND	
			

Fire Rating	STC	GA No.	Description
2 hour	55-59	WP 1521	2 layers of 1/2" FIREBLOC gypsum wallboard applied parallel to each side of 3 5/8" steel studs, 24" on center.
FIRE		SOUND	
			

Fire Rating	STC	GA No.	Description
1 hour	45-49	WP 1072	1 layer of 5/8" FIREBLOC gypsum wallboard applied parallel to each side of 3 5/8" steel studs, 24" on center.
FIRE		SOUND	
			

Fire Rating	STC	GA No.	Description
2 hour	55-59	WP 1522	2 layers of 5/8" FIREBLOC gypsum wallboard applied parallel to each side of 3 5/8" steel studs, 24" on center.
FIRE		SOUND	
			

Fire Rating	STC	GA No.	Description
3 hour	50-54	WP 2922	3 layers of 1/2" FIREBLOC Type C gypsum wallboard applied parallel to each side of 1 5/8" steel studs, 24" on center.
FIRE		SOUND	
			

Fire Rating	STC	GA No.	Description
4 hour	55-59	WP 2961	4 layers of 1/2" FIREBLOC Type C gypsum wallboard applied parallel to each side of 1 5/8" steel studs, 24" on center.
FIRE		SOUND	
