



DAP® Vinyl Spackling (RTU)

All-purpose, heavy-duty formula that is perfect for household repairs and professional jobs. Resists cracking, sands easily, and spreads smoothly. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12008	5.5 OZ	WHITE	12008	8.75	12	9.5"x7.25"x4.25"	0.17	2	240
12002	5.5 OZ	WHITE	12008	10.50	18	11"x4"x11"	0.28	2	99
12130	0.5 PT	WHITE	12130	11.50	12	11.5"x10.5"x3.75"	0.26	0	154
12132	1 QT	WHITE	12132	22.25	6	15"x10"x5.25"	0.46	4	96
12133	1 GA	WHITE	12133	31.00	2	16"x8"x8.25"	0.61	1	75

DAP® Vinyl Spackling Comfort-Grip Container with Putty Knife

All-purpose, heavy-duty formula packaged in an innovative, efficient and easy-to-use container that is perfect for household repairs and professional jobs. The container comes complete with putty knife. Resists cracking, sands easily and spreads smoothly. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12135	24 OZ	WHITE	12135	18.50	6	14.25"x6.75"x7.25"	0.40	5	108



DAP® DRYDEX® Dry Time Indicator Spackling (RTU)

Contains a patented Dry Time Indicator causing the product to change color when optimum dry time is achieved. It goes on pink and dries white. This unique feature is the signal that it is ready to sand and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12336	2.0 OZ	WHITE	12336	4.25	12	7.75"x4.25"x8.75"	0.17	6	285
12328	0.5 PT	WHITE	12328	12.38	12	11.50"x10.50"x3.75"	0.26	1	154
12330	1 QT	WHITE	12330	24.50	6	15"x10"x5.25"	0.46	4	96
12346	5.5 OZ	WHITE	12346	12.75	18	11"x4"x11"	0.28	5	99

DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling

A complete project solution. Repairs holes up to 3" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:

- DRYDEX® Spackling - Goes on pink, dries white.
- 4" x 4" flexible, self-adhesive perforated aluminum patch
- 4" x 3" 100-grit sand paper
- Putty knife



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12341	1 EA - 2 OZ	WHITE	12341	5.50	12	24.50"x6"x7.25"	0.62	0	99
12345	1 EA - 0.5 PT	WHITE	12345	6.75	6	21.38"x7.25"x8.25"	0.74	8	60



**DAP® CRACKSHOT®
High Performance
Spackling Paste (RTU)**

Professional knife-grade spackling paste for easy application and superior paintability. Its creamy texture applies smoothly, dries hard and sands effortlessly, delivering quality results every time. This professional formula will not shrink and will not “flash” paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12372	5.5 OZ	WHITE	12372	13.50	18	11"x4"x11"	0.28	4	99
12374	0.5 PT	WHITE	12374	12.50	12	11.5"x10.5"x3.75"	0.26	8	120
12378	1 QT	WHITE	12378	23.75	6	15"x10"x5.25"	0.46	6	96
12380	1 GA	WHITE	12380	34.00	2	16"x8"x8.25"	0.61	9	75

**DAP® FAST 'N FINAL®
Lightweight Spackling
(RTU)**

One-step, lightweight spackling for repairing walls, ceilings and woodwork in one fill. Lightweight formula delivers superior durability and performance. No sanding required. Dries quickly. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12140	0.5 PT	WHITE	12140	3.50	12	11.5"x10.5"x3.75"	0.26	9	154
12141	1 PT	WHITE	12141	7.50	12	15.5"x12"x4.75"	0.51	6	80
12142	1 QT	WHITE	12142	7.25	6	15"x10"x5.25"	0.46	3	96
12143	1 GA	WHITE	12143	18.25	4	16"x16"x8"	1.19	0	30



**DAP® PATCH STICK®
Nail Hole & Crack Filler
(RTU)**

Quick and easy spackling stick, conveniently sized for filling nail holes and small dents or cracks in interior surfaces. Dries in minutes and does not require sanding. Won't shrink. Comes complete with finishing tool. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12324*	2.8 OZ	WHITE	12316	6.00	24	9.25"x13.50"x8.25"	0.59	8	90

*stick display case

**DAP® Spackling Paste
(RTU)**

Heavy-duty spackling compound. Ideal for do-it-yourself and professional projects. Fills and conceals small cracks, nail holes and blemishes in plaster, wallboard and wood. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10200	0.5 PT	WHITE	10200	12.50	12	11.5"x10.5"x3.75"	0.26	2	154
10204	1 QT	WHITE	10204	24.00	6	15"x10"x5.25"	0.46	0	96



DAP® ELASTOPATCH®
Smooth Flexible
Patching Compound
(RTU)

High performance, elastomeric spackling compound eliminates recurring cracks by providing a permanently flexible fill. Excellent for use on smooth surfaces including masonry, brick, plaster, drywall or any surface requiring a permanently flexible seal. Superior paintability—won't flash paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12276	10.1 OZ	WHITE	12276	14.75	12	8"x6"x12"	0.33	5	108
12278	1 QT	WHITE	12278	21.25	6	15"x10"x5.25"	0.46	9	96
12280	1 GA	WHITE	12280	28.25	2	16"x8"x8.25"	0.61	2	75

DAP® ELASTOPATCH®
Textured Flexible
Patching Compound
(RTU)

High performance, elastomeric spackling compound eliminates recurring cracks by providing a permanently flexible fill. Excellent for use on textured surfaces including stucco, masonry, brick, plaster, drywall or any surface requiring a permanently flexible seal. Superior paintability—won't flash paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12286	10.1 OZ	OFF WHITE	12286	13.50	12	8"x6"x12"	0.33	4	108
12288	1 QT	OFF WHITE	12288	18.00	6	15"x10"x5.25"	0.46	8	96
12290	1 GA	OFF WHITE	12290	23.75	2	16"x8"x8.25"	0.61	1	75



DAP® '33'® Glazing Window Glazing (RTU)

For glazing wood and metal sashes. Outlasts ordinary putty. Smooth and ready-mixed. Excellent weather resistance. Knife grade.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12120	0.5 PT	WHITE	12120	14.50	12	11.5"x10.5"x3.75"	0.26	1	154
12121	1 PT	WHITE	12121	30.75	12	15.5"x12"x4.75"	0.51	8	80
12122	1 QT	WHITE	12122	28.25	6	15"x10"x5.25"	0.46	5	96
12019	1 GA	WHITE	12019	37.25	2	16"x8"x8.25"	0.61	8	75
12124	3.5 GA	WHITE	12124	62.00	1	12"x12"x10.75"	0.90	9	36

DAP® Latex Window Glazing (RTU)

Smooth, easy-working compound for glazing wood, metal and aluminum sashes. Resists cracking, sagging and chalking. Gun grade.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12108	10.1 OZ	WHITE	12049	16.00	12	8"x6"x12"	0.33	5	108

DAP® '1012'® Glazing (RTU)

Professional quality glazing compound for face glazing metal sashes. No painting required. Knife grade. Meets Federal Specifications TT-G-410E, CID-A-A-373A, ASTM C 669.




Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12067	1 QT	ALUMINUM GRAY	12067	28.00	6	15"x10"x5.25"	0.46	9	96
12059	1 GA	ALUMINUM GRAY	12059	36.00	2	16"x8"x8.25"	0.61	4	75
12056	3.5 GA	ALUMINUM GRAY	12056	54.00	1	12"x12"x10.75"	0.90	3	36



**DAP® PLASTIC WOOD®
Solvent Wood Filler
(RTU)**



High performance, solvent-based wood filler that hardens to give a surface and body that looks and acts like real wood. Can be sanded, stained, cut, drilled, planed, varnished, painted or lacquered. For use on furniture, doors, paneling, molding, plywood and other wood surfaces. Available in popular wood shades. Meets Federal Specification TT-F-340C. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21500	1.87 OZ	NATURAL	21500	2.05	12	5"x5.5"x6.5"	0.11	9	336
21510	1.87 OZ	NATURAL	21510	1.30	6	9.31"x4.43"x7.68"	0.18	8	208
21502	4 OZ	NATURAL	21502	4.75	12	7.5"x5.25"x4.25"	0.10	3	378
21506	16 OZ	NATURAL	21506	17.50	12	14"x10.5"x4.5"	0.38	1	117
21400	4 OZ	LIGHT OAK	21400	4.75	12	7.5"x5.25"x4.25"	0.10	2	378
21404	4 OZ	PINE	21404	4.75	12	7.5"x5.25"x4.25"	0.10	0	378
21408	4 OZ	GOLDEN OAK	21408	4.75	12	7.5"x5.25"x4.25"	0.10	8	378
21412	4 OZ	WHITE	21412	4.75	12	7.5"x5.25"x4.25"	0.10	5	378
21420	4 OZ	RED OAK	21420	4.75	12	7.5"x5.25"x4.25"	0.10	0	378
21424	4 OZ	RED MAHOGANY	21424	4.75	12	7.5"x5.25"x4.25"	0.10	8	378
21430	4 OZ	MAPLE	21430	4.75	12	7.5"x5.25"x4.25"	0.10	9	378
21434	4 OZ	WALNUT	21434	4.75	12	7.5"x5.25"x4.25"	0.10	7	378

**DAP® Latex Wood Filler
by PLASTIC WOOD®
(RTU)**

High quality latex wood filler that hardens to give a surface and body that looks and acts like real wood. Easy water clean-up formula. Low odor. For use on furniture, doors, paneling, molding and other wood surfaces. Can be sanded, stained, cut, drilled, planed, varnished or painted. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08111	4 OZ	NATURAL	08111	5.50	12	8.5"x6"x6"	0.18	6	312
08114	4 OZ	GOLDEN OAK	08114	5.50	12	8.5"x6"x6"	0.18	7	312
08116	4 OZ	RED OAK	08116	5.50	12	8.5"x6"x6"	0.18	1	312
08118	4 OZ	WALNUT	08118	5.50	12	8.5"x6"x6"	0.18	5	312
08135	8 OZ	NATURAL	08135	5.50	6	10.25"x6.87"x3.75"	0.15	2	280
00527	1 PT	NATURAL	00527	21.75	12	16"x12"x4.75"	0.53	3	80



**DAP® BLEND STICK®
(Blister Card)**

The quick, easy way to repair nail holes, scratches and other minor blemishes in finished wood surfaces. Its unique teardrop shape makes it easier to use than other blending products. It is ideal for wood and simulated wood surfaces such as paneling, woodwork, molding, furniture and cabinets. It will not shrink, stain or discolor and is available in 12 colors to match most wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
04038	1 EA	CHERRY	04038	0.75	12	7"x6"x5"	0.12	0	400
04010	1 EA	LIGHT OAK	04010	0.75	12	7"x6"x5"	0.12	6	400
04012	1 EA	NATURAL OAK	04012	0.75	12	7"x6"x5"	0.12	0	400
04020	1 EA	PICKLED OAK	04020	0.75	12	7"x6"x5"	0.12	5	400
04022	1 EA	RED OAK	04022	0.75	12	7"x6"x5"	0.12	9	400
04028	1 EA	LIGHT MAPLE	04028	0.75	12	7"x6"x5"	0.12	1	400
04030	1 EA	MAPLE	04030	0.75	12	7"x6"x5"	0.12	4	400
04032	1 EA	WHITE	04032	0.75	12	7"x6"x5"	0.12	8	400
04040	1 EA	MAHOGANY	04040	0.75	12	7"x6"x5"	0.12	3	400
04042	1 EA	NATURAL PINE	04042	0.75	12	7"x6"x5"	0.12	7	400
04048	1 EA	WALNUT	04048	0.75	12	7"x6"x5"	0.12	9	400
04050	1 EA	EBONY	04050	0.75	12	7"x6"x5"	0.12	2	400
04080	1 EA	LIGHT WOODS	04080	1.5	12	7.75"x4"x6.75"	0.12	9	360
04085	1 EA	DARK WOODS	04085	1.5	12	7.75"x4"x6.75"	0.12	4	360
04083	1 EA	RED WOODS	04083	1.5	12	7.75"x4"x6.75"	0.12	0	360

DAP® WOOD FINISH REPAIR KIT™

WOOD FINISH REPAIR KIT™ features two Wood Stain Pens (Light and Dark), each with a premium felt tip, ideal for color-blending and the repair of scratches on woodwork, furniture and paneling. Also included are four colored blending sticks and application tools to repair minor defects in any finished wood surface. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
97500	1 EA	MULTICOLOR	97500	2.00	6	8.87"x3.87"x4.75"	0.09	2	576



DAP® Finishing Putty (RTU)

Smooth, easy-working putty that quickly repairs minor scratches and holes in interior surfaces. Resists oil bleeding. Recommended for filling and hiding countersunk nail holes, gouges, scratches and mitre joints. Available in 12 tones to match most finished wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21245	3.7 OZ	WHITE	21245	1.75	6	7.5"x4.75"x2.25"	0.05	9	900
21247	3.7 OZ	LIGHT OAK	21247	1.75	6	7.5"x4.75"x2.25"	0.05	3	900
21250	3.7 OZ	CHERRY	21250	1.75	6	7.5"x4.75"x2.25"	0.05	3	900
21251	3.7 OZ	LIGHT WALNUT	21251	1.75	6	7.5"x4.75"x2.25"	0.05	0	900
21255	3.7 OZ	DARK WALNUT	21255	1.75	6	7.5"x4.75"x2.25"	0.05	8	900
21262	3.7 OZ	RED OAK	21262	1.75	6	7.5"x4.75"x2.25"	0.05	6	900
21266	3.7 OZ	EBONY	21266	1.75	6	7.5"x4.75"x2.25"	0.05	4	900
21268	3.7 OZ	RED MAHOAGANY	21268	1.75	6	7.5"x4.75"x2.25"	0.05	8	900
21270	3.7 OZ	MAPLE	21270	1.75	6	7.5"x4.75"x2.25"	0.05	1	900
21272	3.7 OZ	NATURAL PINE	21272	1.75	6	7.5"x4.75"x2.25"	0.05	5	900
21274	3.7 OZ	PICKLED OAK	21274	1.75	6	7.5"x4.75"x2.25"	0.05	9	900
21276	3.7 OZ	NATURAL OAK	21276	1.75	6	7.5"x4.75"x2.25"	0.05	3	900

DAP® Painter's Putty '53'® (RTU)


Smooth, easy-working putty designed for the special needs of professional painters. Ideal for filling nail holes, dents and cracks in wood surfaces. May also be used to glaze wood sashes. Resists oil bleeding. Paintable. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12240	0.5 PT	WHITE	12240	15.50	12	11.5"x10.5"x3.75"	0.26	6	154
12242	1 PT	WHITE	12242	28.00	12	15.5"x12"x4.75"	0.51	0	80
12244	1 QT	WHITE	12244	28.00	6	15"x10"x5.25"	0.46	4	96

DAP® Water Putty (Dry Mix)

Premium quality, all-purpose patching product for the repair of cracks, holes and defects on interior wood surfaces. This easy-to-use, economical formula won't shrink and may be tinted, stained, painted or varnished. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
56001	1 LB	OFF WHITE	56001	7.00	6	9"x4"x5.75"	0.12	7	279
56004	4 LB	OFF WHITE	56004	25.75	6	12.5"x8.5"x8.5"	0.52	8	90



DAP® Concrete Floor Leveler (Dry Mix)


General purpose, concrete-based floor leveling product for concrete and masonry surfaces. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation. For use with DAP® Bonding Liquid & Floor Leveler Additive. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10414	5 LB	GRAY	10414	32.00	6	12"x8"x8"	0.44	3	90
10416	25 LB	GRAY	10416	25.00	1	16"x10"x4"	0.37	7	96

DAP® Concrete Patcher & Resurfacer (Dry Mix)

A fast-setting, polymer-fortified Portland cement patch. An economical product for the repair of cracks, chips and breaks in concrete and masonry. It adheres to concrete, brick, stone, stucco, wood subfloors and other clean masonry surfaces. Crack-resistant formula.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10466	5 LB	GRAY	10466	33.75	6	12.5"x8.5"x8.5"	0.52	2	90
10468	10 LB	GRAY	10468	43.25	4	16.5"x8.5"x12"	0.97	6	30

DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
35082	1 PT	WHITE	35082	7.50	6	8"x5.5"x8"	0.20	3	152
35090	1 GA	WHITE	35090	34.50	4	13"x13"x13"	1.27	8	27



DAP® Concrete Bonding Additive

Bonds old concrete to new. Perfect for concrete patching, resurfacing and leveling. Excellent for capping walls, patching steps and tuck pointing. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
02131	32 OZ	WHITE	02131	28.00	12	14.75"x11.81"x10.75"	1.04	0	33
02132	1 GA	WHITE	02132	36.00	4	13"x13"x13"	1.27	7	27

DAP® Flexible Floor Patch and Leveler (RTU)

Ready-to-use, latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces. The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking the filled-in areas. Ideal for filling and leveling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, as well as ceramic or mosaic floor tile.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
59184	1 QT	LIGHT GRAY	59184	24.00	6	15"x10.25"x5.25"	0.46	4	96
59190	1 GA	LIGHT GRAY	59190	63.50	4	16"x15.5"x8"	1.15	5	30

DAP® Liquid Cement Crack Filler (RTU)

Easy-to-use, ready-mixed product for the repair of cracks in concrete. Repairs are ready for traffic in 30-45 minutes. It is self-leveling and dries gray to match most existing concrete. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
37584	1 QT	GRAY	37584	22.00	6	10.75"x7.5"x10.5"	0.49	0	84



DAP® Ready-Mixed Concrete Patch (RTU)

Use to patch small cracks and breaks, or spot level concrete and masonry surfaces such as basement walls, patios, steps, sidewalks and driveways. It dries to a durable, hard finish and is non-shrinking. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
31084	1 QT	LIGHT GRAY	31084	22.75	6	15"x10.25"x5.25"	0.46	1	96
31090	1 GA	LIGHT GRAY	31090	64.00	4	16"x15.5"x8"	1.15	2	30

DAP® Ready-Mixed Concrete Patch (RTU)

Use to patch small cracks and breaks, or spot level concrete and masonry surfaces such as basement walls, patios, steps, sidewalks and driveways. It dries to a durable, hard finish and is non-shrinking. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10430	5.5 OZ	GRAY	10430	11.65	18	11"x4"x11"	0.28	3	99
10432	5.5 OZ	GRAY	10430	3.88	6	9.5"x5.25"x3.25"	0.09	3	468

DAP® Anchor Fast Anchoring Cement (Dry Mix)

Anchor Fast Anchoring Cement is a rapid-setting, non-shrink, pourable cement used for setting bolts, posts, handrails, small equipment, fences, columns or non-structural anchors in cement. It sets hard in 15 minutes, expanding to fill all voids and locking itself securely in place. When completely dry, the cement may actually be stronger than the original concrete. Interior/exterior use.




Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
32086	5 LB	GRAY	32086	31.00	6	12.5"x8.5"x8.5"	0.52	4	90
32090	New Size! 10 LB	GRAY	32090	43.00	4	16.5"x16.5"x8.25"	1.30	1	30



**DAP® QUICK PLUG®
Hydraulic Cement
(Dry Mix)**

High performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete surfaces. It creates a watertight seal in 3-5 minutes. Works both above and below ground level. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
14084	2.5 LB	GRAY	14084	16.50	6	12.25"x7.25"x4"	0.21	4	180
14086	5 LB	GRAY	14086	31.75	6	12.5"x8.5"x8.5"	0.52	8	90
14090	10 LB	GRAY	14090	43.00	4	16.5"x16.5"x8.25"	1.30	5	30

**DAP® KWIK SEAL PLUS®
Basement Paint
with MICROBAN®
(Latex-RTU)**

A low odor, ready-mixed, latex paint that waterproofs and beautifies interior or exterior concrete, stucco, brick, cement and similar masonry surfaces. Easy to apply with a brush, roller or sprayer. Penetrates deep into porous concrete to stop water infiltration. Plus, the MICROBAN® built-in product protection continuously fights the growth of stain and odor-causing bacteria, mold and mildew on the dried paint film. Water clean-up. Meets federal specifications described in TT-P-1411A. Bright White can be tinted.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
15300	1 GA	BRIGHT WHITE	15300	54.00	4	14.25"x14.25"x8.25"	0.97	4	30
15305	3.5 GA	BRIGHT WHITE	15305	47.00	1	12.5"x12.5"x 10.75"	0.97	9	36
15310	1 GA	BEIGE	15310	54.00	4	14.25"x14.25"x8.25"	0.97	3	30
15313	1 GA	GRAY	15313	54.00	4	14.25"x14.25"x8.25"	0.97	4	30

THE NEXT BIG THING.

IT'S PINK

With DAP's exclusive DryDex® dry time indicator, the compound dries from pink to white so there's no guesswork when it comes to reapplying or sanding.


IT'S SMOOTH

The lightweight formula is de-aired so you can expect an ultra-smooth finish with no bubbles.

IT'S SQUARE

The square container is sized perfectly for a 6" taping knife. No transfer to messy mud pans.

IT'S DAP® PREMIUM LIGHTWEIGHT JOINT COMPOUND.

The result: no wasted time and a better looking finished job. For do-it-yourselfers and home remodelers, it just doesn't get any better than this. 





DAP® Wallboard Joint Compound (RTU)

For smooth, high quality finishing of gypsum panel joints. Easy-to-use, ready-mixed formula is easily applied, has minimal shrinkage and sands easily. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10100	3 LB	WHITE	10100	22.00	6	15"x10"x5.25"	0.46	5	96
10102	12 LB	WHITE	10102	51.50	4	16"x16"x8"	1.19	9	30

DAP® Lightweight Wallboard Joint Compound (RTU)

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10114	1 GA	WHITE	10114	38.75	4	16"x16"x8"	1.19	2	30

DAP® Premium Lightweight Joint Compound with DRYDEX® Dry Time Indicator (RTU)

Premium lightweight joint compound for the smooth, high-quality finishing of gypsum panel joints. Goes on PINK and dries WHITE indicating when additional coats can be applied or it's ready for finishing. De-aired formula eliminates the formation of pinhole bubbles for an ultra smooth finish. Sands effortlessly and weighs up to 25% less than conventional compounds for easier handling. Square tub eliminates need for a mud pan. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10122	2 GA	WHITE	10122	22.00	1	10"x10"x7.75"	0.43	7	64



DAP® All-Purpose Stucco Patch (RTU)

Professional quality for repairs in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Convenient ready-mixed formula. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10504	1 QT	WHITE	10504	24.00	6	15"x10"x5.25"	0.46	1	96
60590	1 GA	WHITE	60590	62.00	4	16"x16"x8"	1.19	9	30

DAP® All-Purpose Stucco Patch (Dry Mix)

Professional quality for repairs in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10502	25 LB	WHITE	10502	25.50	1	19.5"x10.5"x4"	0.47	7	96

DAP® Plaster Wall Patch (Dry Mix)

Professional quality formula for repairs in plaster walls and ceilings. Provides longer working time of 2-3 hrs. Easy to mix, use and sand. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10304	25 LB	WHITE	10304	25.50	1	19.5"x10.5"x4"	0.47	7	96



**DAP® WEBPATCH™ 90
Floor Leveler and Patch
(Dry Mix)**

General purpose, gypsum-based floor leveler and patch. Use to patch cracks and holes in dry wall, wood, concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring and other materials. Can also be used on walls and ceilings. Ready to mix with water or DAP® Bonding Liquid & Floor Leveler Additive. Note: Not for use under vinyl sheet goods. Use Concrete Floor Leveler & Patch or Concrete Patcher & Resurfacer.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10314	4 LB	OFF WHITE	10314	25.50	6	12.5"x8.5"x8.5"	0.52	6	90
63050	25 LB	OFF WHITE	63050	25.50	1	19.5"x10.5"x4"	0.47	5	96

**DAP® PRESTO PATCH®
Multi-Purpose
Patching Compound
(Dry Mix)**

All-purpose, high performance patching compound formulated to set fast and dry hard. Set time is 5-10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling and floor projects.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58505	4 LB	WHITE	58505	26.00	6	12.5"x8.5"x8.5"	0.52	8	90
58552	25 LB	WHITE	58552	25.50	1	19.5"x10.5"x4"	0.47	2	96

**DAP® PRESTO PATCH®
Ready-Mixed Multi-Purpose
Patching Compound
(RTU)**

Ready-mixed, multi-purpose patching compound for filling, leveling or patching cracks and holes in concrete, masonry plaster, wallboard, wood and stucco. This high performance patching compound has a smooth working consistency and dries quickly. Once dry, it can be drilled, nailed, filed or painted. Saves time - NO MIXING REQUIRED. Interior/exterior use.




Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58555	1 GA	OFF WHITE	58555	30.50	2	16"x8"x8.25"	.61	3	75
58556	2 GA	OFF WHITE	58556	30.50	1	10"x10"x 7.75"	.43	0	64



DAP® Plaster of Paris (Dry Mix)


For general wall and ceiling repair. Sets fast in 20-30 minutes without shrinking. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10308	4 LB	WHITE	10308	27.25	6	19.5"x13.5"x7"	1.07	5	42
10310	8 LB	WHITE	10310	34.75	4	16.5"x9"x15.5"	1.33	8	36
10312	25 LB	WHITE	10312	25.50	1	19.5"x10.5"x4"	0.47	2	96
10318	4 LB BOX	WHITE	10318	28.25	6	12.5"x8.5"x8.5"	0.52	4	90

DAP® Plaster of Paris Hobby & Craft (Dry Mix)

Ideal for hobby, molds and casts. Sets fast in 20-30 minutes without shrinking. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
53005	4.4 LB	WHITE	53005	28.50	6	12.5"x8.5"x8.5"	0.52	8	90

DAP® Patching Plaster (RTU)

Economical plaster patching product for everyday household repairs to plaster and drywall. Dries hard with minimal shrinkage. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
52084	1 QT	WHITE	52084	23.00	6	15"x10"x5.25"	0.46	4	96



**DAP® KWIK SEAL®
Grout Repair (RTU)**


A ready-to-use, water-resistant compound for small interior ceramic and mosaic wall tile installation and repair jobs. It offers superior stain resistance and requires no sealing. Cleans up easily with soap and water. Non-sanded.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18372	4 OZ	ARCTIC WHITE	18372	3.75	6	9.5"x5.25"x3.25"	0.09	8	468

DAP® T.S.P.


The all-purpose cleaner used by professionals prior to painting exterior surfaces. It removes mold and de-glosses surfaces that are oil-base painted. Ideal for cleaning garage or basement floors, it can also be used to restore dried, used paintbrushes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
63001	1 LB	WHITE	63001	7	6	5.75"x4"x9"	0.12	7	279
63004	4 LB	WHITE	63004	26	6	12.5"x8.5"x8.5"	0.52	8	90

**DAP® T.S.P.
Substitute**

The ideal cleaner for preparing surfaces prior to decorating. It will clean walls, ceilings and finished woodwork, removing dust, dirt, oil, grease and old wall paper paste. Can be used to dull and etch painted surfaces to provide an excellent surface to be painted. As a general purpose cleaner, will remove oil and grease from basement or garage floors, driveways and machinery.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
60001	1 LB	WHITE	60001	7	6	5.75"x4"x9"	0.12	0	279
60004	4 LB	WHITE	60004	25	6	12.5"x8.5"x8.5"	0.52	1	90



DAP® Wall Repair Patch

Repair wall holes and cracks easily—just clean the surface, apply the patch, spackle and finish. Patches are self-adhesive so there's no pre-pasting required, and they are repositionable. The no-rust mesh aluminum backing provides a sturdy surface while allowing more air circulation for quicker drying time. The patch is strong enough to repair wall holes, yet cuts easily with scissors to match the size of the hole.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09146	6"x6"	WHITE/METALLIC	09146	3.20	12	8.38"x5.25"x7.75"	0.20	7	225

DAP® Drywall Joint Tape

Easy-to-use, fiberglass joint tape is self-adhesive so there's no pre-pasting required. This repositionable mesh system is compatible with both drywall and painted drywall making fast work of sealing drywall seams—just tape, apply joint compound, and sand as needed. It can also be used to repair cracks and small holes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09140	2"x180'	WHITE	09140	6.50	12	5.37"x12.75"x9.75"	0.39	5	120