



**DAP® RELY-ON®  
Vinyl Latex Caulk**

Economical vinyl latex for general caulking purposes. Paintable. Easy water clean-up. 7 Year Durability Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18260	10.1 OZ	WHITE	18250	14.00	12	8"x6"x12"	0.33	9	108

**DAP® ALEX®  
Painter's Acrylic Latex Caulk**

All-purpose acrylic latex painter's caulk. Applies smoothly and easily. Adheres to wood, plaster, drywall and masonry. Resists cracking and chalking. Interior/exterior use. Paintable. Easy water clean-up. 25 Year Durability Guarantee. Meets ASTM Specification C 834 for extrudability, artificial weathering, extension-recovery and slump.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18670	10.1 OZ	WHITE	18065	14.25	12	8"x6"x12"	0.33	9	108
18609	10.1 OZ	WHITE	18065	34.75	30	12"x10"x12"	0.83	9	48

**DAP® ALEX®  
Painter's Acrylic Latex Caulk Contractor Pack**

Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18618	10.1 OZ	WHITE	18065	14.25	12	8"x6"x12"	0.33	9	108



DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone

Superior quality, multi-purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior/exterior use. Paintable. Easy water clean-up. 35 Year Durability Guarantee. Exceeds ASTM Specification C 834.




Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various product variants like 18128, 18152, 18103, etc.

DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone Contractor Pack

Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX PLUS® Acrylic Latex Caulk Plus Silicone.




Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists Contractor Pack variants like 18656, 18660.

DAP® ALEX PLUS® Easy Caulk Acrylic Latex Caulk Plus Silicone

ALEX PLUS® formula in a convenient, easy-to-use aerosol can. NO CAULK GUN NEEDED. Gives perfect control for a smooth, consistent bead with no messy overflow. Ideal for use in tight spaces and for smaller jobs. Interior/exterior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists Easy Caulk variant 18725.



DAP® ALEX Fast Dry™ Acrylic Latex Caulk Plus Silicone

For a professional-looking paint job, caulk before you paint, and when time is short, reach for ALEX Fast Dry™. It's ready to paint in 40 minutes. No need to worry about paint cracking; this durable, flexible sealant is made to last and comes with a 35 Year Durability Guarantee. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C 834.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18425	10.1 OZ	WHITE	18425	14.50	12	8"x6"x12"	0.33	1	108

DAP® ALEX Fast Dry™ Acrylic Latex Caulk Plus Silicone Contractor Pack

Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX Fast Dry™ Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18426	10.1 OZ	WHITE	18425	14.50	12	8"x6"x12"	0.33	1	108

DAP® DYNAFLEX 230® Premium Elastomeric Latex Sealant

DAP's most advanced latex sealant technology. It combines the superior flexibility and durability of a silicone with the easy tooling, excellent paintability and low odor of a latex. Provides excellent adhesion and a watertight, weatherproof seal. Cured caulk is mildew resistant. Interior/exterior use. Easy water clean-up. 50 Year Durability Guarantee. Meets Federal Specification TT-S-00230C, Type II, Class A and ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18285	5.5 OZ	WHITE	18285	11.00	18	11"x4"x11"	0.28	1	99
18275	10.1 OZ	WHITE	18300	13.00	12	8"x6"x12"	0.33	1	108
18607	10.1 OZ	WHITE	18300	32.25	30	12"x10"x12"	0.83	1	48
18412	10.1 OZ	CEDAR TAN	18412	13.50	12	8"x6"x12"	0.33	1	108
18286	10.1 OZ	ALUMINUM GRAY	18301	12.25	12	8"x6"x12"	0.33	8	108
18418	10.1 OZ	BROWN	18302	13.50	12	8"x6"x12"	0.33	5	108
18420	10.1 OZ	DARK BRONZE	18303	13.50	12	8"x6"x12"	0.33	2	108
18304	10.1 OZ	CLEAR	18305	9.75	12	8"x6"x12"	0.33	6	108
18355	10.1 OZ	CLEAR	18305	24.20	30	12"x10"x12"	0.83	6	48
18288	10.1 OZ	ALMOND	18306	13.00	12	8"x6"x12"	0.33	3	108
18280	10.1 OZ	BLACK	18280	13.00	12	8"x6"x12"	0.33	6	108





**DAP® KWIK SEAL®  
Tub & Tile  
Adhesive Caulk**



Bonds like a glue and seals like a caulk. Provides a durable, watertight seal. Excellent adhesion and flexibility. Tools easily. Cured caulk is mildew resistant. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18001	5.5 OZ	WHITE	18001	7.00	12	9.5"x7.25"x4.25"	0.17	7	240
18013	5.5 OZ	ALMOND	18013	7.00	12	9.5"x7.25"x4.25"	0.17	0	240
18008	5.5 OZ	CLEAR	18008	5.00	12	9.5"x7.25"x4.25"	0.17	6	240
18032	10.1 OZ	WHITE	18002	13.75	12	8"x6"x12"	0.33	4	108

**DAP® KWIK SEAL PLUS®  
Premium Kitchen & Bath  
Adhesive Caulk with  
MICROBAN® Antimicrobial  
Product Protection**

Premium adhesive caulk with MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the caulk. Specially formulated siliconized latex provides maximum adhesion and flexibility for a watertight seal. Paintable. Easy water clean-up. Low odor. Backed by a Crack-Proof Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18546	5.5 OZ	CLEAR	18546	5.00	12	9.5"x7.25"x4.25"	0.17	3	240
18539	5.5 OZ	BISCUIT	18539	7.00	12	9.5"x7.25"x4.25"	0.17	5	240
18526	5.5 OZ	WHITE	18526	6.75	12	9.5"x7.25"x4.25"	0.17	5	240
18510	10.1 OZ	WHITE	18510	11.00	12	8"x6"x12"	0.33	4	108
18519	10.1 OZ	BISCUIT	18519	11.00	12	8"x6"x12"	0.33	7	108
18516	10.1 OZ	CLEAR	18516	10.00	12	8"x6"x12"	0.33	6	108

**DAP® KWIK SEAL PLUS®  
Easy Caulk  
Premium Kitchen & Bath  
Adhesive Caulk with  
MICROBAN® Antimicrobial  
Product Protection**

KWIK SEAL PLUS® with MICROBAN® Antimicrobial Product Protection formula in a convenient, easy-to-use aerosol can. NO CAULK GUN NEEDED. Gives perfect control for a smooth, consistent bead with no messy overflow. Ideal for use in tight spaces and smaller jobs.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18775	9 OZ	WHITE	18775	9.75	12	9"x7.5"x9"	0.35	7	125



**DAP® SIDE WINDER® Advanced Polymer Siding & Window Sealant**

Advanced polymer formula siding and window sealant delivers excellent performance on vinyl, fiber cement, aluminum, wood siding and windows. Permanently flexible. Wet weather and low temperature application. No shrink and virtually no VOC's (<1%). Low odor. Interior/exterior use. Paintable. Meets ASTM Specification C 920.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00801	10.1 OZ	WHITE	00801	13.00	12	8"x 6"x 12"	0.33	4	108
00804	10.1 OZ	CLAY	00804	13.75	12	8"x 6"x 12"	0.33	5	108
00807	10.1 OZ	LIGHT GRAY	00807	13.75	12	8"x 6"x 12"	0.33	6	108
00810	10.1 OZ	TAN	00810	13.75	12	8"x 6"x 12"	0.33	6	108
00813	10.1 OZ	ALMOND	00813	13.75	12	8"x 6"x 12"	0.33	7	108
00823	10.1 OZ	CEDAR	00823	13.75	12	8"x 6"x 12"	0.33	6	108
00835	10.1 OZ	MEDIUM GRAY	00835	13.75	12	8"x 6"x 12"	0.33	9	108
00840	10.1 OZ	OFF WHITE	00840	13.75	12	8"x 6"x 12"	0.33	3	108
00843	10.1 OZ	CANVAS	00843	13.75	12	8"x 6"x 12"	0.33	4	108
00846	10.1 OZ	TERRA BRONZE	00846	13.75	12	8"x 6"x 12"	0.33	5	108
00849	10.1 OZ	SANDTONE	00849	13.75	12	8"x 6"x 12"	0.33	6	108

**DAP® SIDE WINDER® Advanced Polymer Siding & Window Sealant Contractor Pack**

Designed for purchase by the case. Each pack contains 12 cartridges of SIDE WINDER® Advanced Polymer Siding & Window Sealant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00802	10.1 OZ	WHITE	00801	13.00	12	8"x 6"x 12"	0.33	1	108

**DAP® SIDE WINDER® Crystal Clear Siding & Window Sealant**

Crystal clear siding sealant delivers excellent performance on vinyl, fiber cement, aluminum and wood siding. Permanently flexible. Wet weather and low temperature application. Interior/exterior use. Paintable. Meets the performance characteristics of ASTM Specification C 920.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00816	10.1 OZ	CRYSTAL CLEAR	00816	9.25	12	8"x 6"x 12"	0.33	8	108



**DAP® Premium Polyurethane Adhesive Sealant**

A one-part, moisture-curing, commercial grade sealant. Specially formulated to provide a permanent, waterproof seal when filling exterior gaps, joints and cracks. Offers superior adhesion to a wide variety of substrates and remains permanently flexible. Paintable. 50 Year Durability Guarantee. Meets or exceeds Federal Specification TT-S 00230C, Type II, Class A and ASTM Specification C 920, Type S, Grade NS, Class 25. Use NT, M, A and O.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18810	10.1 OZ	WHITE	18810	12.85	12	8"x6"x12"	0.33	5	132

**DAP® Premium Polyurethane Roof & Flashing Sealant**

A one-part, moisture-curing, commercial grade sealant. Specially formulated to provide a permanent, waterproof seal when filling exterior gaps and joints in a variety of roof surfaces. Offers superior adhesion to a wide variety of substrates and remains permanently flexible. Paintable. 50 Year Durability Guarantee. Meets or exceeds Federal Specification TT-S 00230C, Type II, Class A and ASTM Specification C 920, Type S, Grade NS, Class 25. Use NT, M, A and O.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18816	10.1 OZ	BLACK	18816	14.10	12	8"x6"x12"	0.33	7	132

**DAP® Premium Polyurethane Concrete & Masonry Sealant**

A one-part, moisture-curing, fast-skinning commercial grade sealant. Specially formulated to provide a permanent, waterproof seal when filling exterior gaps and cracks in concrete, stone and masonry. Offers superior adhesion to a wide variety of substrates and remains permanently flexible. Paintable. 50 Year Durability Guarantee. Meets or exceeds Federal Specification TT-S 00230C, Type II, Class A and ASTM Specification C 920, Type S, Grade NS, Class 25. Use NT, M, A, G and O.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18814	10.1 OZ	GRAY	18814	14.50	12	8"x6"x12"	0.33	3	108



DAP® Clear Flexible Sealant

High performance, elastomeric clear sealant. Excellent adhesion even on damp surfaces. Stays crystal clear and permanently flexible. Excellent UV resistance. Cured sealant is mildew resistant. Interior/exterior use. Paintable. Meets ASTM Specification C 920.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18384	10.1 OZ	CRYSTAL CLEAR	18376	9.25	12	8"x6"x12"	0.33	6	105

DAP® Roof Watertight Asphalt Filler & Sealer

High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather resistant and watertight seal. Can be used for both wet and dry applications. Will not run or bubble. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18268	10.1 OZ	BLACK	18270	13.75	12	8"x6"x12"	0.33	7	108

DAP® Blacktop Asphalt Filler & Sealer

High performance, asphalt-based compound for filling and sealing cracks in driveways, parking lots and other asphalt surfaces. Forms a durable, flexible and watertight seal. Resists gas, oil grease and salt. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18020	10.1 OZ	BLACK	18017	15.00	12	8"x6"x12"	0.33	8	108

DAP® Blacktop Asphalt VOC-Compliant Filler & Sealer

Asphalt-based, low solvent formulation for the quick and easy repair of cracks in asphalt surfaces. Perfect for playgrounds, driveways, pavement and parking lots. Provides a durable, watertight, elastic seal. Repairs are ready for traffic in 24 hours. Textured for a professional looking finish. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27065	10.1 OZ	TEXTURED BLACK	27065	15.00	12	8"x6"x12"	0.33	7	108



**DAP® Gutter & Flashing BUTYL-FLEX® Sealant**

Butyl rubber formula provides a durable, flexible and watertight seal for gutters, drainspouts, lap joints, flashings, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes. Meets ASTM Specification C 1085.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18182	10.1 OZ	WHITE	18184	13.75	12	8"x6"x12"	0.33	7	108
18188	10.1 OZ	ALUMINUM GRAY	18185	13.75	12	8"x6"x12"	0.33	4	108

**DAP® BUTYL-FLEX® Gutter & Flashing VOC-Compliant Adhesive**

Butyl rubber-based, lower solvent formula provides a durable, flexible and watertight bond for gutters, drainspouts, lap joints, flashing, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27062	10.1 OZ	WHITE	27062	13.75	12	8"x6"x12"	0.33	6	108

**DAP® Watertight Concrete Filler & Sealant**

High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and watertight seal. Resists gas, oil, grease and salt. Interior/exterior use. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18096	10.1 OZ	GRAY	18021	14.00	12	8"x6"x12"	0.33	5	108

**DAP® SEAL 'N PEEL® Removable Weatherstrip Caulk**

Unique, removable weatherstrip caulk to seal drafty windows and doors. Provides a temporary watertight and weatherproof seal. Peels away easily when removal is desired. Won't damage painted surfaces. Interior/exterior use.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18324	10.1 OZ	CRYSTAL CLEAR	18324	17.15	24	12"x8"x12"	0.67	7	45



### DAP® High Heat Mortar

A non-combustible silicate cement for applications in wood frame construction where an ASTM E 136 sealant is required. Can also be used for patching and sealing around fireplaces and wood-burning stoves. Withstands temperatures up to 2000°F. Sets rock hard when fired. Easy water clean-up.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18854	10 OZ	BLACK	18854	15.60	12	8"x6"x12"	0.33	9	102

### DAP® Fire Stop Fire-Rated Silicone Sealant

Meets ASTM E 814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric—capable of ±25% dynamic joint movement.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18806	10.1 OZ	LIMESTONE GRAY	18806	12.75	12	8"x6"x12"	0.33	8	132

### DAP® BLOCKADE® Fire-Rated High Performance Intumescent Acrylic Latex Sealant

Meets ASTM E 814/UL 1479 Specifications. Intumescent product expansion fills voids created by combustible materials burned during a fire. Treats general firestopping applications for combustible and non-combustible penetrations. Excellent adhesion to unprimed surfaces. Red color for easy inspection.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18858	10.1 OZ	RED	18858	12.25	12	8"x6"x12"	0.33	7	132

### DAP® Fireblock Foam Polyurethane Foam Sealant

Quickly fill and seal large gaps around vents, pipes, ducts and wires; and at wall-to-floor or ceiling-to-floor joints. For use in Type V residential construction, the foam is bright orange for easy code identification and expands 2-1/2 to 3 times its dispensed size. Just one can of this expanding foam yields up to fifteen large caulk tubes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
44242	12 OZ	ORANGE	44242	9.7	9	9.25"x9.13"x9.13"	0.45	9	100



DAPtex® Plus Window & Door Foam Sealant

Designed to meet the tough standards demanded for professional window & door installations while effectively sealing large cracks, gaps and voids. This high-performance sealant is formulated with CoVinyl-X9000® for superior weather resistance plus added toughness and durability. When applied properly, this patented formula helps reduce energy loss and damage that can be caused by rain and pest infiltration. Just like original DAPtex®, DAPtex® Plus is paintable, toolable, won't overexpand, and the easy water clean-up formula won't leave a mess. This interior/exterior formula also works great for other sealing projects around your home.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18836	12 OZ	WHITE	18836	13.50	12	11"x 9"x 9.5"	0.54	5	90

DAPtex® Latex Multi-Purpose Insulating Foam Sealant

Innovative latex polymer foam technology. Seals out drafts, eliminates energy loss and prevents pest infiltration. Will not overexpand like polyurethane foam and is the best choice for sealing around windows and doors during installation. Proven not to bow, buckle or distort window and door frames. Also ideal for filling, sealing and insulating cracks and gaps around pipes, vents, outlets and above-ground foundations and crawlspaces. Non-clogging applicator and easy soap and water clean-up. Toolable and moldable. Paintable with latex paints once cured. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18826	12 OZ	WHITE	18826	13.50	12	11"x8.75"x9"	0.50	6	90

DAP® KWIK FOAM® Polyurethane Insulating Foam Sealant

A one-part, moisture-curing polyurethane foam that expands to fill and seal large gaps and cavities. Stops air infiltration and will not shrink or degrade. Contains a flame retardant. Waterproof.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18230	12 OZ	TAN	18230	13.10	12	12"x9.25"x8.5"	0.55	1	75
18232	24 OZ	TAN	18232	23.50	12	11.75"x9.5"x11.75"	0.76	5	48

# The foam without the fear

DAPtex® Plus is specially formulated to meet the demands of window and door installations.

DAPtex® Plus with CoVinyl-X9000® not only sounds like a breakthrough product, it is. That's what gives DAPtex® Plus the ability to resist water and maintain toughness.

Unlike other foam sealants which can require sand paper to get your hands clean, DAPtex® Plus cleans up easily with water.



# La espuma sin miedo.

DAPtex® Plus está formulado especialmente para satisfacer las exigencias de las instalaciones de puertas y ventanas.

DAPtex® Plus con CoVinyl-X9000® no solamente suena como un producto de delantera, sino que lo es. Es lo que le otorga a DAPtex® Plus la habilidad de resistir al agua y mantener su fortaleza.

Al contrario de otros sellantes de espuma que requieren el uso de papel de lija para limpiar sus manos, DAPtex® Plus se limpia fácilmente con agua.





**DAP® TITANIUM® Premium Window & Door Silicone Sealant**

Revolutionary Titanium-enriched silicone offers maximum flexibility and strength, making it up to 50% more flexible than other premium silicones. Offers superior adhesion to difficult surfaces such as PVC, vinyl siding, windows and painted wood. Low odor. Interior/exterior use. Lifetime Durability Guarantee. Meets ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08671	10.1 OZ	CLEAR	08671	9.75	12	8"x6"x12"	0.33	5	108
08680	10.1 OZ	WHITE	08680	10.00	12	8"x6"x12"	0.33	7	108

**DAP® 100% Silicone Rubber Sealant**

Superior quality, multi-purpose sealant. Offers long-lasting flexibility and excellent adhesion. Provides a weatherproof, watertight seal. Resists cracking, crumbling and chalking. Interior/exterior use. 50 Year Durability Guarantee. Meets Federal Specification TT-S-001543A, Class A.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00683	2.8 OZ	WHITE	00683	3.40	12	8.5"x6.5"x8.5"	0.27	6	165
00684	2.8 OZ	CLEAR	00684	3.50	12	8.5"x6.5"x8.5"	0.27	3	165
08646	10.1 OZ	WHITE	08646	9.75	12	8"x6"x12"	0.33	3	108
08641	10.1 OZ	CLEAR	08641	9.75	12	8"x6"x12"	0.33	8	108
08642	10.1 OZ	BLACK	08642	9.70	12	8"x6"x12"	0.33	5	108
08643	10.1 OZ	ALUMINUM	08643	9.50	12	8"x6"x12"	0.33	2	108
08647	10.1 OZ	BRONZE	08647	9.70	12	8"x6"x12"	0.33	0	108
08649	10.1 OZ	ALMOND	08649	10.20	12	8"x6"x12"	0.33	4	108

**DAP® KWIK SEAL® 3.0**  
**Advanced Kitchen & Bath**  
**Adhesive Caulk with**  
**KWIK DRY™ Technology and**  
**MICROBAN® Antimicrobial**  
**Product Protection**

An advanced kitchen & bath adhesive caulk specially formulated with KWIK DRY™ Technology allowing it to be exposed to water and moisture after only three hours without washing out. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a waterproof seal. MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the caulk. Paintable. Lifetime Guarantee.

**New!**



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00790	9.8 OZ	GLOSS WHITE	00790	12.25	12	8"x6"x12"	0.33	1	108

**DAP® TITANIUM®**  
**Premium Kitchen & Bath**  
**Silicone Sealant**

Revolutionary Titanium-enriched silicone offers maximum flexibility and strength, making it up to 50% more flexible than other premium silicones. Offers superior adhesion to difficult surfaces such as PVC, tub surround plastic, painted wood and Formica® countertops. Cured sealant is mildew resistant. Low odor. Lifetime Durability Guarantee. Meets ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08681	10.1 OZ	CLEAR	08681	9.90	12	8"x6"x12"	0.33	4	108
08670	10.1 OZ	WHITE	08670	10.70	12	8"x6"x12"	0.33	8	108
08685	10.1 OZ	ALMOND	08685	10.70	12	8"x6"x12"	0.33	2	108

**DAP® Kitchen & Bath**  
**100% Silicone Sealant**

Superior quality tub and tile sealant. Offers long-lasting flexibility and excellent adhesion. Provides a watertight seal around non-porous surfaces, such as ceramic tile and plumbing fixtures. Safe for incidental food contact. Cured sealant is mildew resistant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00680	2.8 OZ	WHITE	00680	3.50	12	8.5"x6.5"x8.5"	0.27	5	165
08640	10.1 OZ	WHITE	08640	9.75	12	8"x6"x12"	0.33	1	108
08648	10.1 OZ	CLEAR	08648	9.70	12	8"x6"x12"	0.33	7	108



**DAP® TITANIUM® P Premium Concrete & Masonry Silicone Sealant**

Revolutionary Titanium-enriched silicone offers maximum flexibility and strength, making it up to 50% more flexible than other premium silicones. Offers superior adhesion to difficult surfaces such as PVC, plastics and painted wood. Low odor. Interior/exterior use. Lifetime Durability Guarantee. Meets ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08675	10.1 OZ	GRAY	08675	10.00	12	8"x6"x12"	0.33	3	108

**DAP® Household Adhesive**

Multi-purpose 100% silicone rubber adhesive forms a strong, watertight seal. Excellent adhesion. Ideal for quick household repairs and projects.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00698	1 OZ	CLEAR	00698	1.50	12	8"x5.5"x5.5"	0.14	0	270

**DAP® Aquarium Sealant**

Long-lasting 100% silicone rubber helps build and repair aquariums. Provides a waterproof and watertight seal. Stays flexible. Won't crack or shrink. Non-toxic to fresh and saltwater fish when cured.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00688	2.8 OZ	CLEAR	00688	3.30	12	8.5"x6.5"x8.5"	0.27	1	200



**DAP® Auto/Marine Sealant**

Long-lasting 100% silicone rubber seals and bonds for automotive and marine maintenance and repair applications. Provides a waterproof and weather-proof seal. Stays flexible. Won't crack or shrink. Resists vibration, expansion and contraction.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00694	2.8 OZ	CLEAR	00694	3.40	12	8.5"x6.5"x8.5"	0.27	2	200

**DAP® Gasket Sealant**

Easily forms 100% silicone rubber gaskets for mechanical repair and household use. Provides a waterproof seal. Stays flexible. Won't crack, crumble or dry out. Requires no mixing.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00686	2.8 OZ	BLACK	00686	3.30	12	8.5"x6.5"x8.5"	0.27	7	200



**DAP® CAULK-BE-GONE®  
Caulk Remover**

Specially formulated gel softens many types of caulks and sealants for easy removal. Fast-acting formula works in as little as two hours. Has a fresh scent and will not harm most surfaces. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18026	5.5 OZ	GREEN	18025	5.00	12	9.5"x7.25"x4.25"	0.19	3	240

**DAP® Easy Solutions®  
Home Repair Products**

Complete line of easy-to-use home repair products created specifically for the light DIYer. No caulk gun needed. Job specific formulations target the most common household repair projects: sealing kitchens and bat h s , spackling and repairing tile grout. All products are safe, latex-based and provide easy water clean-up.

Case Code	Size	Product	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12333	4 OZ	D ry Dex® Spackling (RTU)	12334	3.60	6	9.5"x5.25"x3.25"	0.09	2	468
10725	4 OZ	Tile Grout Repair	10726	3.50	6	9.5"x5.25"x3.25"	0.09	7	468



18887	4 OZ	Kitchen & Bath Caulk	18888	3.05	6	9.5"x5.25"x3.25"	0.09	4	468
-------	------	----------------------	-------	------	---	------------------	------	---	-----



**DAP®**  
**DAP CAP™**  
**Caulk Finishing Tool**

Smooths and finishes bead of caulk for a professional-looking appearance. Reseals cartridge for storage and reuse.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18570	1 EA	YELLOW	18570	0.50	12	8.5"x6"x4.5"	0.13	8	240