




DAP® WELDWOOD® Original Contact Cement



Premium quality, brush grade, neoprene-based contact cement that meets the stringent requirements of the professional user. High strength and initial grab make it ideal for most projects. Fast-drying formula dries in 15-20 minutes. Offers high heat and water resistance when dry. Exceeds industry performance requirements.




Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00271	1 PT	TAN	00271	13.75	12	14"x10.5"x4.5"	0.38	5	130
00272	1 QT	TAN	00272	12.75	6	13.5"x9"x5"	0.35	2	144
00273	1 GA	TAN	00273	31.75	4	13.5"x13.5"x8"	0.84	9	45

DAP® WELDWOOD® Gel Formula Contact Cement



WELDWOOD® Original Contact Cement formula in an easy-to-use gel that won't drip. No mess. Ideal for vertical and overhead surfaces. Easy spread provides excellent coverage. Long assembly/open time.




Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25310	1 PT	TAN	25310	13.00	12	14"x10.5"x4.5"	0.38	0	130
25312	1 QT	TAN	25312	13.00	6	13.5"x9"x5"	0.35	4	144
25316	1 GA	TAN	25316	32.25	4	13.5"x13.5"x8"	0.84	2	45

DAP® WELDWOOD® Nonflammable Contact Cement



High solids polychloroprene, waterborne contact adhesive that meets the stringent requirements of the professional user. Complies with all current VOC requirements. Dries in 30-40 minutes, allowing for extra bonding time. Water resistant when dry. Exceeds industry performance requirements. Low odor. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25330	1 PT	NATURAL	25330	16.75	12	14"x10.5"x4.5"	0.38	8	130
25332	1 QT	NATURAL	25332	15.75	6	13.5"x9"x5"	0.35	2	144
25336	1 GA	NATURAL	25336	39.25	4	13.5"x13.5"x8"	0.84	0	45



Extremely Flammable—Brush Grade

DAP® 0308 Premium Brush Grade High Heat Resistant Contact Adhesive

Superior quality adhesive designed to allow maximum application of

adhesive with minimum strokes of brush or roller. 0308 Premium has developed a broad range of applications in industry. Dries rapidly with high strength and high heat resistance.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00094	5 GA	NATURAL		1	36.75

DAP® 2056 Professional Brush Grade Contact Adhesive

A medium viscosity formulation which meets the requirements of

many applications. A general purpose contact adhesive, 2056 Professional is often the choice of shops and tradesmen engaged in a variety of projects requiring contact adhesive. Easy to apply. Fast drying.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00241	5 GA	NATURAL		1	35.00

Extremely Flammable—Spray Grade

DAP® Landau Top & Trim High Heat Resistant Contact Cement

The ideal contact cement for automotive interior applications.

Its high heat resistance is well suited for adhering headliners, fabric and many other materials during automobile refurbishment. Easy to apply with hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00233	1 GA	NATURAL		4	29.50
00234	5 GA	NATURAL		1	36.00
00235	55 GA	NATURAL		1	404.00
00237	5 GA	RED		1	36.00

DAP® Landau Top & Trim High Heat Resistant High Solids Contact Adhesive

Offers up to 33% greater coverage than traditional products. Bond strength increases with age. Excellent chemical and water resistance. Ideal for applications

such as automotive, marine or aeronautical interiors, including headliners, vinyl trim, dash coverings, door coverings, floor coverings, panel coverings and upholstery. Ideal for bonding Landau tops constructed of non-penetrable fabric backing.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00250	5 GA	NATURAL		1	38.00

Extremely Flammable—Spray Grade

DAP® 1145 High Solids High Heat Resistant Spray Grade Contact Adhesive

Offers a number of benefits over standard grade adhesives which is attributable to its high solids, low solvent formula. This allows for a

faster drying time, lower glue line cost, less solvent escapement, lower odor and potential savings, with fewer drums to dispose. 1145 has superior green strength and qualifies for a Class A Flame Spread rating when tested in accordance with ASTM E81 Tunnel Test.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
04120	5 GA	NATURAL		1	38.00
04121	55 GA	NATURAL	O.H.*	1	419.00
04140	5 GA	RED		1	38.00
04141	55 GA	RED	O.H.*	1	419.00

DAP® 0306/0307 High Heat Resistant Contact Adhesive

This industry standard, used with confidence for years, meets the requirements of a wide range of

applications. Features ease of use and excellent end results. May be applied with standard hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00095	5 GA	NATURAL		1	37.00
00097	5 GA	RED		1	37.00
00098	55 GA	RED	T.H.*	1	404.00
04051	55 GA	NATURAL	O.H.*	1	414.00
04054	55 GA	RED	O.H.*	1	424.00

DAP® RELY-ON® High Heat Resistant Economy Grade Contact Adhesive

A good quality adhesive for many spray applications. May be applied

with standard hot or cold spray equipment. A better adhesive at an economical cost.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
03505	5 GA	RED		1	38.00
03506	55 GA	RED	O.H.*	1	413.00
03510	5 GA	NATURAL		1	38.00
03511	55 GA	NATURAL	O.H.*	1	413.00

Flammable Solvent

DAP® 0901 Standard Solvent

The ideal solvent for use in conjunction with WELDWOOD® flammable brush and spray grade contact adhesives. Its uses include thinning products back to their

original viscosity, delaminating bonded surfaces, reactivating dried adhesives, cleaning spray gun tips and air caps, and cleaning general overspray and spillages. WELDWOOD® 0901 Standard Solvent is a flammable solvent.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00091	5 GA	CLEAR		1	35.25
00092	55 GA	CLEAR	T.H.*	1	377.00

*(T.H.) Tight Head *(O.H.) Open Head

For more detailed information, request the technical data sheet for any of our products by calling 1 888 327 8477 or visit our website at www.dap.com



Nonflammable—Spray Grade

DAP® 2146 M.C. High Solids Nonflammable Spray Grade Contact Adhesive

This product provides solutions to many problems affecting cabinet shops, laminators, furniture manufacturers and other industries where an alternative to the extremely flammable products must be found for insurance reasons,

state regulations, storage restrictions and OSHA requirements. 2146 M.C. offers excellent green strength and the many benefits of a high solids product. These benefits include faster drying time, lower glue line costs, less solvent escapement, reduced odor and potential savings, with fewer drums to dispose.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
04652	5 GA	NATURAL		1	54.00
04654	55 GA	NATURAL	O.H.*	1	595.00
04662	5 GA	GREEN		1	54.00
04664	55 GA	GREEN	T.H.*	1	595.00

Description			Solids (percent)	Viscosity, CPS	Density, lbs./gal.	Color(s)	Sq. Ft. Coverage (2-3 gms. dry)	Shelf Life	VOC Less H ₂ O/ Exempt g/L	Sizes (Gallons)
Brush Grade (Flammable Solvent)										
0308	Premium	HHR*	24	900-1200	6.8	NATURAL	309	1 yr	592/475	5-55
2056	Prof.	HHR*	20	550-800	6.7	NATURAL	253	1 yr	606/490	5-55
Spray Grade (Flammable Solvent)										
1145	High Solids	HHR*	24	350-450	6.8	RED NATURAL	309	6 mos	540/345	5-55
0307	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	5-55
0306	Std.	HHR*	19	130-200	6.6	NATURAL	237	1 yr	621/499	5-55
RELY-ON	Economy	HHR*	18	130-200	6.6	RED	237	1 yr	621/499	5-55
LANDAU	Std.	HHR*	19	130-200	6.6	NATURAL RED NATURAL	237	1 yr	621/499	1-5-55
Spray Grade (Nonflammable Solvent)										
2146 MC	High solid specialty		25	180-280	10.1	NATURAL GREEN	478	1 yr	14/5	5-55
2044 MC	Fast Dry	HHR*	10	200-350	10.9	RED	206	1 yr	54/6	5-55
2004 MC	Fast Dry	HHR*	10	200-350	10.9	NATURAL	206	1 yr	54/6	5-55

*(HHR) High Heat Resistance


*(T.H.) Tight Head *(O.H.) Open Head

For more detailed information, request the technical data sheet for any of our products by calling 1 888 327 8477 or visit our website at www.dap.com



DAP® WELDWOOD® Carpenter's Glue

Professional quality aliphatic resin wood and multi-purpose glue providing a high strength bond. Sets fast, grips tight and sands easily when dry. Heat, water and solvent resistant. Non-toxic. Low VOC.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00490	8 OZ	YELLOW	00490	17.50	24	13"x10"x7.5"	0.56	0	56
00491	1 PT	YELLOW	00491	16.00	12	12.5"x8.5"x9"	0.55	7	72
00492	1 QT	YELLOW	00492	32.00	12	17.5"x9.5"x10"	0.96	4	40
00493	1 GA	YELLOW	00493	37.50	4	13"x12.5"x11.5"	1.08	1	27
00494	5 GA	YELLOW	00494	46.00	1	12.25"x12.25"x14.75"	1.28	8	36
00495	55 GA	YELLOW	00495	541.50	1	23.5"x23.5"x34.25"	10.95	5	4

DAP® WELDWOOD® Multipurpose Spray Adhesive

DAP® WELDWOOD® Multipurpose Spray Adhesive is a mist formula that can be used for the temporary or permanent bonding of lightweight materials including foils, carpeting, papers, foams and felt. Fast tack. VOC compliant with all current regulations.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00118	16.0 OZ	CLEAR	00118	17.00	12	12"x9.5"x9.75"	0.64	3	80

DAP® WELDWOOD® High Strength Spray Adhesive

DAP® WELDWOOD® High Strength Spray Adhesive web formula is a high-strength, high-temperature resistant formulation that bonds wood, metal and plastic. Long open time.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00121	16.0 OZ	CLEAR	00121	17.00	12	12"x9.5"x9.75"	0.64	3	80



DAP® BLUESTIK™ Reusable Adhesive Putty

Reusable, removable blue adhesive putty that replaces tape, tacks, staples and magnets. No more holes in walls and no more chipped, peeled paint. Sticks just about anything to slick or hard surfaces such as wood, tile, glass, concrete, porcelain, metal and painted surfaces. Use to fasten decorations, posters, notes and paintings. Can be used time and time again. Non-toxic. Conforms to ASTM D 4236.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01201	1 OZ	BLUE	01201	1.25	12	6."x4.25"x4.5"	0.07	1	528

DAP® ONE STIK® Crystal Clear Permanent Adhesive

One Stik® Crystal Clear Permanent Adhesive offers two convenient easy-to-use precision dispensers, one thin "pen" tip for more precise applications and a wide tip for spreading a broader film. Special no-clog closures for easy re-use. Permanent holding power on vertical or horizontal surfaces including paper, wood, cardboard, plastic, fabric, polystyrene foam, or pottery. Photo safe. Dries to a glossy crystal clear finish.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01323	1.7 OZ	CLEAR	01323	2.40	12	5.7"x7.5"x8.1"	0.20	0	210

DAP® ONE STIK® Permanent or Repositionable Adhesive

One Stik® Permanent or Repositionable Adhesive offers two convenient easy-to-use precision dispensers, one thin "pen" tip for more precise applications and a wide tip for spreading a broader film. Special no-clog closures for easy re-use. Permanent or temporary holding power on vertical or horizontal surfaces including paper, wood, cardboard, plastic, fabric, polystyrene foam, or pottery. For temporary applications allow to dry before application. Use to prevent items from slipping around on countertops, to secure items in place prior to nailing, or for temporary mounting of posters, photos & notes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01320	0.88 OZ	CLEAR	01320	1.50	12	5.7"x7.5"x8.1"	0.20	9	210

BLUESTIK™ replaces tape and tacks when hanging posters, photos or drawings. It's reusable and leaves no mess or nail holes behind.



GLUING MADE EASIER.™

ONE STIK²® features broad and fine tips. Two formulas mean you can bond items permanently or create your own repositionable sticky surfaces. Use it all around the house.

GLUING MADE PRECISE.™

SPRAY 'N STIK® is the first aerosol spray with Waterstik™ technology so you can clean up with water. For strong, permanent bonds nothing else comes close.

GLUING MADE CLEANER.™




Forget the
hammer and nails.
STRONGSTIK[®] instant grab adhesive
works where nails dare not go. Many
projects require no bracing or clamping,
indoors and out.

GLUING MADE POWERFUL.[™]



There's no end to the things
that can be glued with **STIKAROUNDS**[®].
In the shop, around the house, anywhere you
need a second hand or a quick no-mess bond.

GLUING MADE EASIER.[™]

You'll find us in all the right places. 



DAP® SPRAY 'N STIK® All-Purpose Spray Glue

An all-purpose aerosol spray glue with exclusive Waterstik™ technology, provides superior adhesion for strong, permanent bonds with the added benefits of low odor and easy water clean up. The unique foaming action sprays on white so you can see exactly where you've applied it and helps eliminate overspray. It dries clear, is non-yellowing and is safe for most surfaces. Can be used for bonding porous and non-porous substrates such as paper, cardboard, newsprint, photos, fabric, plastic, metal, wood and more.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00124	7 OZ	DRIES CLEAR	00124	11.25	12	11"x8"x9"	0.46	4	102

DAP® STIKAROUNDS® Clear Adhesive Spots & Lines

Double-sided, pressure sensitive adhesive spots and continuous lines. They are cleaner and easier to use than liquid glues, tacks or magnets and are safer and more convenient than hot glue guns. Just stick and peel for an instant bond – no long set up or dry times. They are non-toxic, acid free, archival quality and adhere to a wide variety of surfaces. Ideal for all types of hobby and craft, school, office and around-the-home uses, such as mounting pictures or artwork, hanging posters, adhering loose wallpaper, securing collectibles, keeping cords and cables in place, and more. Conforms to ASTM D 4236.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01220	200 1/2" DIA. SPOTS	ADHESIVE SPOTS	01220	1.90	9	9.75"x7.25"x3.5"	0.14	2	300
01229	24 LIN. FT.	CONTINUOUS LINE	01229	1.90	9	9.75"x7.25"x3.5"	0.14	5	300

DAP® STRONGSTIK® Instant Grab Adhesive

An instant grab adhesive that replaces nails and screws by holding projects in place instantly, yet it is repositionable for up to 15 minutes. Can be used for some vertical or overhead applications. Just one ounce can hold a three pound object. The slim 5.5 fluid ounce tube is easy to hold with a stand-up flip top cap for convenience. Works on most household surfaces and cleans up with soap & water. Indoor/Outdoor.




Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01310	5.5 OZ	WHITE	01310	6.35	12	9.44"x7"x4.75"	0.18	0	225



**DAP® EPOXY STIK®
2 Minute Adhesive**

EPOXY STIK® 2 Minute Epoxy Adhesive is a fast-setting, high performance, two-component epoxy adhesive that dries clear in two minutes. It comes in an easy-to-use, single-dose pack for quick repairs anywhere with no waste. Provides a permanent, waterproof bond. Excellent adhesion to ceramics, china, glass, plastic, wood, concrete, metal and most plastics.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01300	.07 OZ	CLEAR	01300	0.50	12	5.75"x3.25"x4.25"	0.05	1	744

**DAP® WELDWOOD®
Contact Cement**


Instantly bonds on contact. Can be used on a variety of materials. Provides a durable, water resistant bond. Handy applicator included in 1 oz. bottle.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00102	1 OZ	TAN	00102	2.50	12	7"x7"x4.5"	0.13	2	240
00107	3 OZ	TAN	00105	5.00	12	8"x6"x4"	0.11	3	430

**DAP® WELDWOOD®
Plastic Resin Glue**

Powdered, ureaformaldehyde wood glue activated by mixing with water. Forms a bond stronger than the wood itself. Meets Federal Specification A-A-3052. Low VOC.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00203	1 LB	TAN	00203	8.00	6	15"x10"x5"	0.43	6	54
00204	4.5 LB	TAN	00204	21.50	4	16"x16"x8"	1.19	3	30
00208	300 LB	TAN	00208	317.00	1	23.5"x23.5"x34.25"	10.95	1	4

**DAP® WELDWOOD®
Waterproof Resorcinol Glue**

Two-component glue ideal for exterior structural applications. 100% waterproof and weatherproof. Meets MIL-A-46051 (Type I, Grade A) (Type II, Grade C) and MIL-A22397 (Grade A).



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00227	1 PT	PURPLE	00227	12.00	6	10.5"x7"x8"	0.34	2	100



DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C 557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25098	10.3 OZ	GRAY	25082	13.50	12	8"x6"x12"	0.33	6	108
25082	10.3 OZ	GRAY	25082	27.00	24	12"x8"x12"	0.66	6	54
25084	28 OZ	GRAY	25084	35.50	12	10.5"x8"x17"	0.83	0	40

DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C 557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25498	10.3 OZ	GRAY	25498	13.50	12	8"x6"x12"	0.33	5	108
25484	28 OZ	GRAY	25484	35.50	12	10.5"x8"x17"	0.82	8	40

DAP® BEATS THE NAIL®
All-Purpose Trowelable
Construction Adhesive

An all-purpose, trowelable construction adhesive for bonding bath panel, tub enclosures and other types of wall panels to drywall, hardboard, plywood, plaster, masonry and other structurally-sound surfaces. It may be used to repair loose ceramic tiles, sink tops, backsplashes and moulding or to install Fiberglass Reinforced Panels (FRP). It provides a water and moisture-proof barrier between wall and panel. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25488	1 GA	TAN	25488	44.25	4	13.5"x13.5"x8"	0.84	6	45



**DAP® 4000®
Subfloor & Deck
Construction Adhesive**

A premium grade, weatherproof formulation that meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. It reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25028	10.3 OZ	TAN	25020	11.50	12	8"x6"x12"	0.33	8	108
25117	28 OZ	TAN	25117	28.66	12	10.5"x8"x17"	0.83	5	40

**DAP® BEATS THE NAIL®
Subfloor & Deck
Construction Adhesive**

A premium grade, weatherproof formulation that meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. It reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25428	10.3 OZ	TAN	25428	11.50	12	8"x6"x12"	0.33	2	108
25417	28 OZ	TAN	25417	28.66	12	10.5"x8"x17"	0.83	6	40

**DAP® BEATS THE NAIL®
Drywall Construction Adhesive**

Specially formulated for bonding drywall, paneling and plywood to wood or steel framing. Reduces fastener use. Quick-grab formula requires less bracing. Meets ASTM Specification C 557. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25037	28 OZ	TAN	25037	29.00	12	10.5"x8"x17"	0.83	6	40



**DAP® BEATS THE NAIL®
Paneling & Foam
Construction Adhesive**

A high quality, dual-purpose adhesive designed to bond paneling or foamboard insulation to a variety of substrates. Quick-grab formula reduces nailing requirements. Won't etch or burn through. Meets ASTM Specification C 557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25403	10.3 OZ	GRAY	25403	13.75	12	8"x6"x12"	0.33	9	108

**DAP® BEATS THE NAIL®
Tub Surround & Shower Wall
Construction Adhesive**

Specifically formulated for the installation of tub surrounds and shower wall enclosures to a variety of substrates. Quick-grab formula provides a strong steam, heat and water-resistant bond. Won't harm most plastic tub surrounds and shower walls. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25420	10.3 OZ	GRAY	25420	12.50	12	8"x6"x12"	0.33	6	108

DAP® FRP Adhesive

Trowel grade, latex-based formula for bonding FRP panels to concrete, plaster, plywood and gypsum wallboard. For interior use. Nonflammable, fast-setting and water resistant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
60480	1 GA	WHITE	60480	54	4	15.5"x15.5"x7.75"	1.08	3	30
60481	4 GA	WHITE	60481	54	1	12"x12"x14"	1.17	0	36



DAP® BEATS THE NAIL®
VOC-Compliant
All-Purpose
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based ALL-PURPOSE Adhesive. VOC-compliant. Meets ASTM Specification C 557. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27050	10.3 OZ	WHITE	27050	14.00	12	8"x6"x12"	0.33	3	108
27058	28 OZ	WHITE	27058	35.00	12	10.5"x8"x17"	0.83	9	40

DAP® BEATS THE NAIL®
VOC-Compliant
All-Purpose
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based ALL-PURPOSE Adhesive. VOC-compliant. Meets ASTM Specification C 557. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27401	3.5 OZ	TRANSLUCENT	27401	7.00	18	11"x4"x11"	0.28	3	99
27480	3.5 OZ	WHITE	27480	8.50	18	11"x4"x11"	0.28	8	99
27450	10.3 OZ	WHITE	27450	14.00	12	8"x6"x12"	0.33	1	108
27458	28 OZ	WHITE	27458	35.25	12	10.5"x8"x17"	0.83	7	40

DAP® BEATS THE NAIL®
Heavy-Duty Projects
VOC-Compliant
Construction Adhesive

A high-strength, water-resistant adhesive specifically formulated for heavy-duty general construction, remodeling, maintenance and repair projects. VOC compliant. Instant Grab formulation holds projects in place instantly, reducing bracing requirements. It bonds to a wide variety of substrates and provides a heat and water-resistant bond. Meets ASTM Specification C 557. It is low odor and cleans up easily with soap and water. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27404	10.3 OZ	WHITE	27404	14.00	12	8"x6"x12"	0.33	4	108
27407	28 OZ	WHITE	27407	31.25	12	10.5"x8"x17"	0.83	5	40



DAP® 4000®
VOC-Compliant
Subfloor & Deck
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based 4000® SUBFLOOR & DECK Adhesive. It is VOC-compliant and meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27030	10.3 OZ	TAN	27030	12.00	12	8"x6"x12"	0.33	5	108
27038	28 OZ	TAN	27038	33.00	12	10.5"x8"x17"	0.83	1	40

DAP® BEATS THE NAIL®
VOC-Compliant
Subfloor & Deck
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based SUBFLOOR & DECK Adhesive. VOC-compliant. Meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27430	10.3 OZ	TAN	27430	12.00	12	8"x6"x12"	0.33	3	108
27438	28 OZ	TAN	27438	33.00	12	10.5"x8"x17"	0.83	9	40

DAP® 7000®
VOC-Compliant
Subfloor & Deck
Construction Adhesive

A solvent-based, VOC-compliant formula that meets APA AFG-01, ASTM Specification D 3498. Premium grade, weatherproof formulation reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27044	10.3 OZ	TAN	27044	12.00	12	8"x6"x12"	0.33	2	108
27042	28 OZ	TAN	27042	28.50	12	10.5"x8"x17"	0.83	8	40



**DAP® BEATS THE NAIL®
Paneling & Foam
VOC-Compliant
Construction Adhesive**

This latex-based formula provides the same superior performance as the solvent-based PANELING & FOAM Construction Adhesive. VOC compliant. Won't damage polystyrene foam. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27425	10.3 OZ	WHITE	27425	14.00	12	8"x6"x12"	0.33	9	108

**DAP® BEATS THE NAIL®
Cove Base
VOC-Compliant
Construction Adhesive**

This latex-based adhesive is specially formulated for the rapid installation of vinyl or rubber cove base to most interior wall surfaces. VOC compliant. Non-staining and water resistant when dry. It is low odor and cleans up easily with soap and water. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25032	10.3 OZ	OFF WHITE	10934	13.25	12	8"x6"x12"	0.33	6	108

**DAP® BEATS THE NAIL®
Tub Surround & Shower Wall
VOC-Compliant
Construction Adhesive**

This latex-based formula provides the same superior performance as the solvent-based TUB SURROUND & SHOWER WALL adhesive. VOC compliant. Won't harm plastic tub surrounds and shower walls. Low odor and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27420	10.3 OZ	CLEAR	27420	9.75	12	8"x6"x12"	0.33	4	108



DAP® BEATS THE NAIL®
Moulding & Trim
VOC-Compliant
Construction Adhesive

Ideal for installing decorative moulding, medallions, domes, niches and other trim to ceilings and walls. VOC compliant. Instant Grab formulation holds projects in place instantly and reduces bracing requirements. Repositionable for up to 15 minutes. Meets ASTM Specification C 557. It is low odor and cleans up easily with soap and water. Paintable. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27410	10.3 OZ	WHITE	27410	14.00	12	8"x6"x12"	0.33	5	108



DAP® WELDWOOD® Multi-Purpose Floor Adhesive

High strength, trowel grade, latex-based adhesive for bonding many types of floor coverings over a variety of surfaces. Formula provides greater shrink resistance and allows for easy repositioning during installation. Water resistant. Low odor, Low VOC, nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 00141, 00142, and 00144.

DAP® WELDWOOD® Sheet Flooring Adhesive

Trowel grade, latex-based, water resistant adhesive designed for the installation of synthetic felt-backed resilient sheet goods. Allows for easy repositioning during installation. Low odor, Low VOC, nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 25176 and 25178.

DAP® WELDWOOD® Wood Floor Adhesive

High solids, trowel grade, water-based synthetic adhesive developed specifically for installation of prefinished wood flooring. For use on, above or below grade. Allows for normal expansion and contraction of wood floor. Good initial grab and firm-setting. Excellent water resistance. Low VOC, nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 25133 and 25136.



DAP® WELWOOD® Multi-Purpose Ceramic Tile Adhesive

High strength, trowel grade, latex-based adhesive for installing ceramic and mosaic tile to floors, walls and countertops. Easy to spread, quick-grab formula requires no bracing. Provides excellent water resistance. Nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 25190 and 25192.

DAP® WELWOOD® Cove Base Adhesive

Trowel grade, latex-based adhesive for installing vinyl rubber cove base. Provides good initial tack and easy spreading for rapid installation. No bracing required. Non-staining and excellent water resistance. Low odor, low VOC, nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 25032, 25053, and 25054.



DAP® WELWOOD® Carpet Adhesive

High strength, trowel grade, latex-based adhesive designed for the installation of most interior carpets. Water resistant when dry. Low odor, low VOC, nonflammable and easy water clean-up. Interior use.




Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 00185 and 00186.



**DAP® WELDWOOD®
All Weather Outdoor
Carpet Adhesive**

High strength, trowel grade, solvent-based adhesive for the installation of most outdoor carpets and artificial turfs. We atherproof formula withstands rain, snow, ice and freezing. Use in cool or hot weather. Fast-grab. Resists curling. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00442	1 QT	TAN	00442	18.00	6	13.5"x9"x5"	0.35	9	144
00443	1 GA	TAN	00443	44.00	4	13.5"x13.5"x8"	0.84	6	45

**DAP® WELDWOOD®
Floor Tile Adhesive**

Trowel grade, latex-based, pressure-sensitive adhesive for the installation of interior floor tile. Offers longer working time for easy repositioning. Dries transparent, eliminating dark lines between tiles. Water resistant. Low odor, lowVOC, non-flammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00136	1 QT	CLEAR	00136	14.50	6	15.25"x10.25"x5"	0.45	7	84
00137	1 GA	CLEAR	00137	37.75	4	15.5"x15.5x7.75"	1.08	4	30
00139	4 GA	CLEAR	00139	37.50	1	12"x12"x14"	1.17	8	36