



Johns Manville

Air Handling Systems



*Pipe and Equipment
Insulations*

mechanical insulations




Air Handling Systems

<http://www.jm.com/airhandling/products/>



Permacote® Linacoustic® - Fiber glass liners for rectangular metal ducts provide thermal and acoustical control, low air-flow resistance, cleanability, and a coated airstream surface resistant to microbial growth.



Spiracoustic Plus™ and Spiracoustic™ - Fiber glass liners for virtually any size round metal duct provide simple installation, thermal and acoustical control, cleanability, and a coated airstream surface resistant to microbial growth.




Polycoustic™ - A non-fibrous, coated, flexible polyimide foam insulation developed specifically for use as a thermal/acoustical liner for HVAC plenums and rectangular metal duct systems.



SuperDuct™ Air Duct System - Consists of SuperDuct air duct board, SuperRound® preformed round duct, SuperVane® acoustical air turning vanes, and SuperSeal® coating products.



Microlite® - Available plain or with various vapor barrier facings, this fiber glass duct wrap is designed for use as thermal insulation for the exterior of rectangular and round metal ducts.



Micro-Aire® - These fiber glass duct boards, which meet UL 181 Class 1 requirements, are ideal for fabrication into rectangular or ten-sided HVAC duct systems.

For continually updated product information and MSDS's for these products:

- Visit the JM website at www.jm.com
- Access fax-on-demand service by calling **1-888-INSULFX**
- Call your Regional Territory Manager or Regional Sales Office

Pipe & Equipment Insulations


<http://www.jm.com/mechanical/>



Micro-Lok® - Fiber glass pipe insulation for installation over hot, cold, concealed and exposed piping systems.



Thermo-12® Gold and Pabco® Super Caltemp™ Gold - Molded, high temperature, abuse-resistant pipe and block insulations with exceptional structural strength.



800 Series Spin-Glas® - Faced and unfaced fiber glass duct and equipment insulation.



Spin-Glas® - A series of three high-temperature fiber glass board and blanket insulations, particularly suitable for heated irregular surfaces.

Zeston PVC Products and Accessories



Zeston® 2000 Series PVC - Jacketing and fitting covers for use over insulated pipe and bare metal.



Zeston® 300 Series PVC - Heavy-duty fitting covers for use in industrial, commercial and USDA/FDA applications. Also available in many colors.

For continually updated product information and MSDS's for these products:

- Visit the JM website at www.jm.com
- Access fax-on-demand service by calling **1-888-INSULFX**
- Call your Regional Territory Manager or Regional Sales Office



For additional information on Johns Manville's complete line of Commercial/Industrial Insulations, request the following product information pages from your Regional Sales Office or through the InsulFax System by the form numbers below:

Air Handling Systems	Product Information Form Number	InsulFax Document Number
Permacote® II Linacoustic® Standard and HP	AHS-197	5064
Permacote® Linacoustic® Standard, HP, and R-300	AHS-158, AHS-156	5060, 5061
Polycoustic™ Coated Polyimide Foam Duct Liner	AHS-183	5063
Spiracoustic™ & Spiracoustic Plus™ Round Duct Liner	AHS-300	5062
SuperDuct™ Air Duct Board	AHS-200	5080
SuperRound™ High Performance Preformed Round Duct	AHS-201	5081
Rigid Round™ Preformed Round Duct	AHS-57	5087
SuperVane® Acoustical Air Turning Vane	AHS-203	5083
SuperSeal® Coating Products	AHS-202, AHS-202A, AHS-300	5084, 5062
Micro-Aire® Duct Board	AHS-135	5085
Micro-lite® Duct Wrap Insulation	AHS-52	5070

Pipe & Equipment Insulations	Product Information Form Number	InsulFax Document Number
Micro-Lok® Fiber Glass Pipe Insulation	CI-34	5001
800 Series Spin-Glas® Duct & Equipment Insulation	CI-9	5030
1000 Series Spin-Glas® High Temperature Board Insulation	CI-60-A	5031
Precipitator Spin-Glas® Board Insulation	CI-60-B	5033
HTB 26, HTB 23 Spin-Glas® High Temperature Blanket Insulation	CI-60-C	5034
Zeston® 2000 & Zeston® 300 PVC Fitting Covers and Jacketing	CI-55, CI-67	5010, 5016
Thermo-12® Gold Calcium Silicate Pipe & Block Insulation	CI-125	5050
Pabco® Super Caltemp™ Gold Pipe and Block Insulation	P-125	5051



North American Sales Offices, Commercial/Industrial Division

Eastern Region P.O. Box 158 Defiance, OH 43512 (419) 784-7000 (800) 334-2399 Fax: (419) 784-7866	Western Region P.O. Box 5108 Denver, CO 80217 (303) 978-2284 (800) 368-4431 Fax: (303) 978-4661	Central & South America and Europe (303) 978-4655 Fax: (303) 978-2627
		Asia & Middle East (303) 978-3310 Fax: (303) 978-2627



Johns Manville Insulations
 Commercial/Industrial Division
 P.O. Box 5108
 Denver, CO 80217-5108
 www.jm.com

The physical and chemical properties of mechanical insulation products listed herein represent typical, average values obtained in accordance with accepted test methods and are subject to normal manufacturing variations. They are tested as a technical service and are subject to change without notice. Numerical flame spread and smoke developed ratings are not intended to reflect hazards presented by these or any other materials under actual fire conditions. Check with the Regional Sales Office nearest you to assure current information. **All Johns Manville products are sold subject to Johns Manville's Limited Warranty and Limitation of Remedy. For a copy of the Johns Manville Limited Warranty and Limitation of Remedy, call the 800 number below.** For information on other Johns Manville thermal insulations and systems and a copy of the Spec-Line® CSI formatted specification, call **1-800-654-3103**. To access automated fax-on-demand service in the United States and Canada, simply call **1-888-INSULFX** (1-888-467-8539) from a fax or phone.