



Reclaiming used ceiling panels is just one part of USG's strong commitment to the environment. We've used recaptured gypsum to manufacture wallboard for more than 30 years, and we're one of the nation's top users of recycled paper.

**Turn used ceiling panels into new building products instead of landfill.**





**Product Information**

See usg.com for the most up-to-date product information.

**Trademarks**

The following trademarks used herein are owned by USG Corporation or its subsidiaries: USG.

**Note**

Products described here may not be available in all geographic markets. Consult your United States Gypsum Company sales office or representative for information.

**Notice**

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was

or reasonably should have been discovered.

**Safety First!**

Follow good safety and industrial hygiene practices during handling and installation of all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read material safety data sheets and related literature on products before specification and/or installation.

# Ceiling Panel Recycling Program

## Be Part of the Solution

For warranty or product information and literature:  
800 USG.4YOU  
usg.com




# You Can Protect the Environment ...and still

## Good for you

## Check then remove

Now you can recycle your old ceiling panels and still stay on schedule and on budget. In the same time required to haul small loads of old panels to a dumpster, workers can palletize panels as they are removed.

Recycling ceiling panels won't happen if it adds to the time and cost of a renovation. That's why we've designed this program to be fast, easy and cost effective.



**First**, check that your ceiling panels qualify for recycling. If you have any questions, contact your local USG representative or 800.USG.4YOU. Then, remove them as you normally would.

Material must be clean, dry and approved by USG. No wood, metal or construction debris of any kind. Panels must not have come into contact with any hazardous material that requires special handling or disposal.

**Acceptable for recycling:** Ceiling panels manufactured by USG and other manufacturers; primarily mineral fiber ceiling products.

**Not acceptable:**

- Panels from an installation where hazardous materials have been used
- foil-laminate panels
- fabric- or vinyl-faced panels
- wet, moldy or weathered panels
- wood fiber panels
- custom-colored or post-painted panels, or other panels that do not meet our manufacturing process requirements

# stay on time and on budget

## Stack then wrap

## Call for a ride

**Next**, stack the panels neatly on 4' x 4' shipping pallets. Double stacking is the most environmentally responsible way to ship the panels. To do this, stack panels no higher than 4'.

- 1 Place** a USG Ceiling Panel Packaging Label on two of the four pallet faces so that each is clearly visible and stays in place.
- 2 Secure** the panels on pallets with stretch wrap or metal bands.
- 3 Package** the material so that the pallets remain stable. All panels must be straight on pallets and secured within the trailer so that loads won't fall during transit or unloading.

Before you start to stack, make sure that your materials are acceptable, that a USG representative and the owner or owner's representative have signed the USG Recycling Contract, and that you have a pallet jack (and maybe a forklift, depending on the dock) available to move the loaded pallets.

**Finally**, we'll pay your way, as long as you meet some simple conditions:

- you have a full truckload
- the material has been approved
- a completed contract has been signed
- and you call your local USG salesperson at least five days prior to desired pickup.

A full truckload is 55,000 square feet of tile, with forty-four (44), 4' x 4' x 4' pallets. For projects that meet the program minimum footage of 30,000 square feet, the number of 4' x 4' x 4' pallets will be 24. If you can't fill a truck, there are other options. Our goal is to prevent recyclable materials from being discarded into landfills.

If you have less than a truckload, call your USG sales representative to learn about other options.



800 USG.4YOU