

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** ULTRA-SET SINGLESTEP2  
**Product Code** G69850

**Product(s) Covered** See section 16 for more information

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Recommended use** Adhesives.  
**Uses Advised Against** No information available

### 1.3. Details of the Supplier of the Safety Data Sheet

#### Company Name

Bostik, Inc.  
11320 W. Watertown Plank Road  
Wauwatosa, Wisconsin 53226 USA  
Phone: +1 (800) 843-0844 (Domestic Toll Free)  
Phone: +1 (414) 774-2250 (International)  
Fax: +1 (414) 774-8075  
Email: msds@bostik-us.com

### 1.4. Emergency Telephone Number

**Emergency Telephone** Telephone: 1-800-227-0332  
(Outside U.S.) 1-703-527-3887

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Skin sensitization	Category 1
--------------------	------------

### 2.2. Label Elements

#### EMERGENCY OVERVIEW

#### WARNING

#### Hazard statements

May cause an allergic skin reaction



# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

Appearance Paste Physical State Solid Odor Fruity

## Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves

## Precautionary Statements - Response

Specific treatment (see first aid measures on this label)  
IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

## Precautionary Statements - Storage

Not applicable

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards Not Otherwise Classified (HNOC)

Not applicable

## Unknown Toxicity

0.00% of the mixture consists of ingredient(s) of unknown toxicity

## 2.3. Other Information

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Limestone	1317-65-3	40 - 70
Calcium carbonate	471-34-1	1 - 5
Silane, ethenyltrimethoxy-	2768-02-7	1 - 5
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	0.1 - 1
Quartz	14808-60-7	0.1 - 1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - 1

*The exact percentage (concentration) of composition has been withheld as a trade secret.*

## Section 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

#### General Advice

Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.

#### Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Hold eyelids apart and consult a physician.

#### Skin Contact

Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician.

# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**Ingestion** If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).

**Self-protection of the First Aider** First aider: Pay attention to self-protection.

## 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** None known.

## 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## 4.4. Reference to Other Sections

**Reference to Other Sections** Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 11: TOXICOLOGY INFORMATION

## **Section 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing Media

#### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

#### **Unsuitable Extinguishing Media**

Full water jet.

### 5.2. Special Hazards Arising from the Substance or Mixture

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### **Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### 5.3. Advice for Firefighters

#### **Protective Equipment and Precautions for Firefighters**

In case of fire: Wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Use personal protection equipment. Avoid contact with skin, eyes or clothing.

### 6.2. Environmental Precautions

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil.

# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

## 6.3. Methods and Material for Containment and Cleaning up

**Methods for Containment** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for Cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

## 6.4. Reference to other sections

**Reference to Other Sections** Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Advice on Safe Handling** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Fire prevention measures. No special measures are necessary.

### 7.2. Conditions for Safe Storage, including any Incompatibilities

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feeding stuffs. Recommended storage temperature. 10 - 35 °C.

**Incompatible Materials** None known based on information supplied.

### 7.3. Specific End Use(s)

**Specific Use(s)**  
Sealant. Observe technical data sheet.

**Other Information** No information available.

### 7.4. References to Other Sections

**Reference to Other Sections** Section 13: DISPOSAL CONSIDERATIONS  
Section 10: STABILITY AND REACTIVITY

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

**Exposure Guidelines** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Limestone CAS 1317-65-3 and Calcium carbonates is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>
Calcium carbonate 471-34-1	-	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust	-	-

# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust	: (30)/(%)SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA total dust : (250)/(%)SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%)SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	TWA: 0.1 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	STEL: 0.2 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> Sn S*	IDLH: 25 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> except Cyhexatin Sn	TWA: 0.1 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>

Chemical Name	Argentina	Brazil	Chile	Venezuela
Limestone 1317-65-3	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	-
Calcium carbonate 471-34-1	-	-	-	TWA: 10 mg/m <sup>3</sup>
Quartz 14808-60-7	TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m <sup>3</sup> Skin STEL: 0.2 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup> Skin	Skin STEL: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 310 mg/m <sup>3</sup>

Chemical Name	Argentina	Brazil	Chile	Venezuela
Methanol 67-56-1	TWA: 200 ppm Skin STEL: 250 ppm	TWA: 156 ppm TWA: 200 mg/m <sup>3</sup> Skin	TWA: 175 ppm TWA: 229 mg/m <sup>3</sup> Skin	Skin STEL: 250 ppm TWA: 200 ppm

## 8.2. Exposure Controls

**Other Information** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.

### Personal protective equipment [PPE]

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

**Physical State** Solid  
**Appearance** Paste

# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

Color	Cream
Odor	Fruity
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting Point/Freezing Point	No information available	
Boiling Point	No information available	
Flash Point	> 93.3 °C / > 200 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	No information available	
Solubility in Other Solvents		
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

## 9.2. Other Information

Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	96.8
Density	1.710 g/cm <sup>3</sup>
VOC	0 %

## **Section 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical Stability

Stable under recommended storage conditions.

### 10.3. Possibility of Hazardous Reactions

None under normal processing.

### 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

### 10.5. Incompatible Materials

None known based on information supplied.

# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

## 10.6. Hazardous Decomposition Products

None known based on information supplied.

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on Toxicological Effects

<b>Product Information</b>	No Data Available
<b>Inhalation</b>	No Data Available.
<b>Eye contact</b>	No Data Available.
<b>Skin Contact</b>	No Data Available.
<b>Ingestion</b>	No Data Available.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone 1317-65-3	>5000 mg/kg (rat)	-	-
Calcium carbonate 471-34-1	= 6450 mg/kg ( Rat )	>2000 mg/kg	LC50 (4h) >3mg/ml (Rat)
Silane, ethenyltrimethoxy- 2768-02-7	= 7340 µL/kg ( Rat )	= 3360 µL/kg ( Rabbit )	-
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine 1760-24-3	= 7460 µL/kg ( Rat )	-	LC50 4H (Aerosol) 1.5 - 2.44 mg/L air
Quartz 14808-60-7	>2000 mg/kg ( Rat )	-	-

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

<b>Symptoms</b>	No information available.
<b>Skin Corrosion/Irritation</b>	No information available.
<b>Serious Eye Damage/Eye Irritation</b>	No information available.
<b>Irritation</b>	No information available.
<b>Corrosivity</b>	No information available.
<b>Sensitization</b>	No information available.
<b>Germ Cell Mutagenicity</b>	No information available.
<b>Reproductive Toxicity</b>	No information available.
<b>Developmental Toxicity</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>STOT - Single Exposure</b>	No information available.
<b>STOT - Repeated Exposure</b>	No information available.
<b>Chronic Toxicity</b>	No information available.
<b>Target Organ Effects</b>	Eyes, Respiratory system, Skin.
<b>Aspiration Hazard</b>	No information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

**NTP (National Toxicology Program)**

# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

*Known - Known Carcinogen*

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L Fish (Oncorhynchus mykiss)		CE50 (48h) >1000 mg/L Daphnia Magna
Calcium carbonate 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H Fish >1000 mg/l		EC50 48H Daphnia >1000 mg/l
Silane, ethenyltrimethoxy- 2768-02-7				EC50(48hr) 168.7mg/l (Daphnia magna)
N-[3-(Trimethyoxysilyl)propyl ]-1,2-ethanediamine 1760-24-3		LC50 (96H) =597 mg/L Fish (Danio rerio)Semi-static		EC50 (48h) =81mg/L Daphnia magna Static
Tin, dibutylbis(2,4-pentanedionat o-O,O'), (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l		

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulative Potential

No information available.

### 12.4. Mobility in Soil

No information available.

### 12.5 Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

#### Disposal of Wastes

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

#### Contaminated Packaging

Dispose of in accordance with federal, state and local regulations

## Section 14: TRANSPORTATION INFORMATION

DOT

Not regulated



# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

IATA Not regulated

IMDG Not regulated

## Section 15: REGULATORY INFORMATION

### Global Inventories

TSCA	Listed
DSL	Listed

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Listed** - The components of this product are either listed or exempt from listing on inventory.

**Not Listed** - One or more components of this product are not listed on inventory.

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### WHMIS Hazard Class

D2B - Toxic materials



### United States of America

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### California Proposition 65

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
Carbon black	1333-86-4
Quartz	14808-60-7
Methanol	67-56-1

### Europe

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

# Safety Data Sheet

G69850  
ULTRA-SET SINGLESTEP2

Revision Date 11-May-2016  
Supersedes Date: No information available  
Version 2.02

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

### Product(s) Covered

G69850-4GL	ULTSETSS2/PLASTICPAIL/4GL/36PP
G69850-95L	ULTRASTSS2/DRM/52GL/VRWTLB/3PP
G69850-B10	USSS2 PCT28OZ/C12
G69850C-4GL	ULTSETSS2/CAN/PLASTPL/4GL/36PP
G69850DLR	SINGLESTEP2 DEALER POPKIT PLT
G69850DST	SINGLESTEP2 DIST POP KIT PALET

**HMIS**                      **Health Hazards 2**                      **Flammability 1**                      **Physical Hazards 1**                      **Personal Protection X**

### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

### Key Literature References and Sources for Data

No information available

**Prepared By**                      Product Safety & Regulatory Affairs

**Revision Date**                      11-May-2016

**Revision Note**                      Not applicable.

**Training Advice**                      No information available

**Additional information**                      No information available

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**