


The Best In Single-Ply Roofing Membranes


From Duro-Last® Roofing, Inc.



**Superior Rolled Goods Membranes
Combined with Duro-Last's Unmatched
Precision-Fabricated Accessories**

Rolled Goods from Duro-Last

We give contractors, building owners, and specifiers multiple options for new construction or retrofit roofing projects. Our five distinct product lines within the rolled goods family can be installed using a variety of attachment methods, providing unparalleled flexibility for virtually any roof application. Here are the rolled roofing membranes we're proud to offer:




Duro-Last®

Multiple colors and thicknesses; the membrane that's used in the precision-fabricated Duro-Last roofing system.

Duro-Tuff™

Has wind uplift, film adhesion, and welding temperature window properties equivalent to the Duro-Last roof membrane.




Duro-Fleece®

Combines our proven thermoplastic membrane with a fleece material for exceptional adhesion.

Rock-Ply®

Provides a roof ballast look and the watertight performance of Duro-Last's single-ply system.




Shingle-Ply®

Provides a shingle look and the watertight performance of Duro-Last's single-ply system.

Edge To Edge & Deck To Sky™

Duro-Last enables a secure installation around your building's perimeter and from the bottom of the roof assembly to the top. Duro-Last is a single-source supplier of complete roofing systems, engineered to provide long-term, watertight protection.




- A. A complete line of Duro-Guard™ ISO and EPS insulation products and DensDeck® roof boards
- B. Roofing membranes that can be precision-fabricated to rooftop specifications or delivered to the job site as rolled goods
- C. Curb, stack, parapet, and other flashings made in a Duro-Last factory enable a watertight installation at critical roof transitions
- D. Edge details manufactured by Duro-Last subsidiary EXCEPTIONAL® Metals provide an aesthetic and secure edge termination. EXCEPTIONAL Metals also makes standing seam roof panels to complement any building design



Your installed commercial roof is inspected by a member of our National Technical Representative team who, upon approval, issues your Duro-Last warranty. We're a single-source provider of warranties that can cover your entire installation from edge to edge and deck to sky™

Duro-Last



The Duro-Last single-ply roofing membrane is the Proven Performer[®], with over a billion and a half square feet installed over more than 30 years. The Duro-Last membrane, available in white, tan, gray, dark gray, or terra cotta, is a proprietary thermoplastic formulation that includes an 18x14 weft-insertion knitted scrim laminated between two layers of film.


Duro-Last rolled membrane is available in the following colors and sizes

Color	Thickness	Width	Length	Color	Thickness	Width	Length
White	40-mil	2' 8"	100'	Tan	60-mil	2' 8", 5' 4"	100'
White	40-mil	5' 4"	50', 100', 150'	Gray	40-mil	2' 8", 5' 4"	100'
White	50-mil	2' 8"	100'	Gray	50-mil	2' 8", 5' 4"	100'
White	50-mil	5' 4"	50', 100'	Gray	60-mil	2' 8", 5' 4"	100'
White	60-mil	2' 8"	100'	Dark Gray	40-mil	2' 8", 5' 4"	100'
White	60-mil	5' 4"	50', 100'	Dark Gray	50-mil	2' 8", 5' 4"	100'
Tan	40-mil	2' 8", 5' 4"	100'	Dark Gray	60-mil	2' 8", 5' 4"	100'
Tan	50-mil	2' 8", 5' 4"	100'	Terra Cotta	50-mil	2' 8", 5' 4"	100'



Duro-Tuff


The Duro-Tuff single-ply membrane incorporates established membrane chemistry, an 18 x 9 weft-insertion scrim that provides exceptional strength, and superior film thickness above the scrim. These features combine to deliver excellent rooftop weathering performance and longevity. Duro-Tuff rolled goods enable an easier installation on challenging roofs with many penetrations; roofs that are difficult to measure; and projects in cold or extreme weather.



Duro-Tuff rolls are available in these sizes

Color	Thickness	Width	Length
White	50-mil	2' 6", 5', 10'	100'
White	60-mil	2' 6", 5', 10'	100'

Duro-Fleece




The Duro-Fleece system combines Duro-Last's proven thermoplastic membrane – including an 18 x 14 density scrim – and a high-quality, five-and-a-half-ounce fleece material that's bound to the underside of the membrane during manufacturing.

Duro-Fleece membrane can be installed using mechanically-attached or adhered methods.

The fleece offers enhanced adhesion characteristics between the membrane and the substrate. On *adhered* projects, the membrane can be installed using the two-part bead-applied Duro-Fleece adhesive. On *fully-adhered* projects, Duro-Last's WB II or splatter-applied CR-20 adhesive may be used. Using our CR-20 splatter adhesive can reduce rooftop labor and improve installation efficiency.

For some applications, the Duro-Fleece membrane can act as a separation barrier, which may reduce project material costs and speed up installations that otherwise would require an additional separator sheet.



Duro-Fleece rolls are available in these sizes

Color	Thickness	Width	Length
White	50-mil	5', 10'	100'
White	60-mil	5', 10'	80'

Rolled goods from Duro-Last can be applied using a variety of methods. Contact the Duro-Last Engineering Services Department for details on which are appropriate for each rolled membrane product.



Mechanical Attachment

Fasteners and plates are used to securely attach sections of membrane to the roof deck.



Adhered

Duro-Last offers several adhesive options for applying roof membrane to the deck surface.



Duro-Bond® Induction Welding

A non-penetrating technology that bonds the membrane to a specially-coated fastening plate. Especially efficient when using 10-foot-wide Duro-Tuff rolls.

Rock Ply & Shingle-Ply



Our Rock-Ply and Shingle-Ply products are ideal for applications where building appearance is important, but conventional shingles or roofing ballast may not be practical. A ballast design is printed on the Rock-Ply membrane and the Shingle-Ply membrane is printed with a shingle design. The pattern on both products is protected by a special polymer coating. Each provides an aesthetic look plus the watertight performance and long-term durability of Duro-Last's single-ply roofing system.

Rock-Ply and Shingle-Ply membranes are available in the following colors and sizes

Color	Thickness	Width	Length
Rock-Ply	50-mil	2' 8", 5' 4"	75', 150'
Shingle-Ply Sandstone	50-mil	2' 8", 5' 4"	75', 150'
Shingle-Ply Slate	50-mil	2' 8", 5' 4"	75', 150'

More Value from the Industry Leader

Precision-Fabricated Accessories: Superior Watertight Protection for All Installations



All rolled goods from Duro-Last were engineered to be used with the complete line of Duro-Last's proven, precision-fabricated flashings for curbs, stacks, and parapets that ensure a watertight fit. Prefabricated flashings are manufactured from standard Duro-Last membrane material and feature a weft inserted scrim that provides puncture and tear resistance, and tensile strength at transitions - the most critical areas of any roof installation.

Time off the Roof™

Contractors can maximize the efficiency of installation crews with deck sheets, rolled goods, and precision-fabricated components and accessories from Duro-Last. Rooftop flashings made in a Duro-Last factory allow for a highly efficient installation. For contractors, *Time off the Roof* means more effective utilization of labor and the ability to move on quickly to the next project. For building owners, it means an installation that is less disruptive to building operations.




Details from EXCEPTIONAL® Metals

EXCEPTIONAL Metals, a division of Duro-Last, manufactures high-quality metal components designed for use with any single-ply roof, including edge details, drainage systems, coping, scuppers, collector boxes, pitch pans, and vinyl-coated metal products. EXCEPTIONAL Metals also offers standing seam metal roofing panels that can complement any roof design.

The Best Warranties in the Roofing Industry

Duro-Last warranties provide unparalleled security for virtually all commercial roofing applications. Our standard, comprehensive 15-Year No Dollar Limit (NDL) Warranty is the best in the industry. It's transferable, has no exclusions for ponding water, and provides coverage against consequential damages that result from material defects and the authorized contractor's installation of Duro-Last products. We also offer 20-year warranties that include 15 years of consequential damage coverage as well as warranties for installations in hail and/or high-wind areas.



Duro-Last Roofing, Inc. Manufacturing Facilities

CORPORATE HEADQUARTERS

Michigan

525 Morley Drive
Saginaw, MI 48601
800-248-0280
Fax: 800-432-9331

OTHER LOCATIONS

Oregon

111 N. Valley Drive
Grants Pass, OR 97526
800-356-6646
Fax: 866-258-2858

Mississippi

6200 I-55 South
Jackson, MS 39272
800-434-3876
Fax: 866-602-4387

Iowa

1409 E. SADC Avenue
Sigourney, IA 52591
888-500-3574
Fax: 888-501-3574



For complete technical information, product data sheets,
code compliances, and approvals, scan this QR code.



www.duro-last.com/get-rolling

Twitter@durolast



Duro-Last Roofing Systems are proudly manufactured
in the United States of America.



Each Duro-Last membrane has its own code approvals. Please contact the Engineering Services Department for specific information.

DensDeck is a registered trademark owned by or licensed to Georgia-Pacific Gypsum LLC.

"Duro-Last", the "World's Best Roof" in the Duro-Last Globe, "Duro-Tuff", "Duro-Bond", "Duro-Fleece", "Duro-Guard", "Rock-Ply", "Shingle-Ply", "Edge to edge & deck to sky", "Time of the roof", and "EXCEPTIONAL Metals" are registered marks owned by Duro-Last Roofing, Inc.

Rolled Goods Brochure 7/12 - M#DL02-0016

Rolled Goods from Duro-Last

Duro-Last, the manufacturer of the “World’s Best Roof”[®], now provides a multitude of roofing options for virtually any facility. When your project requires a rolled roofing system, rely on Duro-Last to deliver watertight protection with a superior membrane and exclusive prefabricated accessories, and back your installation with the roofing industry’s best warranties.

