FlexSeal[™] Commercial Grade Roofing Sealant Sell Sheet

Updated: 12/08



Your Best And Safest Choice... Quality You Can Trust Since 1886!





Seal The Most Vulnerable Parts Of Your Roof With A Commercial Grade Roofing Sealant

Your roof has many areas that are vulnerable to leakage. Most contractors seal those areas using common plastic cement—which typically degrades and becomes vulnerable to leakage after just a few years. Why risk a leaky roof (and interior damage) by cutting corners with a cheap sealant? A quality, commercial grade roofing sealant will:

- Create a 100% watertight seal that keeps water out at the most vulnerable areas of your roof (like around roof protrusions, step flashings, skylights, chimneys, vents, gutters, etc.).
- Protect your home by preventing costly repairs due to wall or ceiling staining
- Provide long-lasting protection (20 years or more) without the need for frequent re-application

The difference in cost between typical roofing cement and a commercial grade sealant is *less than a dollar a year* over the life of your roof. Savvy homeowners insist that their roofing contractor uses a commercial grade sealant to protect their home.







ELEXSEAL[™] Commercial Grade **Roofing Sealant**

Homeowner's Best Choice

- Seals Vulnerable Areas... like roof protrusions, step flashings, skylights, chimneys, vents, gutters, and all vulnerable areas to help protect against leaks
- Commercial Grade Formulation... Trusted for over 20 years by schools, hospitals, office buildings, and other commercial properties
- Superior Protection... Outlasts cheap plastic cements that can crack or warp over time
- *Peace Of Mind...* 20 year ltd. warranty against leaks caused by manufacturing defects.*
- *Looks Better...* Comes in 3 colors to complement the most popular shingle colors

Professional's Best Choice

- *Helps Reduce Callbacks...* Unlike plastic cement, will not need to be re-applied after just a few years
- *Helps Prevent Blow-Offs...* by sealing shingles tightly (product has passed wind testing up to 110 mph**)
- *Maximum Versatility...* Adheres to virtually any surface, including asphalt shingles, metal, copper, plywood, wood or composites and masonry surfaces
- *Extremely Durable...* UV resistant; will not chalk, crack, or peel
- *Convenient...* 10 oz caulk tube makes applications simple and works with all major brands of caulk guns

*See ltd. warranty for complete coverage and restrictions (available at www.gaf.com). **Under controlled laboratory conditions.



Against Materia

Defects*

Nom. Product Specifications

| Tube size | . 10 oz. (296 ml) |
|------------------|-------------------|
| # tubes/carton | |
| Colors available | .White, Charcoal, |
| | Weathered Wood |

Applicable Standards

- Meets the performance criteria of:
- ASTM D412
- ASTM D2196
- ASTM D1475
- ASTM E1644

