



Submittal Sheet #03090411A

## GRABBER® Bugle Head Coarse Thread Screws, Interior - Made In USA

Product:	Item#	Description	Unit Pack
	100A	Grabber 6X 1", Bugle Head, Coarse, Black Phosphate, Bulk	10 M
	200A	Grabber 6X 1-1/8", Bugle Head, Coarse, Black Phosphate, Bulk	10 M
	300A	Grabber 6X 1-1/4", Bugle Head, Coarse, Black Phosphate, Bulk	8 M
	400A	Grabber 6X 1-5/8", Bugle Head, Coarse, Black Phosphate, Bulk	5 M
	500A7	Grabber 7X 2", Bugle Head, Coarse, Black Phosphate, Bulk	3.5 M
	900A8	Grabber 8X 2-1/2", Bugle Head, Coarse, Black Phosphate, Bulk	2.5 M


Grabber American Made Screws with the item numbers ending in "A" are manufactured by TWN Manufacturing, Bowling Green, KY. Grabber Construction Products is the exclusive distributor of Grabber American Made Screws. Grabber American Made Screws have a unique identification head stamp mark "\*\*". Grabber American Made Screws are SPECIAL ORDER INVENTORY. CONTACT GRABBER FOR CURRENT PRICE AND AVAILABILITY.

**Application:** 3/8", 1/2", and 5/8" drywall or other sheathing to interior wood studs and joists. Other applications include wood to wood and composite board to wood.

Meets or Exceeds ICBO 5280 ASTM 1002 ISO 9002 Certification or Standards

**Description:** Bugle Head, #2 Phillips Recess Drive, Coarse 8 TPI, Black Phosphorus Finish with 23¼ single lead point. Also available in Yellow Zinc and Silver Zinc.

**Directions:** Use standard screw gun with depth sensitive nose piece. Suggested screw gun for optimum performance is 4 amps minimum and 0 to 4,000 rpm. Bugle Head is completely seated when the head is flush with the work surface. Overdriving may result in failure of the fastener or stripping of the head recess. For wood to wood connections, a minimum of 1 1/4" penetration is necessary using an 8 gauge screw.





Submittal Sheet #03090411A

SUBMITTAL APPROVALS:

---

JOB NAME

---

CONTRACTOR

DATE

TRADEMARKS:

The following trademark used herein is owned by John Wagner Associates, Inc.: GRABBER

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.



Submittal Sheet #03090411A

## GRABBER® Bugle Head Coarse Thread Screws, Interior - Made In USA

### Features:

Coarse thread, bugle head screw for general purpose interior wood applications. Available in yellow zinc or clear zinc.

### PRODUCT SPECIFICATIONS

Fastener Classification	Interior Wood
Fastener Head	Bugle
Fastener Drive	#2 Phillips
Fastener Gauge	#6, #7, #8
Fastener Point	Grabber
Fastener Package Type	Packaged Screws
Fastener Package Weight	Bulk Box
Fastener TPI	8

### STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Black/Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	48 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
Dracrotized	Salt Spray Results	ASTM B117	500 hours, no red rust
GrabberGard	Salt Spray Results	ASTM B117	1,000 hours, no red rust
GrabberGard	Kesternich Results	DIN 50018, 2.0L	15 cycles, no red rust
304 Stainless Steel	Salt Spray Results	ASTM B117	1000 hours, no red rust
316 Stainless Steel	Salt Spray Results	ASTM B117	1500 hours, no red rust

All GRABBER screw products are manufactured in facilities that are ISO 9002 and ISO 14001 certified and approved. The fasteners comply with SAE J78 and ASTM C 1002, as referenced in ICBO report ER-5280, and are approved for use by the Uniform Building Code. ©2008 John Wagner Associates, Inc. GRABBER®, STREAKER®, DRIVALL®, LOX™, GRABBERGARD®, and SCAVENGER® are registered names or trademarks by John Wagner Associates, Inc., dba Grabber Construction Products.