



Submittal Sheet #0309412

Streaker Fine Thread

Product:	Item#	Description	Unit Pack
	168	Streaker Fine Thread 6X 1", Bugle Head, Bulk	10 M
	168A	Streaker Fine Thread 6X 1", Bugle Head, Bulk	10 M
	168HLA	Streaker Fine Thread 6X 1", Bugle Head, Hilo, Bulk	10 M
	268	Streaker Fine Thread 6X 1-1/8", Bugle Head, Bulk	10 M
	268A	Streaker Fine Thread 6X 1-1/8", Bugle Head, Bulk	10 M
	368	Streaker Fine Thread 6X 1-1/4", Bugle Head, Bulk	8 M
	368A	Streaker Fine Thread 6X 1-1/4", Bugle Head, Bulk	10 M
	368AZ	Streaker Fine Thread 6X 1-1/4", Bugle Head, Zinc, Bulk	10 M
	368HLA	Streaker Fine Thread 6X 1-1/4", Bugle Head, HiLo, Bulk	8 M
	468	Streaker Fine Thread 6X 1-5/8", Bugle Head, Bulk	5 M
	468A	Streaker Fine Thread 6X 1-5/8", Bugle Head, Bulk	5 M
	468HLA	Streaker Fine Thread 6X 1-5/8", Bugle Head, HiLo, Bulk	5 M
	768HLA6	Streaker Fine Thread 6X 2", Bugle Head, HiLo, Bulk	3.5 M
	868A6	Streaker Fine Thread 6X 2 1/4", Bugle Head, Bulk	3 M
	768	Streaker Fine Thread 6X 2", Bugle Head, Bulk	3.5 M
	768A7	Streaker Fine Thread 7X 2", Bugle Head, Bulk	3.5 M
	868	Streaker Fine Thread 7X 2-1/4", Bugle Head, Bulk	3 M
	968	Streaker Fine Thread 8X 2-1/2", Bugle Head, Bulk	2.5 M
	968A8	Streaker Fine Thread 8X 2 1/2", Bugle Head, Bulk	2.5 M
	1168	Streaker Fine Thread 8X 3", Bugle Head, Bulk	2 M
	1168A	Streaker Fine Thread 8X 3", Bugle Head, Bulk	2 M
	1268	Streaker Fine Thread 10X 3-1/2", Bugle Head, Bulk	1 M
	1368	Streaker Fine Thread 10X 4", Bugle Head, Bulk	1 M
	1468	Streaker Fine Thread 10X 4-1/2", Bugle Head, Bulk	1 M
	1568	Streaker Fine Thread 10X 5", Bugle Head, Bulk	1 M
	1768	Streaker Fine Thread 10X 6", Bugle Head, Bulk	1 M

Application: The GRABBER Bugle Head, fine thread Streaker™ is used for the attachment of drywall, wood and composite or core board to light (20-25) gauge steel stud or light gauge metal.

Description: Bugle Head, #2 Phillips Recess Drive, 15 TPI, Black Phosphorus Finish with 23¼ single lead, extra sharp Streaker point. "S" following the item # notes Scavenger™ head that eliminates drywall paper burrs. Available in GrabberGard® Exterior finish and clear zinc silver finish.

Meets ASTM 1002, ICBO 5280, and ISO 2002 certifications and standards

Directions: Use standard screw gun with depth sensitive nose piece. Suggested screw gun for optimum performance is 4 amps minimum and 0 to 4,000 rpm. Bugle Head is completely seated when the head is flush with the work surface. Overdriving may result in failure of the fastener, the metal the fastener is attaching to or stripping of the head recess. Penetration of three thread pitches beyond the penetrated metal is minimum.



Submittal Sheet #0309412

SUBMITTAL APPROVALS:

JOB NAME

CONTRACTOR

DATE

TRADEMARKS:

The following trademark used herein is owned by John Wagner Associates, Inc.: GRABBER

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.



Submittal Sheet #0309412

Streaker Fine Thread



Bugle Head Streaker Point #2 Phillips Drive

Features:

Fine thread bugle head screws for drywall and general interior applications. Super sharp 30° Streaker Point means quick and easy penetration into light gauge metal or wood.



PRODUCT SPECIFICATIONS

Fastener Classification	Light Gauge Metal
Fastener Head	Bugle
Fastener Drive	#2 Phillips
Fastener Gauge	#6, #7, #8, #10
Fastener Point	Streaker
Fastener Package Type	Packaged Screws
Fastener Package Weight	1lb Box, 5 Pound, Bulk Box

STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Black/Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	48 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
Dracrotized	Salt Spray Results	ASTM B117	500 hours, no red rust
GrabberGard	Salt Spray Results	ASTM B117	1,000 hours, no red rust
GrabberGard	Kesternich Results	DIN 50018, 2.0L	15 cycles, no red rust

All GRABBER screw products are manufactured in facilities that are ISO 9002 and ISO 14001 certified and approved. The fasteners comply with SAE J78 and ASTM C 1002, as referenced in ICBO report ER-5280, and are approved for use by the Uniform Building Code. ©2005 John Wagner Associates, Inc. GRABBER®, STREAKER®, DRIVALL®, LOX™, GRABBERGARD®, and SCAVENGER® are registered names or trademarks by John Wagner Associates, Inc., dba Grabber Construction Products.