






# GRABBER®

## CONSTRUCTION PRODUCTS

### GRABBER&REG; Metal Screws

Product Description	Size / Finish	1-Pound Part No.	5-Pound Part No.	Bulk Box Part No.
<b>Streaker-2®</b> Attaches gypsum board to 20-25 ga. steel. Unique head design minimizes paper burrs. No. 2 Phillips recess. 	6 X 1	X168S 325 ea	V168S 1625 ea	168S 10 M
	6 X 1 1/8	X268S 281 ea	V268S 1405 ea	268S 10 M
	6 X 1 1/4	X368S 268 ea	V368S 1345 ea	368S 8 M
	6 X 1 5/8	X468S 199 ea	V468S 995 ea	468S 5 M
<b>Bugle Head Streaker®</b> Attaches gypsum board to 20-25 ga. steel. Standard bugle head. No. 2 Phillips recess.  	6 X 1	X168 317 ea	V168 1585 ea	168 10 M
	6 X 1 1/8	X268 281 ea	V268 1405 ea	268 10 M
	6 X 1 1/4	X368 259 ea	V368 1295 ea	368 8 M
	6 X 1 5/8	X468 217 ea	V468 1085 ea	468 5 M
	7 X 2	X768 140 ea	V768 700 ea	768 3.5 M
	7 X 2 1/4	X868 126 ea	V868 630 ea	868 3 M
	8 X 2 1/2	X968 95 ea	V968 475 ea	968 2.5 M
	8 X 3	X1168 80 ea	V1168 400 ea	1168 2 M
	10 X 3 1/2	X1268 57 ea	V1268 285 ea	1268 1 M
	10 X 4	X1368 47 ea	V1368 235 ea	1368 1 M
10 X 4 1/2	X1468 43 ea	V1468 215 ea	1468 1 M	

**Scavenger Head  
Makes the Difference**




**Scavenger Head  
Makes the Difference**

**FREE**

bit tip in every  
1 & 5 pound box!

**COLLATED  
SCREWS  
NOW  
AVAILABLE!**

**MEETS NEW  
ASTM  
STANDARDS  
FOR SHANK  
DIAMETER  
OF NOT  
LESS THAN  
.136" (OR  
3.45 mm).**

	10 X 5	X1568 39 ea	V1568 195 ea	1568 1 M
	10 X 6	X1768 32 ea	V1768 160 ea	1768 1 M
<b>Product Description</b>	<b>Size / Finish</b>	<b>1-Pound Part No.</b>	<b>5-Pound Part No.</b>	<b>Bulk Box Part No.</b>
<b>Pan Head Streaker®</b>  Framing screw for 20-25 ga. steel. Unique grip-tight, high-torque pan head. No. 2 Phillips recess.	7 X 7/16 (15 TPI)	X23 353 ea	V23 1765 ea	23 15 M
	7 X 7/16 (20 TPI)	X23F 353 ea	V23F 1765 ea	23F 15 M
<b>Trim Head Streaker®</b>  Attaches wood trim over single or double layer gypsum board to 20-25 ga. steel. Square or Phillips recess.	# 1 square recess 7 X 1	X17S100 285 ea	V17S100 1425 ea	17S100 10 M
	# 1 square recess 7 X 1 5/8	X17S 199 ea	V17S 995 ea	17S 10 M
	# 1 square recess 7 X 2 1/4	X18S 142 ea	V18S 710 ea	18S 5 M
	# 1 phillips recess 7 X 1 5/8	X17P 199 ea	V17P 995 ea	17P 10 M
	# 1 phillips recess 7 X 2 1/4	X18P 142 ea	V18P 710 ea	18P 5 M
	# 1 square recess 8 X 3	X17S76 83 ea	V17S76 415 ea	17S76 2 M
<b>Product Description</b>	<b>Size / Finish</b>	<b>1-Pound Part No.</b>	<b>5-Pound Part No.</b>	<b>Bulk Box Part No.</b>
<b>Hex Head Streaker®</b>  High-torque washer head for fast framing and sheet metal work in 20-25 ga. Use 1/4" nut setter.	8 X 9/16	X25Z 306 ea	V25Z 1530 ea	25Z 10M
	8 X 9/16	X31Z 229 ea	V31Z 1145 ea	31Z 10M
	8 X 1	X32Z 158 ea	V32Z 790 ea	32Z 5M

**Wafer Head Streaker®**  
 For attaching metal lath to 20-25 ga. steel studs and framing. No. 2 Phillips recess.



8 X 1 1/4	X33Z 145 ea	V33Z 725 ea	33Z 5M
8 X 1 1/2	X3138Z 120 ea	V3138Z 600 ea	3138Z 3M
8 X 2	X3151Z 99 ea	V3151Z 495 ea	3151Z 2.5M
8 X 2 1/2	X3163Z 83 ea	V3163Z 415 ea	3163Z 2.5 M
8 X 3	X3176Z 73 ea	V3176Z 365 ea	3176Z 1 M

**Product Description**

**Size / Finish**

**1-Pound Part No.**

**5-Pound Part No.**

**Bulk Box Part No.**

**Flat Head Pilot Point Driller**  
 Used to attach 3/8 to 1" plywood to steel joist 14 to 20 gauge. #3 drill point w/ #2 Phillips recess.



8 X 1 5/16 ZINC	XP8516F3 189 ea	VP8516F3 936 ea	P8516F3 6M
8 X 1 15/16 ZINC	XP81516F3 127 ea	VP81516F3 632 ea	P81516F3 4M

**Wafer Head Pilot Point Driller**  
 Used to attach 3/16" to 3/4" plywood to 14 to 20 gauge metal. 24 TPI, #3 drill point w/ #2 Phillips recess.






10 X 1 7/16 ZINC	X101716 109 ea	V101716 538 ea	101716 4M
---------------------	-------------------	-------------------	--------------

**Wafer Head "Breakaway" Winged Driller**  
 Used to attach 3/16" to 3/4" plywood to 14 to 16 gauge metal. 24 TPI, #3 drill point w/ #2 Phillips recess.



10 X 1 7/16 ZINC	X101716W3 109 ea	V101716W3 538 ea	101716W3 4M
---------------------	---------------------	---------------------	----------------

<p><b>Flat Head "Breakaway" Winged Driller</b> Used to attach 1" or thicker, plywood to 8 to 14 gauge metal. #3 drill point w/ #2 Phillips recess.</p> 	12 X 2 ZINC	X12200FW3 59 ea	V12200FW3 257 ea	12200FW3
	12 X 2 1/2 ZINC	X12250FW3 50 ea	V12250FW3 248 ea	12250FW3 1.5M
	14 X 2 3/4 ZINC	X14275FW3 37 ea	V14275FW3 183 ea	14275FW3 1M
<p><b>Flat Head Exterior Driller</b> Used for exterior application like siding, trim board, etc. to 14 to 20 gauge metal. Heavy Duty <b>GrabberGard®</b> All Weather Finish resists salt spray and corrosion. #3 pt. w/ #2 Phillips recess. plywood to 8 to 14 gauge metal. #3 drill point w/ #2 Phillips recess.</p> 	8 X 1 5/8 <b>GrabberGard®</b>	XMG158SD 150 ea	VMG158SD 746 ea	MG158SD 5M
	8 X 2 3/8 <b>GrabberGard®</b>	XMG238SD 105 ea	VMG238SD 527 ea	MG238SD 2.5M
<p><b>Ribbed Exterior Driller</b> Used for easier seating in Denzglas<sup>tm</sup>/ Masonite® and Wood. 14 to 20 gauge metal. All Weather <b>GrabberGard®</b> finish for siding. Denzglas® etc. #3 pt. w/ #2 Phillips recess.</p> 	8 X 1 5/8 <b>GrabberGard®</b>	XHG158SD 150 ea	VHG158SD 746 ea	HG158SD 5M
<b>Product Description</b>	<b>Size / Finish</b>	<b>1-Pound Part No.</b>	<b>5-Pound Part No.</b>	<b>Bulk Box Part No.</b>
	6 X 1	X13 260 ea	V13 1300 ea	13 10M

**Bugle Head Self Drilling**

Attaches gypsum, insulation board, wood, etc. to metal studs 14-20 ga. No. 2 Phillips recess.



(Also available in collated strips)

6 X 1 1/8	X135 225 ea	V135 1125 ea	135 10M
6 X 1 1/4	X14 213 ea	V14 1065 ea	14 8M
6 X 1 5/8	X15 171 ea	V15 855 ea	15 5M
7 X 1 7/8	X16 154 ea	V16 770 ea	16 4M
8 X 2 3/8	X30S 101 ea	V30M 450 ea	30M 2 M
8 X 2 5/8	X30M 90 ea	V30M 450 ea	30M 2 M
8 X 3	X30L 80 ea	V30L 400 ea	30L 2M

**Product Description**

**Size / Finish**

**1-Pound Part No.**

**5-Pound Part No.**

**Bulk Box Part No.**

**Wafer Head Self Drilling**

Attaches metal K-lath, wire lath, wood grounds, etc. to lathers channel structural studs, metal decks, etc. Also used for attachment of steel studs to runners, 14-20 gauge. No. 2 Phillips recess.



8 X 1/2	X34Z 242 ea	V34Z 1212 ea	34Z 10M
8 X 1	X35Z 162 ea	V35Z 810 ea	35Z 5M
8 X 1 1/4	X36Z 139 ea	V36Z 695 ea	36Z 5M
8 X 1 5/8	X37Z 118 ea	V37Z 590 ea	37Z 4M
10 X 3/4	X234Z10CW 169 ea	V234Z10CW 845 ea	234Z10CW 5M
8 X 1/2	X234Z 242 ea	V234Z 1212 ea	234Z 10M
8 X 1	X235Z 162 ea	V235Z 810 ea	235Z 5M

**Super Wafer Self Drilling**

Superfast drill point for metal decks, studs, etc. For framing steel stud. Attaches K-lath, wire lath, wood grounds, etc. 14 to 20 gauge. No. 2 Phillips recess.



8 X 1 1/4	X236Z 139 ea	V236Z 695 ea	236Z 5M
8 X 1 5/8	X236Z 139 ea	V237Z 590 ea	237Z 4M

**SuperDome Wafer Self Drilling**

Superfast drill point for metal decks, studs, etc. For framing steel stud. Attaches K-lath, wire lath, wood grounds, etc. 14 to 20 gauge. No. 2 Phillips recess.



8 X 1/2	X234Z 242 ea	V234Z 1212 ea	234Z 10M
---------	-----------------	------------------	-------------

**Product Description**

**Size / Finish**

**1-Pound Part No.**

**5-Pound Part No.**

**Bulk Box Part No.**

**Pan Head Self Drilling**

Attaches fixtures, backup plates, door frames, plaster grounds, etc., 14-20 ga. No. 2 Phillips recess.



6 X 7/16	X19 374 ea	V19 1870 ea	19 15M
8 X 1/2	X20Z 301 ea	V20Z 1505 ea	20Z 10M
8 X 3/4	X08075P 241 ea	V08075P 1205 ea	08075P 10M
8 X 1	X08100P 197 ea	V08100P 985 ea	08100P 7.5M
10 X 1/2	X10050P 219 ea	V10050P 1095 ea	10050P 5M
10 X 3/4	X10075P 172 ea	V10075P 860 ea	10075P 4M
10 X 1	X10100P 147 ea	V10100P 725 ea	10100P 2.5M

**Pancake Head Self Drilling**  
 Superfast drill point for metal decks, studs, etc. 14 to 20 gauge. For framing steel stud. No. 2 Phillips recess.



10 X 5/8

X1058FP  
189 ea

V1058FP  
945 ea

1058FP  
7.5M

**Product Description**

**Size / Finish**

**1-Pound Part No.**

**5-Pound Part No.**

**Bulk Box Part No.**

**Hex Head Self Drilling**  
 Attaches fixtures, backup plates, door frames and lathers channel to structural studs, metal decks, and trusses, etc., 14-20 ga. Available in #2 or #3 point.



6 X 1/2

X06050H  
381 ea

V06050H  
1905 ea

06050H  
15M

8 X 1/2

X08050H  
324 ea

V08050H  
1620 ea

08050H  
10M

8 X 5/8

X08058H  
267 ea

V08058H  
1335 ea

08058H  
10M

8 X 3/4

X08075H  
238 ea

V08075H  
1190 ea

08075H  
10M

8 X 1

X08100H  
197 ea

V08100H  
985 ea

08100H  
7.5 M

10 X 1/2

X10050H  
210 ea

V10050H  
1050 ea

10050H  
7.5M

10 X 5/8

X10058H  
189 ea

V10058H  
945 ea

10058H  
7.5M

10 X 3/4

X10075H  
169 ea

V10075H  
845 ea

10075H  
5M

10 X 1

X10100H  
137 ea

V10100H  
685 ea

10100H  
5M

10 X 1 1/4

X10125H  
140 ea

V10125H  
700 ea

10125H  
5M

10 X 1 1/2

X10150H  
101 ea

V10150H  
505 ea

10150H  
3.5M

12 X 3/4

X12075H  
129 ea

V12075H  
645 ea

12075H  
5M

12 X 1

X12100H  
98 ea

V12100H  
490 ea

12100H  
3.5M

12 X 1 1/4

X12125H  
84 ea

V12125H  
420 ea

12125H  
3.5 M

	12-24 X 7/8	X122478H4 100 ea	V122478H4 495 ea	122478H4 3.5M
	12-24 X 1 1/4	X1224125H4 84 ea	V1224125H4 420 ea	1224125H4 3.5M
	14 X 3/4	X14075H 79 ea	V14075H 395 ea	14075H 5M
	14 X 1	X14100H 65 ea	V14100H 325 ea	14100H 3.5M
	14 X 1 1/4	X14125H 57 ea	V14125H 285 ea	14125H 2M
	14 X 2	X14200H 41 ea	V14200H 205 ea	14200H 1.5M
	14 X 2 1/2	X14250H 33 ea	V14250H 165 ea	14250H 1M
<b>Trim Head Self Drilling</b> Attaches wood trim over single or double-layer gypsum board to 14-20 ga. steel. No. 1 Square recess.	7 X 1 5/8	X17SD 199 ea	V17SD 995 ea	17SD 5M
	7 X 2 1/4	X18SD 142 ea	V18SD 710 ea	18SD 4M
	8 X 3	X17SD76 83 ea	V17SD76 415 ea	17SD76 2M



**A Division of John Wagner Associates, Inc.**

Copyright ©1996-1999. All Rights Reserved.

**E-Mail:** [info@GrabberMan.com](mailto:info@GrabberMan.com)

**Phone:** 1-800-477-TURN ~ **Fax:** 925-827-1161