



INNOVATIONS FOR LIVING™

OAKRIDGE PRO® SERIES SHINGLES

A SELECTION OF LONG-LASTING DIMENSIONAL SHINGLES FOR ANY ROOF

NEW!
SureNail® Technology



Oakridge PRO 50® AR Deep Shadow Shingles



Oakridge PRO 30® AR Shingles




Oakridge PRO 40 AR Shadow Shingles

Featured roof color on houses is Estate Gray.[†]


Choose the shingle that's a true expression of your personal style. Oakridge PRO® Series shingles include three distinct shingles—each with a look of its own. All Oakridge PRO Series shingles are engineered to resist roof discoloration from algae growth and have a Class A UL Fire Rating—the industry's highest rating.



OAKRIDGE PRO 50® AR
Deep Shadow SHINGLES



OAKRIDGE PRO 40® AR
Shadow SHINGLES



OAKRIDGE PRO 30® AR
SHINGLES

Product Attributes

Appearance



● ● ●
Thickest

Color Blends**

● ● ●
Vibrant

Shadow Lines

● ● ●
Double, Dark

Wind Resistance*

● ● ●
130-MPH

Warranty Length in Years*

● ● ●
50

Nominal Weight per Square

● ● ●
300 lbs.



● ●
Thicker

● ● ●
Vibrant

● ●
Single, Dark

● ● ●
130-MPH

● ●
40

● ●
265 lbs.



●
Thick

● ●
Soft, Muted

●
Single, Muted

● ●
110-MPH

●
30

●
240 lbs.



COLOR AVAILABILITY†



Amber†



Amber†



Amber†



Brownwood†




Brownwood†



Brownwood†



Teak†



Teak†




Teak†




Desert Tan†




Desert Tan†




Desert Tan†



Driftwood†



Driftwood†



Driftwood†



Onyx Black†



Onyx Black†



Onyx Black†



Estate Gray[†]



Estate Gray[†]



Estate Gray[†]



Sierra Gray[†]



Sierra Gray[†]



Sierra Gray[†]




Quarry Gray[†]




Quarry Gray[†]




Quarry Gray[†]



New Slatestone Gray[†]




New Slatestone Gray[†]



Slatestone Gray[†]



Harbor Blue[†]



Harbor Blue[†]



Harbor Blue[†]

ALL OAKRIDGE PRO® SERIES
SHINGLES FEATURE:

Product Attributes

Algae Resistance Limited Warranty*	10 years
Tru PROtection® Non-Prorated Limited Warranty Period*	5 years
UL Fire Rating	Class A
Shingle Sealant	Tru-Bond®††
Shingle Core	Fiberglas®

Applicable
Standards and Codes

ASTM D 3462
ASTM E 108, Class A
ASTM D 3161, Class F
ASTM D 3018, Type I
ASTM D 228
UL 790, Class A
UL 997

Product Specifications

Nominal Size
Exposure
Shingles per Square
Bundles per Square
Coverage per Square



Chateau Green†



Chateau Green†



Chateau Green†



Colonial Slate†



Colonial Slate†



Colonial Slate†



Terra Cotta†

†Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

13¼" x 39⅜"
5⅝"
64
4
98.4 sq. ft.


13¼" x 39⅜"
5⅝"
64
4
98.4 sq. ft.

13¼" x 38¾"
5⅝"
66
3
99 sq. ft.

*See actual warranty for complete details, limitations and requirements.
** Color blends is a term that describes the intensity and amount of colored granules on the shingle, which can be more visible over the entire roof deck than in a small photographic swatch.
†† Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning.

PROTECT YOUR HOME FROM THE TOP DOWN WITH OUR COMPLETE ROOFING SYSTEM

Your roof is more than just shingles. It's a complete system that also requires hip & ridge shingles, ventilation and waterproofing underlayment products. Each of these elements plays an important role in protecting your home, and they work together to ensure the beauty and durability of your roof.



HIP & RIDGE SHINGLES

Help protect ridge vents from weathering


- Cover your roof's ridge line
- Add extra protection and a more dimensional look
- Are compatible with all Owens Corning shingle products
- Come in several styles (on a regional basis)



VENTSURE® VENTILATION PRODUCTS

Help prevent structural damage

- Fit between the top of your roof and its hip & ridge shingles
- Reduce moisture condensation in winter and excessive heat in summer to help guard against premature aging and deck warping
- Help keep air moving through the attic, balancing outdoor and indoor temperatures



SHINGLES

Provide protection and beauty

- Function best when used as part of a complete roofing system
- Ensure moisture resistance with weathering-grade asphalt coating
- Offer structural durability with a strong Fiberglas® mat core




WEATHERLOCK® WATERPROOFING UNDERLAYMENT PRODUCTS

Resist roof deck damage

- Act as a protective layer between your roof deck and shingles
- Are scientifically engineered to provide a solution to every application need with a variety of uniquely designed waterproofing underlayments





NEW SURENAIL® TECHNOLOGY MAXIMIZES PERFORMANCE AND PEACE OF MIND

Oakridge PRO® Series shingles perform better than ever before. They now feature our SureNail® Technology built right in. This new product breakthrough offers you:

Supersealing Action


Shingles can withstand hurricane-force winds of up to **130 MPH***. Our Tru-Bond® sealant grips tightly to the nailing strip on the shingle below for double the bonding strength.

SureNail® Wider Nailing Area

New, wider nailing area allows for an improved and consistent installation.

Extra Adhesive Power

Specially formulated, extra-wide adhesive bands help keep shingle layers laminated together in all weather conditions.



* See actual warranty for complete details, limitations and requirements.

For additional information on Owens Corning Exterior Systems or Insulation Systems,
visit our Web site at www.owenscorning.com
or call **1-800-GET-PINK.**



INNOVATIONS FOR LIVING™

OWENS CORNING WORLD HEADQUARTERS

ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK

www.owenscorning.com

Pub. No. 10000140. Printed in U.S.A. March 2006. THE PINK PANTHER™
& ©1964–2006 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved.
The color PINK is a registered trademark of Owens Corning.
©2006 Owens Corning.

(Jessup-North, Kearny)

