

USG CEILINGS COLOR PROGRAM

STANDARD COLORS FOR CEILING PANELS AND SUSPENSION SYSTEMS^{1,5}

> SUSPENSION SYSTEMS ONLY

Flat White

(050)

Parchment

(103)

Sandstone


(090)

Taupe

(107)

ADVANTAGE COLORS FOR CEILING PANELS AND

SUSPENSION SYSTEMS^{1, 5}



Manila

(246)

Straw

(143)

Charcoal

(534)

Flat Black


(205²)

CUSTOM COLOR MATCHING

Note

Please consult your representative for colors not listed in the Standard or Advantage program. USG will match colors from most major paint manufacturers. Plant to review all colors not listed in the Standard and Advantage color program for manufacturing capability.

SUSPENSION SYSTEMS ONLY



Bronze Galvanized (033) Clear Coat⁴

Notes

1. Samples shown are representative of color. Samples for actual color chips are available by calling 866 528-7089.

- 2. No upcharge for Flat Black where available.
- 3. Brass and Chrome available in USG Donn[®] Brand DX^{*}/DXL[™] Acoustical Suspension System only. All Brass and Chrome items are service level C. Brass and Chrome cross tees available only in DXD[™]-type butt-cut ends. Shadow moldings are not available in Brass and Chrome.
- Galvanized steel with a clear coat can vary significantly in finish from lot to lot. This is due to the difference in finish inherent in the hot-dipped galvanization coating process. Only USG Donn DX/DXL available in the Advantage program. For all other suspension system profiles, contact customer service
- Grid colors applied to the visible cap only. For 360° painting, consult the Specialty Ceiling System price list. Moldings are painted on the exposed horizontal leg.



COLOR PROGRAM FOR ACOUSTICAL CEILING PANELS

ORDER SAMPLES/LITERATURE usg.com | samplit@usg.com fax: 888 874-2348

SEE LEED REPORT TOOL
 SEELED REPORT TOOL

 usg.com
 SEELED REPORT TOOL

 for detailed sustainability

 fax: 888 874-2348

 information, as well as the

 MOS UP-O-DATE

 TECHNICAL SERVICES

 TECHNICAL SERVICES

 TECHNICAL SERVICES

 TECHNICAL SERVICES

 TECHNICAL SERVICES

| AVAILABLE PANELS | ltem No. | Size | Edge | Standard Colors ² | | Advantage Colors ³ | | Sq. Ft./ Carton | Color Options | |
|---|-------------|------------|--------------------|------------------------------|-------------------|-------------------------------|-------------------|--------------------|--|--|
| | | | | Min. Sq. Ft. | Lead Time Days | Min. Sq. Ft. | Lead Time Days | | | |
| USG ECLIPSE™ CLIMAPLUS™ | 76975 | 2'x2'x3/4" | FL | 48 | 10 | 48 | 10 | 48 | Standard colors (Flat Black and Charcoal not available Advantage: Beige, Mist, Silvertone only. | |
| (SC1812) | 76775 | 2'x2'x3/4" | SLT | 48 | 10 | 48 | 10 | 48 | | |
| USG FROST™ | 414 | 2'x2'x3/4" | SLB | 32 | 5 | 2,688 | 20 | 32 | Standard and Advantage colors. Colors outside the | |
| (SC1968) | 418 | 2'x2'x3/4" | FL | 32 | 10 | 2,688 | 20 | 32 | Standard and Advantage programs are subject to approval by plants. | |
| | 419 | 2'x2'x3/4" | FLB | 32 | 10 | 2.688 | 20 | 32 | | |
| USG GLACIER™ BASIC | 707 | 2'x2'x3/4" | SL | 32 | 5 | 2,688 | 20 | 32 | Standard and Advantage colors. Colors outside the | |
| (SC1819) | 708 | 2'x2'x3/4" | FL | 32 | 10 | 2,688 | 20 | 32 | Standard and Advantage programs are subject to approval by plants. | |
| USG PREMIER HI-LITE™ KAPOK | 7054G | 2'x2'x5/8" | SQ | 128 | 20 | - | _ | 128 | White and Flat Black only. | |
| (SC1838) | 7055G | 2'x4'x5/8" | SQ | 128 | 20 | _ | _ | 128 | | |
| | 7056G | 2'x2'x5/8" | SQ | 128 | 20 | | _ | 128 | | |
| | 7057G | 2'x4'x5/8" | SQ | 128 | 20 | - | _ | 128 | | |
| USG RADAR TM | 2210 | 2'x2'x5/8" | SQ | 64 | 10 | 64 | 10 | 64 | Standard colors. Advantage: Beige, Mist, Silvertone only | |
| (SC2127) | 2220 | 2'x2'x5/8" | SLT | 64 | 10 | 64 | 10 | 64 | Standard colors (Flat Black and Charcoal not available) Advantage: Beige, Mist, Silvertone only. | |
| | 2410 | 2'x4'x5/8" | SQ | 64 | 10 | 64 | 10 | 64 | Standard colors. Advantage: Beige, Mist, Silvertone only | |
| USG RADAR™ ILLUSION TWO/24 (SC2126) | 2842 | 2'x4'x3/4" | SLT | 48 | 10 | 48 | 10 | 48 | Standard colors (Flat Black and Charcoal not available Advantage: Beige, Mist, Silvertone only. | |
| USG RENDITIONS™ ANIMATIONS (IC327), USG RENDITIONS™ BOUNDARIES (IC332) AND USG RENDITIONS™ USTOM FROST™ PANEL (CLIMAPLUS NOT AVAILABLE) (IC356) | - | 2'x2'x3/4" | SLB, FL, FLB | 32 | 15 | 2,688 | 25 | 32 | White, Standard (Advantage are 2,688 min. sq. ft.) Note: Custom colors are 25-day minimum lead time for Frost. | |
| USG SANDRIFT™ (SC1841) | 808 | 2'x2'x3/4" | SL | 32 | 5 | 2,688 | 20 | 32 | Standard and Advantage colors. Colors outside the Standard and Advantage programs are subject to approval by plants. | |
| | 809 | 2'x2'x3/4" | FL | 32 | 10 | 2,688 | 20 | 32 | | |

To highlight the unique texture of USG Sandrift[™] Acoustical Panels, choose light colors.
 Standard Colors: Available for quick delivery. Minimum quantities apply.
 Advantage Colors: Available within five weeks. Minimum quantities apply.
 Contact your USG sales representative for details. See USG Architectural Representative locator map at usgdesignstudio.com. Include color number with item number, size and edge condition. For colors, it is not recommended to mix date codes or lot numbers.

COLOR PROGRAM FOR SUSPENSION SYSTEMS

ORDER SAMPLES/LITERATURE usg.com | samplit@usg.com fax: 888 874-2348

 DER SAMPLES/LITERATURE
 SEE LEED REPORT TOOL

 usg.com | samplit@usg.com
 for detailed sustainability

 fax: 888 874-2348
 information, as well as the

 MOS TUP-TO-DATE
 TECHNICAL SERVICES

 800 USG.4YOU (874-4968)
 at usgdesignstudio.com

| | | | | | 800 USG.4YOU (874-4 | 1968) at usgdesignstudio.com | | | |
|------------------------------|---|---------------|--------------------------|-------------------------------|--|------------------------------|--|--|--|
| STANDARD COLORS | Available within 15 days unless otherwise noted. One-carton minimum for suspension systems. Suspension systems have color caps only. For 360° painting, consult the Specialty Ceiling System price list. Moldings are painted on the exposed horizontal leg. All metric items are offered in Flat White, service level C. MEDXF3600, MEDXF600 and MEDXF1200N also offered in Flat White with Black Reveal, service level C. | | | | | | | | |
| ADVANTAGE COLORS | Available within five weeks. One-carton minimum per component for suspension systems. Includes matching air diffusers. Suspension systems and panels are also available in colors not listed in Standard and Advantage offerings. Colors other than Standard and Advantage are subject to approval. A 3"x5" color chip is needed for matching. Lead time will be quoted via the Request-To-Quote (RTQ) and will start after acceptance of color match. Minimum order quantities may apply. | | | | | | | | |
| SUSPENSION SYSTEM | Level | | Lead time | e from order acceptance | | | | | |
| SERVICE LEVELS | Quick Ship | | 1–2 days | | | | | | |
| | A | | 5-7 days | | | | | | |
| | В | | 15 days | 15 days | | | | | |
| | с | | 30 days | 30 days | | | | | |
| | Advantage Co | lors | Typically | Typically 5 weeks from order. | | | | | |
| EXCEPTIONS | USG Donn[®] Brand Fineline[®] DXF[™]/DXLF[™] Acoustical Suspension System available in Flat White with Black Reveal to no additional charge. Service level B. USG Donn[®] Brand Fineline[®] DXFTM/DXLFTM Acoustical Suspension System available in Silver Satin 002. Service level B. USG Donn[®] Brand Fineline[®] DXFTM/DXLFTM and 1/8 DXFF[™] and DXFEV Acoustical Suspension Systems also available in colors not listed in Standard and Advantage offerings. USG Donn[®] Brand Fineline[®] DXFEV Acoustical Suspension System (environmental) available in Flat White with Black Reveal standard, service level C. Standard and Advantage colors available, service level C. USG Donn[®] Brand Fineline[®] DXF[™]/DXLF[™] Acoustical Suspension System and 1/8 DXFF[™] not available in Plated Braco65 or Plated Chrome 066. USG Logix[™] Integrated Systems are available in Flat White, service level C. | | | | | | | | |
| | | | | Standard Colors | Silver Satin, Brass and Chrome Exceptions | Advantage Colors | | | |
| | | Service Level | Quick Ship | В | С | 5 weeks | | | |
| SUSPENSION SYSTEM | | Item No. | | | | | | | |
| USG DONN® BRAND AX™/AXCE™ | Main Tee | AX26 | Flat White | - | Silver Satin | - | | | |
| (AC3041) | | AXCE26 | Flat White | _ | Silver Satin | | | | |
| | | AX224 | Flat White | _ | Silver Satin | | | | |
| | Cross Tee | AX424 | Flat White | _ | Silver Satin | - | | | |
| | | AXCE224 | Flat White | - | Silver Satin | - | | | |
| | | AXCE424 | Flat White | - | Silver Satin | - | | | |
| | Molding | M7A | Flat White | _ | Silver Satin | _ | | | |
| | | | | | | | | | |
| | | M7ACE | Flat White | - | Silver Satin | - | | | |
| | | M7ACE UA25 | Flat White Flat White | - | Silver Satin Silver Satin | - | | | |
| | | | | | | - - - | | | |

COLOR PROGRAM FOR SUSPENSION SYSTEMS

ORDER SAMPLES/LITERATURE usg.com | samplit@usg.com fax: 888 874-2348

SEE LEED REPORT TOOL
 SEELED REPORT TOOL

 usg.com
 SEELED REPORT TOOL

 for detailed sustainability

 fax: 888 874-2348

 information, as well as the

 MOS UP-O-DATE

 TECHNICAL SERVICES

 TECHNICAL SERVICES

 TECHNICAL SERVICES

 TECHNICAL SERVICES

 TECHNICAL SERVICES

| SUSPENSION SYSTEM | |
|-----------------------------|-----|
| USG DONN [®] BRAND | Mai |

CENTRICITEE™ DXT™/DXLT™ (AC3040)

USG DONN[®] BRAND CE[™] (AC3129)

USG DONN[®] BRAND DX[®]/DXL[™] CONCEALED (AC3035

> **USG DONN® BRAND** DX*/DXL™ (AC3167)

| | | | Standard Colors | Silver Satin, Brass and Chrome Exceptions | Advantage Colors |
|-----------------|----------------------------|------------------------|-----------------|--|------------------|
| | Service Level | Quick Ship | В | C | 5 weeks |
| | Item No. | | | | |
| 1ain Tee | DXT-24-10 | Flat White | - | - | - |
| | DXT24 | Flat White, Flat Black | • | Silver Satin | • |
| | DXT24HRC | Flat White | • | Silver Satin | • |
| | DXLT24 | Flat White | - | - | _ |
| | DXT26 | Flat White, Flat Black | - | - | - |
| Cross Tee | DXT222 | Flat White, Flat Black | • | Silver Satin | • |
| | DXT222HRC | Flat White | • | Silver Satin | • |
| | DXLT222 | Flat White | - | - | - |
| | DXT422 | Flat White | - | - | - |
| | DXT424 | Flat White, Flat Black | • | Silver Satin | • |
| | DXT424HRC | Flat White | • | Silver Satin | • |
| | DXLT424 | Flat White | - | _ | — |
| folding | M9 | Flat White, Flat Black | • | Silver Satin | • |
| Ū. | M9HRC | Flat White | • | Silver Satin | • |
| | MS174 | Flat White | • | Silver Satin | • |
| | MS274 | Flat White | • | _ | • |
| 4ain Tee | DXWCE26 | Flat White | _ | _ | |
| Cross Tee | DXWCE224 | Flat White | | _ | |
| 1033 100 | DXWCE424 | Flat White | _ | _ | _ |
| 1ain Tee | DXCE24 | Flat White | | | |
| Main Tee | DXCE24 | Flat White | | | |
| Too Too | DXCE224 | | | | |
| Cross Tee | DXCE224 DXCE424 | Flat White | | | |
| L olding | M7CE | Flat White | - | - | - |
| 1olding | •••••• | Flat White | | | |
| | US28CE | Flat White | | _ | - |
| 4ain Tee | DX/DXL24 | Flat White | | | |
| | DX/DXL26 | Flat White | - | - | - |
| Cross Tee | DX/DXL424 | Flat White | - | - | - |
| Molding | US28 | Flat White | - | _ | - |
| Main Tee | DX/DXL24 DX/DXL24HRC* | Flat White, Flat Black | • | Silver Satin, Brass, Chrome | • |
| | DX/DXL26 DX/DXL26HRC* | Flat White, Flat Black | • | Silver Satin, Brass, Chrome | • |
| Cross Tee | DX/DXL216 DX/DXL216HRC* | Flat White, Flat Black | • | Silver Satin, Brass, Chrome | • |
| | DX/DXL424 DX/DXL424HRC* | Flat White, Flat Black | • | Silver Satin, Brass, Chrome | • |
| | DX422 DX422HRC* | Flat White, Flat Black | • | Silver Satin, Brass, Chrome | • |
| | DX/DXL524 | Flat White | • | Silver Satin | • |
| 1olding | M20SM-2 | Flat White | _ | _ | _ |
| | MS274 | Flat White | • | | • |
| | M7 M7HRC* | Flat White, Flat Black | • | | • |
| | •••••• | Elat White | Elat Black | | |
| | M20 | Flat White | Flat Black | - | |
| | M20HD | Flat White | Flat Black | | |
| | M20SM | Flat White | - | - | |

Note: Brass and Chrome cross tees limited to DXD™-type butt-cut ends only. *HRC not available with quick ship lead time in Flat Black, not available in Brass or Chrome.

COLOR PROGRAM FOR SUSPENSION SYSTEMS

Service Level

Item No.

ORDER SAMPLES/LITERATURE usg.com | samplit@usg.com fax: 888 874-2348

Silver Satin, Brass and

Chrome Exceptions

С

SEE LEED REPORT TOOL
 UBER SAMPLES/LITERATURE
 SEE LED REPORT TOOL

 usg.com
 Isamplit@usg.com

 fax: 888 874-2348
 for detailed sustainability

 information, as well as the
 MOST UP-TO-DATE

 TECHNICAL SERVICES
 TECHNICAL LINFORMATION,

 800 USG.4YOU (874-4968)
 at usgdesignstudio.com

Advantage Colors

5 weeks

Quick Ship

Standard Colors

В

| SUSE | PENS | ION S | SYST | EM |
|------|------|-------|------|----|
| | | | | |

USG DO IDENT

| ver Satin ver Satin ver Satin ver Satin ver Satin, ass, Chrome | • • • • • |
|---|---|
| ver Satin ver Satin ver Satin ver Satin, ass, Chrome | • • • • |
| ver Satin ver Satin ver Satin, ass, Chrome | • • • |
| ver Satin ver Satin, ass, Chrome | • • • |
| ver Satin, ass, Chrome | • |
| ass, Chrome | • |
| | |
| ver Satin, ass, Chrome | • |
| ver Satin | • |
| ver Satin | • |
| ver Satin | • |
| | - |
| ver Satin | - |
| | - |
| ver Satin | - |
| ver Satin | - |
| | - |
| | - |
| | - |
| | - |
| | - |
| ver Satin | - |
| | - |
| | - |
| | - |
| | |
| | - |
| | |
| | _ |
| | |
| | _ |
| | |
| | _ |
| | _ |
| | _ |
| | _ |
| | _ |
| | _ |
| | _ |
| | |
| ver Satin | • |
| ver Satin | • |
| | er Satin, ss, Chrome er Satin er Satin er Satin er Satin er Satin er Satin er Satin er Satin er Satin |

*HRC not available with quick ship lead time in Flat Black, not available in Brass or Chrome.

USG DO DXL

BR

BR

USG DO **FINELINE***

ORDER SAMPLES/LITERATURE

SEE LEED REPORT TOOL usg.com | samplit@usg.com fax: 888 874-2348

com | samplit@usg.com fax: 888 874-2348 for detailed sustainability information, as well as the MOST UP-TO-DATE TECHNICAL SERVICES TECHNICAL INFORMATION,

800 USG.4YOU (874-4968) at usgdesignstudio.com

COLOR PROGRAM FOR SUSPENSION SYSTEMS

SUSPENSION SYSTEM

USG DONN* BRAND FINELINE® DXF™/DXLF^{™ 2, 3, 4} (AC3034)

| | | | Standard Colors | Silver Satin, Brass and Chrome Exceptions | Advantage Colors |
|-----------|-------------------|------------------------|-----------------|--|------------------|
| | Service Level | Quick Ship | В | C | 5 weeks |
| | Item No. | | | | |
| Main Tee | DXF2924-10 | Flat White | • | - | • |
| | DXF2924 | Flat White | • | Silver Satin Service Level B⁵ | • |
| | DXF2924 | Flat White | • | - | • |
| | DXF2024HRC* | Flat White | • | - | • |
| | DXF2948 | Flat White | • | - | • |
| | DXLF2924 | Flat White | • | - | • |
| | DXFH2924 | Flat White | • | - | • |
| | DXF429 | Flat White | • | - | • |
| Cross Tee | DXF229 | Flat White | • | Silver Satin Service Level B⁵ | • |
| | DXF229HRC | Flat White | • | Silver Satin Service Level B⁵ | • |
| | DXLF229 | Flat White | • | - | • |
| | DXF429 | Flat White | • | - | • |
| | DXF429NHRC* | Flat White | • | Silver Satin Service Level B ⁵ | • |
| | DXF429S | Flat White | • | - | • |
| | DXLF429N | Flat White | • | - | • |
| | DXF529N | Flat White | • | - | • |
| Molding | M7 | Flat White, Flat Black | • | - | • |
| | M7HRC* | Flat White | • | - | • |
| | M9 | Flat White, Flat Black | • | Silver Satin Service Level B⁵ | • |
| | M9HRC* | Flat White | • | Silver Satin Service Level B⁵ | • |
| | MS174 | Flat White | • | Silver Satin Service Level B⁵ | • |
| | MS274 | Flat White | • | | • |
| Main Tee | ZXLA24 Flat White | | - | Silver Satin | - |
| | ZXLA26 | Flat White | | Silver Satin | - |
| Cross Tee | ZXLA224 | Flat White | _ | Silver Satin | - |
| | ZXLA424 | Flat White | | Silver Satin | - |
| Molding | M7Z | Flat White | _ | Silver Satin | - |
| | | | | | |

Notes

1. USG Donn[®] Brand Fineline[®] 1/8 DXFF[™] also available in colors not in Standard and Advantage color programs.

Available in Flat White with Black Reveal. Service level B.
 USG Donn* Brand Fineline* DXF™/DXLF™ also available in colors not in Standard and Advantage color programs.

USG Donn[®] Brand Fineline[®] DXFEV (environmental) available in Flat White with Black Reveal standard, service level C. Standard and Advantage colors available, service level C. Colors not in Standard and Advantage programs are available.
 USG Donn[®] Brand Fineline[®] DXF[™]/DXLF[™] available in Silver Satin 002. Service level B.

*HRC not available with quick ship lead time in Flat Black, not available in Brass or Chrome.

USG DONN[®] BRAND ZXLA™ (AC3029)

Manufactured by United States Gypsum Company 550 West Adams Street Chicago, IL 60661

SC1859/rev. 5-15

© 2015 USG Corporation and/or its affiliates. All rights reserved. Printed in U.S.A.

The trademarks USG, AX, AXCE, CE, CENTRICITEE, CLIMAPLUS, DONN, DX, DXACE, DXD, DXF, DXFF, DXL, DXLA, DXLF, DXI, DXLT, DXSS, DXT, DXW, ECLIPSE, FINELINE, FROST, GLACIER, IDENTITEE, LOGIX, PREMIER HI-LITE, RADAR, RENDITIONS, SANDRIFT, ZXLA, IT'S YOUR WORLD. BUILD IT., the USG logo, the design elements and colors, and related marks are trademarks of USG Corporation or its affiliates.

Safety First! Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read MSDS and literature before specification and installation.

USG