

Roofing Products

#298 Asphalt Emulsion

Western Colloid's **#298** is a premium grade, clay stabilized asphalt emulsion. It is produced in a continuous colloid mill process without any added surfactants or additives. It meets ASTM D 1227 Type III.

USES

- A uniform weathering surface for smooth or mineral surfaced composition built-up roofing.
- A waterproofing compound for cold process, built-up roof systems utilizing polyester and or fiberglass reinforcements.
- A protective surface for metal roofing, masonry, stucco, parapet walls, curbs and base flashings.
- A corrosion resistant surface for most exterior metal surfaces.
- A damp proofing compound for below grade walls.

Availability: Bulk, 55gal Drums, 5gal Pails

#298E Elastomeric Asphalt Emulsion

Western Colloid's **#298E** is an elastomeric modified, clay stabilized, asphalt emulsion. It's premium acrylic rubber modifier gives it unique characteristics. It has greater flexibility, elongation and adhesion, especially in cold weather.

USES

- A uniform weathering surface for smooth or mineral surfaced composition built-up roofing.
- A waterproofing compound for cold process, built-up roof systems utilizing polyester and or fiberglass reinforcements.
- A protective surface for metal roofing, masonry, stucco, parapet walls, curbs and base flashings.
- A corrosion resistant surface for most exterior metal surfaces.
- A damp proofing compound for below grade walls.

Availability: Bulk, 55gal Drums, 5gal Pails

#525 SilverWhite Aluminum

Water based aluminum asphaltic emulsion. **#525 SilverWhite** is an aluminum elastomeric reflective coating with high degree of reflectivity and weatherproofing. It is manufactured from ASTM D 1227 Type III asphalt emulsion, unique resins and highly

polished aluminum flake. **#525 SilverWhite** is an economical yet durable reflective coating. It will give many years of protection to most asphalt surfaced roofs.

USES

- Asphalt built-up roofing.
- Metal Roofing

Availability: Bulk, 55gal Drums, 5gal Pails

#530 SilverWhite Aluminum

Special Roller Grade

Water based aluminum asphaltic emulsion. **#530 SilverWhite** is an aluminum elastomeric reflective coating specially formulated for roller & brush application with extra brightness. Use for touch-up, trim and small jobs.

Availability: 5gal Pails

ElastaHyde #720 ARC

White Elastomeric Reflective Coating

Most Types of Asphaltic Roofs

Energy Star[®]

ElastaHyde #720 ARC is a 100% acrylic, premium grade, white elastomeric reflective coating. It Meets and exceeds ASTM D6083-97a for 100% acrylic roof coating. Designed for use on Fluid Applied, BUR and Metal roofs. **ElastaHyde** is manufactured from premium resins, pigments and components producing an acrylic coating of the highest quality. **ElastaHyde** is a durable coating that will resist rigorous weather conditions while protecting roof surfaces and contributing to substantial energy savings. Western Colloid has determined that **ElastaHyde #720 ARC** meets the **Energy Star[®]** guidelines for energy efficiency (white only). Standard and custom colors are available.

Availability: 55gal Drums, 5gal Pails

ElastaHyde #790 AFC

White Elastomeric Reflective Coating

Spray Polyurethane Foam & Roof Coating

ElastaHyde #790 AFC is a 100% acrylic, premium grade, white elastomeric reflective coating. It is designed primarily for use on Sprayed Polyurethane Foam. It is also used on Single Ply Membranes, BUR and Metal roofs. **ElastaHyde** is manufactured from premium resins, pigments and components producing an acrylic coating of the highest quality. **ElastaHyde** is a durable coating that will resist rigorous weather conditions while protecting roof surfaces and contributing to substantial energy savings. **ElastaHyde #790 AFC** will reflect over 87% of sun's rays in white. Standard and custom colors are available.

Availability: 55gal Drums, 5gal Pails

ElastaHyde #770 AXP

White Elastomeric Reflective Coating

Smooth, Mod. Bit., & Ponding Surfaces

ElastaHyde #770 AXP is a white acrylic elastomeric reflective coating. Designed primarily for use on smooth, Modified Bitumen and Asphalt roof surfaces. It also works extremely well on Single Ply Membranes, BUR and Metal roofs. **ElastaHyde** has excellent adhesion to smooth asphalt surfaces such as asphalt emulsion and APP Modified Bitumen. It has far greater resistance to ponding conditions without blistering and wrinkling. It cures faster than most Acrylic coatings and is an excellent choice for wet climate conditions. It is an extremely durable protective coating that will reflect over 87% of sun's rays in white, which can contribute to substantial energy savings.

Standard and custom colors are available.

Availability: 55gal Drum, 5gal Pails

#800W Elastic Cement – White

Water based, flashing, patching and sealing compound. Manufactured from a premium Latex rubber that remains permanently elastic. **#800W** has excellent adhesion and elongation, even in cold weather.

For long lasting repairs to roofs, sheet metal, concrete, mobile homes and air conditioning ducts.

Availability: 3½ gal. Pails

#800B Elastic Cement – Black

Water based, flashing, patching and sealing compound. Manufactured from a premium Latex rubber that remains permanently elastic. **#800B** has excellent adhesion and elongation, even in cold weather.

Same as **#800W** except black in color. Dries faster in cool damp weather. Used for prep and flashing on cold process systems that are to be top-coated.

Availability: 3½ gal Pails

Polyester Fabric

WCP-SS – Standard Soft

WCP-SS – Standard Soft: 2.75–3oz. Standard-weight Stitchbonded Polyester Fabric with a soft finish.

WCP-SS has good strength and elongation. **WCP-SS** has excellent conformability especially on rough surfaces. **WCP-SS** works well when used over vacuumed, spudded or filled gravel surfaces. It has fewer stitches per inch, which allows for better wetability and requires less brooming. Also known as **#325** or **3/7 Soft**.

Availability: 10 squares (1080 sq. ft.) = 40 inches x 324 feet

Polyester Fabric

WCP-SF – Standard Firm

WCP-SF – Standard Firm: 2.75–3oz. Standard-weight Stitchbonded Polyester Fabric with a firm finish.

WCP-SF has good strength and elongation. **WCP-SF** has good conformability on smooth or semi-smooth surfaces. **WCP-SF** works well when used over smooth or cap sheet surfaces. It has fewer stitches per inch, which allows for better wetability and requires less brooming. Because it has a firm (starched) finish it will have fewer wrinkles and will lay straighter during application. Also known as **#326** or **3/7 Firm**.

Availability: 10 squares (1080 sq. ft.) = 40 inches x 324 feet

Polyester Fabric

WCP-HS – Heavy Soft

WCP-HS – Heavy Soft: 3oz. Heavy-weight Stitchbonded Polyester Fabric with a medium soft finish. **WCP-HS** has excellent strength and elongation. **WCP-HS** has good conformability on smooth or semi-smooth surfaces. This product works well when used over cap sheet, smooth and spudded or filled gravel roofs. **WCP-HS** has more and closer stitches, which may require increased brooming to insure proper embedment and removal of all air pockets. **WCP-HS** also comes in cut width rolls, which are excellent for flashing, seams, walls and metal roofs. Also known as **#272** or **3/14 Soft**.

Availability: 10 squares (1080 sq.ft.) = 40 inches x 324 feet

Cut Widths: 18" or 20", 12",
6", 4" x 300'

#950 Primer / Sealer – Stain Blocker

#950 Primer/Sealer – Stain Blocker is a water based, clear, acrylic primer/coating. It is formulated with premium acrylic resins that are designed to stop asphalt residues and oils from staining the acrylic coating system. **#950 Primer/Sealer** also aids in the adhesion of the acrylic coating to the substrate. **#950 Primer/Sealer** should be used as a primer coat over existing asphalt roofing, mastics and coatings where staining of the acrylic coating system is a concern. Use over existing solvent based asphalt mastics and coatings on Western Colloid metal sealing systems.

Availability: 55gal Drums, 5gal Pails

#925 Clear Skylight Coating

#925 Clear Skylight Coating is a water based, clear, acrylic coating. It is formulated with premium acrylic resin, to form long lasting clear surface on aged and worn fiberglass skylights. When applied properly it will give worn fiberglass skylights additional years of useful life. **Clear Skylight Coating** may also be used as a clear sealer on other surfaces such as wood and masonry.

Availability: 5gal Pails

#901 Clear Rock Binder

#901 Clear Rock Binder is a water based, clear, acrylic coating. It is formulated with tough acrylic resins, to form a long lasting clear binder on gravel roofs. When applied properly it will secure loose gravel, preventing bare spots, membrane burnouts and loose gravel in gutters and on the ground. It will also enhance the color of the gravel. It may also be used as a sealer and water repellent on masonry and plaster surfaces.

Availability: 55gal Drums, 5gal Pails