

WEATHERIZATION CONSTRUCTION SOLUTIONS

Construction trade professionals trust proven products like Froth-Pak,[®] Great Stuff[™] Pro, Insta-Stik,[™] EnerFoam[™] and more. Experienced professionals also know that the Dow[®] Chemical Company manufactures a high-quality product to meet any need, backed by a global presence and decades of product development experience. Wind-lock is committed to making unsurpassed product lines like this available to our customers, and we're proud to be a Dow[®] Red Diamond distributor.

80

ENERFOAM[™]

80

GREAT STUFF[™] PRO

81

FOAM GUNS

82

FROTH-PAK[®]

82

INSTA-STIK[™]

83

WEATHERMATE[™]

84

INSTALLATION ESSENTIALS



GREAT STUFF[™] PRO

PAGE 80



FROTH-PAK[®]

PAGE 82



**WEATHERMATE
HOUSEWRAP[™]**

PAGE 83



CI-LOCK FASTENER

PAGE 84

SUPPORT WHEN YOU NEED IT

For more than 20 years, Wind-lock has been focused on the right people coming through at the right time for our customers. That means expert advice available through our dedicated team and no hassle support that helps simplify your job. It also means reliability, an emphasis on helping you maximize productivity and a commitment to partnership.





1



2



3



4



5

DOW® ADHESIVES AND SEALANTS

SIGNATURE
PRODUCT



Great Stuff™ Pro available with reusable straw.



Industry-leading valve allows for multiple uses.



Now offering Great Stuff™ consumer line of sealants and insulation. Call for details.

1. EnerFoam™ Professional Foam Sealant

EnerFoam™ is ideal for applications including insulation, hole and crack filling, blocking insects and acoustical sealing (STC 69).

Part Code	Description	Contr Price	Approx Wt
NS W-EF24RS24	Reusable Straw Foam Case of 12, 24 oz cans	CALL	27 lb
NS W-EF2524	Gun Foam Case of 12, 24 oz cans	CALL	27 lb
W-EF4230	Gun Foam Case of 12, 30 oz cans	CALL	32 lb

NS=Not shown.

2. Great Stuff™ Pro Gaps & Cracks

For filling and air-sealing small holes, gaps and cracks, also acts as a fireblocking material to help prevent the spread of fire and smoke.

Part Code	Description	Contr Price	Approx Wt
NS W-GSGC24	Gun Foam Case of 12, 24 oz cans	CALL	29 lb
W-GSGC30	Gun Foam Case of 12, 30 oz cans	CALL	32 lb
NS W-GSGCRS24	Reusable Straw Foam Case of 12, 24 oz cans	CALL	29 lb
NS W-GSGCRS30	Reusable Straw Foam Case of 12, 30 oz cans	CALL	32 lb

NS=Not shown.

3. Great Stuff™ Pro Window and Door

Flexible seal permits expansion and contraction of foam, making it the preferred insulating foam sealant for filling the gap between a window or door and its rough opening.

Part Code	Description	Contr Price	Approx Wt
W-GSWD	Gun Foam Case of 12, 20 oz cans	CALL	21 lb
NS W-GSTWD	Straw Foam Case of 12, 20 oz cans	CALL	21 lb
NS W-GSWDRS20	Reusable Straw Foam Case of 12, 20 oz cans	CALL	21 lb

NS=Not shown.

4. Great Stuff™ Pro Wall and Floor Adhesive

One can is equal to 15 tubes of one-quart adhesive caulk. The product also reduces the number of mechanical fasteners needed—resulting in less material costs and fewer drywall nail “pops.”

Part Code	Description	Contr Price	Approx Wt
W-GSWF30	Gun Foam Case of 12, 30 oz cans	CALL	33 lb

5. Great Stuff™ Pro Gun Cleaner

Cleaner for dispensing guns and removing uncured foam.

Part Code	Description	Contr Price	Approx Wt
W-GCCS	Dow Foam Gun Cleaner Case of 12, 12 oz cans	CALL	15 lb

6. Dow® Foam Guns

Foam applicator guns with convenient re-startable, non-drip features developed for use with Dow® Foam Guns.

Part Code	Description	Contr Price	Approx Wt
A W-DEG13	Pro13 Gun	\$37.00	1 lb
B W-DEG14	Pro14 Gun	\$65.99	2 lb
NS W-DEG14L	Pro26.5 Long-Barrel Gun	\$113.40	3 lb
CW-DEG15	Pro15 Gun	\$121.25	2 lb
NS W-DEG14BT	Brass tips for W-DEG14	\$5.75	1 lb

NS=Not shown.


7. Boss® Biggies Industrial Wipes

These dual-sided industrial wipes clean paint, adhesives, oil and more from hands, tools and surfaces.

Part Code	Description	Size	Contr Price
W-BW	Dual-sided abrasive wipes 80 wipes per container	8" x 12"	\$25.95



To view our complete library of DOW instructional videos, go to WIND-LOCK.COM



6



7

PROPER ATTACHMENT OF FOAM GUNS



1. Attach the gun to the can of Dow® Great Stuff™ Pro.



4. After removing the can from gun, clean the gun adapter with the Dow® Cleaner.



2. Always point the can away from your face.



5. Attach can to gun. Always point the can away from your face.



3. Shake can for 1 minute and immediately purge the air from gun.



6. Spray the cleaner through the gun.



DOW® SEALANTS, INSULATIONS AND ADHESIVES

SIGNATURE PRODUCT



1. Dow® Froth-Pak® Two Component Foam

Froth-Pak® is a foam machine in a carton. Chemical curing allows two-part polyurethane foam to be dispensed, expand and become tack-free in seconds. Froth-Pak® will skin over in 30–40 seconds and be completely cured in under one minute. Froth-Pak® is typically used as a foam-insulating sealant to fill cavities, wall and floor penetrations, cracks and expansion joints.

Froth-Pak® 12

Great for small jobs—12 Board Feet, 1 Cubic Foot

KIT INCLUDES: Iso (A) can, Polyol (B) can, 9-ft gun hose assembly (GHA), shoulder strap assembly, two cone white spray nozzles (187918).

Part Code	Description	Contr Price	Approx Wt
A W-1FRPK12	Sealant Kit	CALL	4 lb
NS A W-FRPK12	Case of 12 Sealant Kits	CALL	40 lb

NS=Not shown.

Froth-Pak® 180

200 Board Feet—16.6 Cubic Feet

KIT INCLUDES: Iso (A) cylinder, Polyol (B) cylinder, six cone white spray nozzles (187918), four GG white spray nozzles (187915), 9-ft gun hose assembly (GHA), petroleum jelly packet.

Part Code	Description	Contr Price	Approx Wt
B W-FRPK180	Sealant Kit	CALL	39 lb
NS B W-FP200CA	Insulation Kit, Class A	CALL	39 lb

NS=Not shown.

Froth-Pak® 600

600 Board Feet/50 Cubic Feet

KIT INCLUDES: Iso (A) cylinder, Polyol (B) cylinder, eight cone white spray nozzles (187918), four fan spray nozzles, 15-ft gun hose assembly (GHA), petroleum jelly packet.

Part Code	Description	Contr Price	Approx Wt
C W-FP600	Sealant Kit	CALL	117 lb
NS C W-FP620CA	Insulation Kit, Class A	CALL	118 lb

NS=Not shown.

2. Froth-Pak® 160 Slow Rise

Low pressure foam for blind cavity and abandoned pipe filling. 160 Board Feet—13.3 Cubic Feet

Part Code	Description	Contr Price	Approx Wt
W-FP160SR	Single Kit/Sealant	CALL	39 lb

3. Insta-Stik™ Adhesive

Insta-Stik™ is a professional polyurethane adhesive for attaching compatible roof insulation boards to roof decks and substrates in new commercial construction and roof replacement applications.

KIT INCLUDES: Tank, hose, wand, flared nozzle, coupler, valve, wrench and instructions.

Part Code	Description	Contr Price	Approx Wt
W-ISTKK	Complete Insta-Stik Kit	CALL	28 lb
NS W-ISTKT	Insta-Stik Tank Only	CALL	28 lb

NS=Not shown.



See www.wind-lock.com for technical information.
Replacement nozzles available, please call for more information.



DOW® WEATHERMATE™ WEATHERIZATION

SIGNATURE
PRODUCT

1. Dow® Weathermate™ Sill Pan

Weathermate™ Sill Pan is a translucent, molded polymer that is manufactured to ensure a consistent thickness. It will not rust or rot and is compatible with standard adhesives and sealants. It provides seamless protection at sill corners and assists positive drainage of water to the exterior. The two-piece design adjusts to fit most window sill widths.

Part Code	Size	Description	Contr Price	Approx Wt
W-DSP5	5" x 32"/pan	Sold by The Box (25 sets)	CALL	7 lb

2. Dow® Weathermate™ Construction Tape

Weathermate™ Construction Tape is recommended to seal the joints and seams of Styrofoam™ Weathermate™ housewraps and Styrofoam insulated sheathings. In these applications, Weathermate™ Construction Tape enhances resistance to moisture and air infiltration. The tape can also be used to repair damaged foam insulation or housewrap, reducing material costs and job-site waste.

Part Code	Rolls/Box	Description	Contr Price	Approx Wt
W-DCT178	16	1-7/8" x 165'/Roll	CALL	1 lb
W-DCT278	16	2-7/8" x 165'/Roll	CALL	1 lb

3. Dow® Weathermate™ Straight Flashing

Weathermate™ Straight Flashing combines a blue high-density polyethylene (HDPE) film facer with a butyl rubber adhesive that forms a strong mechanical and chemical bond to most building materials. A polymeric-coated paper release liner provides a more consistent peel than plain paper liners. It provides seamless protection at jambs and straight heads.

Part Code	Rolls/Box	Description	Contr Price	Approx Wt
W-DSF4	6	4" x 100'/Roll	CALL	5 lb
W-DSF6	6	6" x 100'/Roll	CALL	8 lb
W-DSF9	3	9" x 100'/Roll	CALL	12 lb

4. Dow® Weathermate™ Flexible Flashing

Weathermate™ Flexible Flashing combines a blue creped high-density polyethylene (HDPE) film facer with a butyl rubber adhesive that forms a strong mechanical and chemical bond to most building materials. A polymeric-coated kraft paper release liner provides a more consistent peel than plain paper liners. It provides seamless protection around curved openings and custom shapes.

Part Code	Rolls/Box	Description	Contr Price	Approx Wt
W-DFF6	1	6" x 75'/Roll	CALL	11 lb
W-DFF9	1	9" x 75'/Roll	CALL	17 lb

5. Dow® Weathermate™ Plus Housewrap

Dow® Weathermate™ Plus housewrap is a non-woven, non-perforated, polyolefin-based housewrap that offers exceptional tear resistance and durability. It is an effective option for builders who prefer to use non-insulating sheathing along with housewrap. When installed over sheathing, Dow® Weathermate™ Plus housewrap reduces costly air and moisture infiltration. It is translucent to allow a clear view of the studs and the sheathing surface during installation.

Part Code	Description	Contr Price	Approx Wt
W-DWM3165	3' x 165'/Roll	CALL	14 lb/Roll
W-DWM5100	5' x 100'/Roll	CALL	14 lb/Roll
W-DWM9100	9' x 100'/Roll	CALL	24 lb/Roll
W-DWM9150	9' x 150'/Roll	CALL	34 lb/Roll

All other Dow® Weathermate™ Plus housewrap sizes are available. Please call.

*The exclusive specified fastener
for DOW's Thermax wall system.*



CI-LOCK (CONTINUOUS INSULATION)

1. ci-LOCK Fastener

The Dow® specified fastener for use with the Thermax continuous insulation wall system.

Part Code	Qty/Box	Insulation Thickness	Screw Size	Contr Price	Approx Wt/Box
DTW-3S1	1000	5/8"	#6 x 1-5/8"	CALL	12 lb
DTW-3S2	1000	1"	#6 x 2"	CALL	14 lb
DTW-3S3	1000	1.55"	#8 x 2-5/8"	CALL	18 lb
DTW-3S4	1000	2"	#8 x 3"	CALL	19 lb
DTW-3S45	1000	2.5"	#8 x 3-1/2"	CALL	19 lb
DTW-3S5	1000	3"	#10 x 4"	CALL	27 lb



INSTALLATION ESSENTIALS

1. DryFlekt® Polypropylene Kickout Flashing

The best practice solution for diverting roofline water. The patented design creates a backward and outward water flow off the roof and away from walls, preventing water intrusion at roof-to-wall intersections. DryFlekt® is manufactured in left and right parts, available in six aesthetically pleasing colors: brown, bronze, sand, tan, gray and white.

Part Code	Size	Description	Contr Price	Approx Wt
A	W-PKOLB 14" x 6"	Brown Kickout Diverter LH Polypro	\$10.95	1 lb
A	W-PKORB 14" x 6"	Brown Kickout Diverter RH Polypro	\$10.95	1 lb
B	W-PKORBZ 14" x 6"	Bronze Kickout Diverter RH Polypro	\$10.95	1 lb
B	W-PKOLBZ 14" x 6"	Bronze Kickout Diverter LH Polypro	\$10.95	1 lb
C	W-PKORS 14" x 6"	Sand Kickout Diverter RH Polypro	\$10.95	1 lb
C	W-PKOLS 14" x 6"	Sand Kickout Diverter LH Polypro	\$10.95	1 lb
D	W-PKOLT 14" x 6"	Tan Kickout Diverter LH Polypro	\$10.95	1 lb
D	W-PKORT 14" x 6"	Tan Kickout Diverter RH Polypro	\$10.95	1 lb
E	W-PKOLG 14" x 6"	Gray Kickout Diverter LH Polypro	\$10.95	1 lb
E	W-PKORG 14" x 6"	Gray Kickout Diverter RH Polypro	\$10.95	1 lb
F	W-PKOLW 14" x 6"	White Kickout Diverter LH Polypro	\$10.95	1 lb
F	W-PKORW 14" x 6"	White Kickout Diverter RH Polypro	\$10.95	1 lb



2. Hammer Tackers and Staples

Use for fast attachment of AccuVent and building wraps. Single-handed grip for easy operations. Reliable and durable with no loose parts.

Kits

Part Code	Description	Contr Price	Approx Wt/Box
T-KHTR19	R19 Tacker and 1 box of 1/4" staples	\$28.95	2 lb
T-KHTR11	R11 Tacker and 2 boxes of staples 1/4" and 3/8"	\$53.50	3 lb

Tackers and staples available individually.



3. Tyvek® StuccoWrap® and Sheathing Tape

Tyvek® StuccoWrap® from DuPont® is designed and engineered for comfort, energy efficiency and protection from water and moisture damage.

Part Code	Qty/Skid	Size	Description	Contr Price	Approx Wt
NS W-TST	36	2" x 55 yd	Sheathing Tape	CALL	18 lb
W-TSW5	9	5' x 200'	StuccoWrap	CALL	144 lb

NS=Not shown.

4. Weather Trek EVD House Wrap

Weather Trek EVD housewrap is the perfect housewrap for EIFS and stucco construction.

Part Code	Qty/Skid	Size	Contr Price/Pc	Approx Wt/Box
W-WTK	36	5' x 200'	CALL	144 lb

5. Benjamin Obdyke Home Slicker® NEW!

Benjamin Obdyke Home Slicker® products block rain and moisture in new and reconstructed walls.

Part Code	Qty/Skid	Size	Description	Contr Price	Approx Wt
NS W-HSST	16	39"x61.5', 200 sq ft	Stone & Stucco Rainscreen 6 mil	\$137.45	16 lbs
NS W-HS10ST	16	39"x38.5', 125 sq ft	Stone & Stucco Rainscreen 10 mil	\$113.25	25 lbs
W-HSPT	16	39"x61.5', 200 sq ft	Plus Typar Rainscreen 6 mil	\$137.45	15 lbs
NS W-HS10PT	16	39"x38.5', 125 sq ft	Plus Typar Rainscreen 10 mil	\$113.25	15 lbs
NS W-HS	16	39"x46.5', 150 sq ft	Rainscreen 6 mil	\$88.05	10 lbs
NS W-HS10N	16	39"x38.5', 125 sq ft	Rainscreen 10 mil	\$86.30	8 lbs

NS=Not shown.

6. Benjamin Obdyke Blockade™ NEW!

The Blockade™ system blocks mortar from clogging the weep holes allowing moisture to flow freely out of the wall cavity.

Part Code	Qty/Skid	Size	Description	Contr Price	Approx Wt
W-BA80	16	50'x10"x.80"	80 Mortar Deflection .80" thick	\$37.50	5 lb
W-BA150	16	50'x10"x1.5"	80 Mortar Deflection 1.5" thick	\$56.35	4 lb

7. Insul-Knife™

Insul-Knife™ is one of those time-saving tools that you will wonder how you ever lived without. It is perfect for easily cutting all type of insulations including: eps foam, fiberglass, sponge foam and cotton fiber. It is an excellent tool for trimming unwanted excess foam insulation after it expands and cures.

Part Code	Description	Contr Price
W-INSULKIT	Multipurpose Insulation Knife Kit (Knife and Sharpener)	\$42.95
W-INSULS	Insulation Knife Sharpener	\$10.99

8. AccuVent® Venting Systems

AccuVent is an excellent attic ventilation system that allows you to insulate the entire outer wall of the home and is simply installed with only 6 staples. Sold only by the bundle.

Part Code	Description	Size	Contr Price
W-AVLG	Original AccuVent, 24" o.c.	50/bundle	CALL
W-AVSM	Original AccuVent, 16" o.c.	50/bundle	CALL
W-EAVLG	High Energy Extreme, 24" o.c.	50/bundle	CALL
W-EAVSM	High Energy Extreme, 16" o.c.	50/bundle	CALL
W-CSSLG	Cathedral Starter Strip, 24" o.c.	50/bundle	CALL
W-CSSSM	Cathedral Starter Strip, 16" o.c.	50/bundle	CALL
W-CCVLG	Cathedral Ceiling Vent Extension, 24" o.c.	50/bundle	CALL
W-CCVSM	Cathedral Ceiling Vent Extension, 16" o.c.	50/bundle	CALL
W-ABLG	AccuBlock, 24" o.c.	50/bundle	CALL
W-ABSM	AccuBlock, 16" o.c.	50/bundle	CALL