

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
A36	Standard Specification for Carbon Structural Steel	A36/A36M-05	ASTM site says A36/A36M-03a has been superseded by A36/A36M-05	3
A82	Standard Specification for Steel Wire, Plain, for Concrete Reinforcement	A82/A82M-05a	ASTM site says A82-02 has been superseded by A82/A82M-05a	14
A193	Standard Specification for Alloy-Steel and Stainless Steel Bolting Materials for High-Temperature Service	A193/A193M-05	ASTM site says A193/A193M-04c has been superseded by A193/A193M-05	1
A276	Standard Specification for Stainless Steel Bars and Shapes	A276-05a	ASTM site says A276-04 has been superseded by A276-05a	1
A653	Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process	A653/A653M-05a		29
A780	Standard Practice for Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings	A780-01	ASTM site says A780-00 has been superseded by A780-01	1
A820	Standard Specification for Steel Fibers for Fiber-Reinforced Concrete	A820/A820M-04	ASTM site says A820-01 has been superseded by A820/A820M-04	2
A924	Standard Specification for General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process	A924/A924M-04	ASTM site says A924/A924M-99 has been superseded by A924/A924M-04	9
A951	Standard Specification for Masonry Joint Reinforcement	A951-02	ASTM site says A951-00 has been superseded by A951-02	4
B117	Standard Practice for Operating Salt Spray (Fog) Apparatus	B117-03	ASTM site says B117-02 has been superseded by B117-03	2
B418	Standard Specification for Cast and Wrought Galvanic Zinc Anodes	B418-01	B418-95a(2000)e1	1
B633	Standard Specification for Electrodeposited Coatings of Zinc on Iron and Steel	B633-98e1	ASTM site says B633-98 has been superseded by B633-98e1	1
C1002	Standard Specification for Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs	C1002-04		22
C1017	Standard Specification for Chemical Admixtures for Use in Producing Flowing Concrete	C1017/C1017M-03	ASTM site says C1017/C1017M-98 has been superseded by C1017/C1017M-03	4

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C1042	Standard Test Method for Bond Strength of Latex Systems Used With Concrete By Slant Shear	C1042-99		6
C1047	Standard Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base	C1047-05	ASTM site says C1047-99(2004) has been superseded by 1047-05	7
C1059	Standard Specification for Latex Agents for Bonding Fresh to Hardened Concrete	C1059-99		30
C1071	Standard Specification for Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material)	C1071-05	ASTM site says C1071-00 has been superseded by C1071-05	8
C11	Standard Terminology Relating to Gypsum and Related Building Materials and Systems	C11-05	ASTM site says C11-03d has been superseded by C11-05	1
C1107	Standard Specification for Packaged Dry Hydraulic-Cement Grout (Nonshrink)	C1107-05		72
C1116	Standard Specification for Fiber-Reinforced Concrete and Shotcrete	C1116-03	ASTM site says C1116-02 has been superseded by C1116-03	10
C1157	Standard Performance Specification for Hydraulic Cement	C1157-03	ASTM site says C1157-02 has been superseded by C1157-03	3
C1177	Standard Specification for Glass Mat Gypsum Substrate for Use as Sheathing	C1177/C1177M-04e1	ASTM site says C1177/C1177M-04 has been superseded by C1177/C1177M-04e1	9
C1178	Standard Specification for Glass Mat Water-Resistant Gypsum Backing Panel	C1178/C1178M-04e1	ASTM site says C1178/C1178M-04 has been superseded by C1178/C1178M-04e1	1
C1187	Standard Guide for Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks	C1187-91(1999)		1
C1240	Standard Specification for Silica Fume Used in Cementitious Mixtures	C1240-05	ASTM site says C1240-04 has been superseded by C1240-05	6
C1278	Standard Specification for Fiber-Reinforced Gypsum Panel	C1278/C1278M-03e1	ASTM site says C1278/C1278M-03 has been superseded by C1278/C1278M-03e1	3
C1289	Standard Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board	C1289-05a		61

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C1290	Standard Specification for Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts	C1290-04	ASTM site says C1290-00e1 has been superseded by C1290-04	1
C1311	Standard Specification for Solvent Release Sealants	C1311-02	ASTM site says C1311-95 has been superseded by C1311-02	1
C1315	Standard Specification for Liquid membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete	C1315-03		49
C1325	Standard Specification for Non-Asbestos Fiber-Mat Reinforced Cement Substrate Sheets	C1325-04	ASTM site says C1325-99 has been superseded by C1325-04	2
C1328	Standard Specification for Plastic (Stucco) Cement	C1328-05	ASTM site says C1328-03a has been superseded by C1328-05	2
C1329	Standard Specification for Mortar Cement	C1329-05	ASTM site says C1329-04 has been superseded by C1329-05	5
C1330	Standard Specification for Cylindrical Sealant Backing for Use with Cold Liquid Applied Sealants	C1330-02	ASTM site says C1330-96 has been superseded by C1330-02	2
C135	Standard Test Method for True Specific Gravity of Refractory Materials by Water Immersion	C135-96(2003)	ASTM site says C135-96 has been superseded by C135-96(2003)	1
C136	Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates	C136-05	ASTM site says C136-01 has been superseded by C136-05	2
C1395	Specification for Gypsum Ceiling Board withdrawn, Withdrawn (2005) replaced by C1396/C1396M	WITHDRAWN STANDARD: C1395/C1395M-04e1	ASTM site says C1395/C1395M-04e1 has been withdrawn, replaced by C1396/C1396M	6
C1396	Standard Specification for Gypsum Board	C1396/C1396M-04		69
C140	Standard Test Methods for Sampling and Testing Concrete Masonry Units and Related Units	C140-05a	ASTM site says C140-03 has been superseded by C140-05a	1
C1480	Standard Specification for Packaged, Pre-Blended, Dry, Combined Materials for Use in Wet or Dry Shotcrete Application	C1480-00(2005)	ASTM site says C1480-00 has been superseded by C1480-00(2005)	2
C150	Standard Specification for Portland Cement	C150-05	ASTM site says C150-02a has been superseded by C150-05	9

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C156	Standard Test Method for Water Retention by Concrete Curing Materials	C156-05	ASTM site says C156-03 has been superseded by C156-05	1
C171	Standard Specification for Sheet Materials for Curing Concrete	C171-03	ASTM site says C171-97a has been superseded by C171-03	5
C206	Standard Specification for Finishing Hydrated Lime	C206-03	ASTM site says C206-84(1997) has been superseded by C206-03	1
C208	Standard Specification for Cellulosic Fiber Insulating Board	C208-95(2001)	ASTM site says C208-95 has been superseded by C208-95(2001)	6
C209	Standard Test Methods for Cellulosic Fiber Insulating Board	C209-98		1
C260	Standard Specification for Air-Entraining Admixtures for Concrete	C260-01		27
C270	Standard Specification for Mortar for Unit Masonry	C270-05a		16
C28	Standard Specification for Gypsum Plasters	C28/C28M-00(2005)	ASTM site says C28/C28M-00 has been superseded by C28/C28M-00(2005)	9
C309	Standard Specification for Liquid Membrane-Forming Compounds for Curing Concrete	C309-03		162
C33	Standard Specification for Concrete Aggregates	C33-03		1
C35	Standard Specification for Inorganic Aggregates for Use in Gypsum Plaster	C35-01(2005)	ASTM site says C35-01 has been superseded by C35-01(2005)	1
C36	Standard Specification for Gypsum Wallboard - WITHDRAWN, REPLACED WITH C1396/C1396M	WITHDRAWN 2005		49
C37	Standard Specification for Gypsum Lath (Withdrawn 2005) replaced by C1396/C1396M	WITHDRAWN STANDARD: C37/C37M-01e1		4
C387	Standard Specification for Packaged, Dry, Combined Materials for Mortar and Concrete	C387-04		15

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C39	Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens	C39/C39M-05	ASTM site says C39/C39M-04a has been superseded by C39/C39M-05	2
C442	Standard Specification for Gypsum Backing Board, Gypsum Coreboard, and Gypsum Shaftliner Board (Withdrawn 2005) Replaced by C1396/C1396M	WITHDRAWN STANDARD C442/C442M-04e1		10
C4479	Standard Specification for			3
C465	Standard Specification for Processing Additions for Use in the Manufacture of Hydraulic Cements	C465-99(2005)	ASTM site says C465-99 has been superseded by C465-99(2005)	4
C473	Standard Test Methods for Physical Testing of Gypsum Panel Products	C473-05	ASTM site says C473-03 has been superseded by C473-05	1
C475	Standard Specification for Joint Compound and Joint Tape for Finishing Gypsum Board	C475/C475M-02		48
C476	Standard Specification for Grout for Masonry	C476-02	ASTM site says C476-01 has been superseded by C476-02	2
C494	Standard Specification for Chemical Admixtures for Concrete	C494/C494M-05		153
C516	Standard Specification for Vermiculite Loose Fill Thermal Insulation	C516-02	ASTM site says C516-80(1996)e1 has been superseded by C516-02	1
C547	Standard Specification for Mineral Fiber Pipe Insulation	C547-03	ASTM site says C547-00 has been superseded by C547-03	3
C553	Standard Specification for Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications	C553-02		17
C557	Standard Specification for Adhesives for Fastening Gypsum Wallboard to Wood Framing	C557-03		10
C577	Standard Test Method for Permeability of Refractories	C577-99		1
C578	Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation	C578-05		42

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C587	Standard Specification for Gypsum Veneer Plaster	C587-04		11
C588	Standard Specification for Gypsum Base for Veneer Plasters (Withdrawn 2005) Replaced by C1396	WITHDRAWN STANDARD C588/C588M-03e1		13
C59	Standard Specification for Gypsum Casting Plaster and Gypsum Molding Plaster	C59/C59M-00		1
C595	Standard Specification for Blended Hydraulic Cements	C595-05	ASTM site says C595-03 has been superseded by C595-05	3
C61	Standard Specification for Gypsum Keene's Cement	C61/C61M-00		1
C612	Standard Specification for Mineral Fiber Block and Board Thermal Insulation	C612-04		16
C618	Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete	C618-05	ASTM site says C618-03 has been superseded by C618-05	8
C630	Standard Specification for Water-Resistant Gypsum Backing Board - WITHDRAWN 2005, REPLACED BY C1396/C1396M	C630/C630M-03e1		12
C635	Standard Specification for the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings	C635-04		13
C636	Standard Practice for Installation of Metal Ceiling Suspension Systems for Acoustical Tile and Lay-In Panels	C636-04	ASTM site says C636-03 has been superseded by C636-04	3
C645	Standard Specification for Nonstructural Steel Framing Members	C645-04a		19
C665	Standard Specification for Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing	C665-01e1		26
C67	Standard Test Methods for Sampling and Testing Brick and Structural Clay Tile	C67-05	ASTM site says C67-03a has been superseded by C67-05	1
C672	Standard Test Method for Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals	C672/C672M-03d	ASTM site says C672/C672M-03d has been superseded by C672/C672M-98e1	1

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C722	Standard Specification for Chemical-Resistant Monolithic Floor Surfacing	C722-04		4
C726	Standard Specification for Mineral Fiber Roof Insulation Board	C726-05	ASTM site says C726-00a has been superseded by C726-05	2
C728	Standard Specification for Perlite Thermal Insulation Board	C728-05		13
C758	Standard Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal	C758-04	ASTM site says C758-98 has been superseded by C758-04	1
C764	Standard Specification for Mineral Fiber Loose-Fill Thermal Insulation	C764-04	ASTM site says C764-02 has been superseded by C764-04	9
C79	Standard Specification for Gypsum Sheathing Board (Withdrawn 2005) Replaced by C1396/1396M	WITHDRAWN STANDARD: C79/C79M-04a		7
C795	Standard Specification for Thermal Insulation for Use in Contact with Austenitic Stainless Steel	C795-03	ASTM site says C795-92(1998)e1 has been superseded by C795-03	1
C834	Standard Specification for Latex Sealants	C834-05	ASTM site says C834-00e1 has been superseded by C834-05	12
C836	Standard Specification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course	C836-05		11
C837	Standard Test Method for Methylene Blue Index of Clay	C837-99(2003)	ASTM site says C837-99 has been superseded by C837-99(2003)	1
C842	Standard Specification for Application of Interior Gypsum Plaster	C842-05	ASTM site says C842-99 has been superseded by C842-05	1
C847	Standard Specification for Metal Lath	C847-04		15
C869	Standard Specification for Foaming Agents Used in Making Preformed Foam for Cellular Concrete	C869-91(1999)		1
C881	Standard Specification for Epoxy-Resin Base Bonding Systems for Concrete	C881/C881M-02		212

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C887	Standard Specification for Packaged, Dry, Combined Materials for Surface Bonding Mortar	C887-05	ASTM site says C887-79a(2001) has been superseded by C887-05	3
C90	Standard Specification for Loadbearing Concrete Masonry Units	C90-05a	ASTM site says C90-03 has been superseded by C90-05a	4
C91	Standard Specification for Masonry Cement	C91-05	ASTM site says C91-03a has been superseded by C91-05	10
C919	Standard Practice for Use of Sealants in Acoustical Applications	C919-02	ASTM site says C919-98 has been superseded by C919-02	1
C920	Standard Specification for Elastomeric Joint Sealants	C920-05		138
C926	Standard Specification for Application of Portland Cement-Based Plaster	C926-98a(2005)	ASTM site says C926-98a has been superseded by C926-98a(2005)	5
C928	Standard Specification for Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs	C928-05		51
C931	Standard Specification for Exterior Gypsum Soffit Board (Withdrawn 2005) Replaced by C1396/C1396M	WITHDRAWN STANDARD: C931/C931M-04e1		8
C932	Standard Specification for Surface-Applied Bonding Compounds for Exterior Plastering	C932-05	ASTM site says C932-98a has been superseded by C932-05	3
C936	Standard Specification for Solid Concrete Interlocking Paving Units	C936-01	ASTM site says C936-96 has been superseded by C936-01	8
C946	Standard Practice for Construction of Dry-Stacked, Surface-Bonded Walls	C946-91(2001)	ASTM site say has been C946-91(1996)e1 superseded by C946-91(2001)	1
C957	Standard Specification for High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Integral Wearing Surface	C957-05		21
C960	Standard Specification for Predecorated Gypsum Board (Withdrawn 2005) replaced by C1396/C1396M	WITHDRAWN STANDARD: C960/C960M-04	ASTM site says C960/C960M-04 has been withdrawn, replaced by C1396/C1396M	4
C979	Standard Specification for Pigments for Integrally Colored Concrete	C979-05	ASTM site says C979-99 has been superseded by C979-05	6

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
C991	Standard Specification for Flexible Glass Fiber Insulation for Metal Buildings	C991-03	ASTM site says C991-00 has been superseded by C991-03	4
D1056	Standard Specification for Flexible Cellular Materials-Sponge or Expanded Rubber	D1056-00		6
D1187	Standard Specification for Asphalt-Base Emulsions for Use as Protective Coatings for Metal	D1187-97(2002)e1	ASTM site says D1187-97 has been superseded by D1187-97(2002)e1	6
D1190	Standard Specification for Concrete Joint Sealer, Hot-Applied Elastic Type (Withdrawn 2002) replaced by D6690	WITHDRAWN STANDARD: D1190-97	ASTM site says D1190-97 has been withdrawn, replaced by D6690	6
D1227	Standard Specification for Emulsified Asphalt Used as a Protective Coating for Roofing	D1227-95(2000)		39
D1668	Standard Specification for Glass Fabrics (Woven and Treated) for Roofing and Waterproofing	D1668-97a		5
D1688	Standard Test Methods for Copper in Water	D1688-02	ASTM site says D1688-95 has been superseded by D1688-02	2
D1751	Standard Specification for Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types)	D1751-04	ASTM site says D1751-99 has been superseded by D1751-04	5
D1752	Standard Specification for Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction	D1752-04a	ASTM site says D1752-04 has been superseded by D1752-04a	4
D1784	Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds	D1784-03	ASTM site says D1784-99ae1 has been superseded by D1784-03	4
D1970	Standard Specification for Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection	D1970-01		25
D2000	Standard Classification System for Rubber Products in Automotive Applications	D2000-05	ASTM site says D2000-03a has been superseded by D4689-D2000-05	3
D2028	Standard Specification for Cutback Asphalt (Rapid-Curing Type)	D2028-97(2004)	ASTM site says D2028-97 has been superseded by D2028-97(2004)	1
D2178	Standard Specification for Asphalt Glass Felt used in Roofing and Waterproofing	D2178-04		32

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
D225	Standard Specification for Asphalt Shingles (Organic Felt) Surfaced With Mineral Granules	D225-04	ASTM site says D225-03 has been superseded by D225-04	5
D226	Standard Specification for Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing	D226-05		17
D228	Standard Test Methods for Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing	D228-05b	ASTM site says D228-03a has been superseded by D228-05b	7
D2287	Standard Specification for Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds	D2287-96(2001)	ASTM site says D2287-96 has been superseded by D2287-96(2001)	1
D235	Standard Specification for Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent)	D235-02	ASTM site says D235-99 has been superseded by D235-02	1
D249	Standard Specification for Asphalt Roll Roofing (Organic Felt) Surfaced with Mineral Granules (Withdrawn 2002) replaced by D6380	WITHDRAWN STANDARD: D249-89(1996)		2
D260	Standard Specification for Boiled Linseed Oil	D260-86(2001)	ASTM site says D260-86(1995)e1 has been superseded by D260-86(2001)	1
D2626	Standard Specification for Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing	D2626-04	ASTM site says D2626-97b has been superseded by D2626-06	3
D2822	Standard Specification for Asphalt Roof Cement	D2822-05	ASTM site says D2822-91(1997)e1 has been superseded by D2822-05	9
D2823	Standard Specification for Asphalt Roof Coatings	D2823-05	ASTM site says D2823-90(1997)e1 has been superseded by D2823-05	1
D2824	Standard Specification for Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, Asbestos Fibered, and Fibered without Asbestos	D2824-04		47
D2939	Standard Test Methods for Emulsified Bitumens Used as Protective Coatings	D2939-03	ASTM site says D2939-98 has been superseded by D2939-03	4
D3018	Standard Specification for Class A Asphalt Shingles Surfaced with Mineral Granules	D3018-03		57
D3019	Standard Specification for Lap Cement Used with Asphalt Roll Roofing, Non Fibered, and Non Asbestos Fibered	D3019-94(2000)e1		31

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
D3034	Standard Specification for Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings	D3034-04a	ASTM site says D3034-04 has been superseded by D3034-04a	1
D312	Standard Specification for Asphalt Used in Roofing	D312-00		9
D3161	Standard Test Method for Wind-Resistance of Asphalt Shingles (Fan-Induced Method)	D3161-03b		14
D3273	Standard Test Method for Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber	D3273-00		1
D3320	Standard Specification for Emulsified Coal-Tar Pitch (Mineral Colloid Type)	D3320-00(2004)e1	ASTM site says D3320-00 has been superseded by D3320-00(2004)e1	4
D3405	Standard Specification for Joint Sealants, Hot-Applied, for Concrete and Asphalt Pavements (Withdrawn 2002) replaced by D6690	WITHDRAWN STANDARD: D3405-97	ASTM site says D3405 has been withdrawn, replaced by D6690	4
D3409	Standard Test Method for Adhesion of Asphalt-Roof Cement to Damp, Wet, or Underwater Surfaces	D3409-93(2002)e1	ASTM site says D3409-93(2002) has been superseded by D3409-93(2002)e1	5
D3462	Standard Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules	D3462-05		63
D3498	Standard Specification for Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems	D3498-03	ASTM site says D3498-01 has been superseded by D3498-03	7
D3679	Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Siding	D3679-05		31
D3909	Standard Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules	D3909-97b(2004)e1		20
D3963	Standard Specification for Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars	D3963/D3963M-01	ASTM site says D3963/D3963M-00a has been superseded by D3963/D3963M-01	1
D4022	Standard Specification for Coal Tar Roof Cement, Asbestos Containing	D4022-94(2000)e1		1
D41	Standard Specification for Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing	D41-05		20

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
D4236	Standard Practice for Labeling Art Materials for Chronic Health Hazards	D4236-94(2005)	ASTM site says D4236-94(2001) has been superseded by D4236-94(2005)	7
D4434	Standard Specification for Poly(Vinyl Chloride) Sheet Roofing	D4434-04	ASTM site says D4434-96 has been superseded by D4434-04	1
D4477	Standard Specification for Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit	D4477-04a	ASTM site says D4477-04 has been superseded by D4477-04a	3
D4479	Standard Specification for Asphalt Roof Coatings - Asbestos-Free	D4479-00		20
D448	Standard Classification for Sizes of Aggregate for Road and Bridge Construction	D448-03a	ASTM site says D448-03 has been superseded by D448-03a	1
D449	Standard Specification for Asphalt Used in Dampproofing and Waterproofing	D449-03	ASTM site says D449-89(1999)e1 has been superseded by D449-03	2
D4551	Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane	D4551-96(2001)	ASTM site says D4551-96 has been superseded by D4551-96(2001)	4
D4586	Standard Specification for Asphalt Roof Cement, Asbestos-Free	D4586-00		70
D4601	Standard Specification for Asphalt-Coated Glass Fiber Base Sheet Used in Roofing	D4601-04		47
D4637	Standard Specification for EPDM Sheet Used In Single-Ply Roof Membrane	D4637-04	ASTM site says D4637-03 has been superseded by D4637-04	10
D4689	Standard Specification for Adhesive, Casein-Type	D4689-99(2005)	ASTM site says D4689-99 has been superseded by D4689-99(2005)	2
D4869	Standard Specification for Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing	D4869-05	ASTM site says D4869-04 has been superseded by D4869-05	3
D4897	Standard Specification for Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing	D4897-01	ASTM site says D4897-98 has been superseded by D4897-01	8
D490	Standard Specification for Road Tar	D490-92(2005)	ASTM site says D490-92(2001) has been superseded by D490-92(2005)	1

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
D494	Standard Test Method for Acetone Extraction of Phenolic Molded or Laminated Products	D494-04		2
D5078	Standard Specification for Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements	D5078-95(2000)		1
D5147	Standard Test Methods for Sampling and Testing Modified Bituminous Sheet Material	D5147-05	ASTM site says D5147-02ae1 has been superseded by D5147-05	1
D5239	Standard Practice for Characterizing Fly Ash for Use in Soil Stabilization	D5239-04	ASTM site says D5239-98 has been superseded by D5239-04	6
D5249	Standard Specification for Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints	D5249-95(2000)		2
D5411	Standard Practice for Calculation of Average Energy Per Disintegration (E) for a Mixture of Radionuclides in Reactor Coolant	D5411-05	ASTM site says D5411-93(2005)e1 has been superseded by D5411-05	1
D5665	Standard Specification for Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing	D5665-99a		1
D6083	Standard Specification for Liquid Applied Acrylic Coating Used in Roofing	D6083-05e1		28
D6152	Standard Specification for SEBS-Modified Mopping Asphalt Used in Roofing	D6152-99(2005)	ASTM site says D6152-99 has been superseded by D6152-99(2005)	6
D6162	Standard Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements	D6162-00a		8
D6163	Standard Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements	D6163-00e1		28
D6164	Standard Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements	D6164-05		68
D6221	Standard Specification for Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing	D6221-00		3
D6222	Standard Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements	D6222-02e1		45

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
D6223	Standard Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements	D6223-02e1		17
D6298	Standard Specification for Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface	D6298-05	ASTM site says D6298-00 has been superseded by D6298-05	6
D6380	Standard Specification for Asphalt Roll Roofing (Organic Felt)	D6380-03	ASTM site says D6380-01 has been superseded by D6380-03	2
D6506	Standard Specification for Asphalt Based Protection for Below-Grade Waterproofing	D6506-01		2
D6509	Standard Specification for Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements	D6509-00		5
D6511	Standard Test Methods for Solvent Bearing Bituminous Compounds	D6511-00		3
D6662	Standard Specification for Polyolefin-Based Plastic Lumber Decking Boards	D6662-01		1
D6690	Standard Specification for Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements	D6690-01		5
D6757	Standard Specification for Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing	D6757-05	ASTM site says D6757-04 has been superseded by D6757-05	1
D6830	Standard Test Method for Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media	D6830-02		1
D6878	Standard Specification for Thermoplastic Polyolefin Based Sheet Roofing	D6878-03		1
D962	Standard Specification for Aluminum Powder and Paste Pigments for Paints	D962-81(2003)	ASTM site says D962-81(1999) has been superseded by D962-81(2003)	1
D994	Standard Specification for Preformed Expansion Joint Filler for Concrete (Bituminous Type)	D994-98(2003)	ASTM site says D994-98 has been superseded by D994-98(2003)	1
E108	Standard Test Methods for Fire Tests of Roof Coverings	E108-05		40

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
E1264	Standard Classification for Acoustical Ceiling Products	E1264-98(2005)	ASTM site says E1264-98 has been superseded by E1264-98(2005)	127
E136	Standard Test Method for Behavior of Materials in a Vertical Tube Furnace at 750oC	E136-04	ASTM site says E136-99e1 has been superseded by E136-04	1
E1677	Standard Specification for an Air Retarder (AR) Material or System for Low-Rise Framed Building Walls	E1677-05	ASTM site says E1677-95(2000) has been superseded by E1677-05	1
E1745	Standard Specification for Water Vapor Retarders used in Contact with Soil or Granular Fill under Concrete Slabs	E1745-97(2004)		19
E1993	Standard Specification for Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs	E1993-98(2002)e1	ASTM site says E1993-98(2002) has been superseded by E1993-98(2002)e1	1
E695	Standard Method for Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading	E695-03	ASTM site says E695-79(1997)e1 has been superseded by E695-03	1
E795	Standard Practices for Mounting Test Specimens During Sound Absorption Tests	E795-05	ASTM site says E795-00 has been superseded by E795-05	1
E814	Standard Test Method for Fire Tests of Through-Penetration Fire Stops	E814-02	ASTM site says E814-00 has been superseded by E814-02	3
E84	Standard Test Method for Surface Burning Characteristics of Building Materials	E84-05e1	ASTM site says E84-03b has been superseded by E84-05e1	7
E90	Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements	E90-04	ASTM site says E90-04 has been superseded by E90-02	1
F628	Standard Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core	F628-01	ASTM site says F628-00 has been superseded by F628-01	1
F891	Standard Specification for Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core	F891-04	ASTM site says F891-00 has been superseded by F891-04	1
G21	Standard Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi	G21-96(2002)	ASTM site says G21-96 has been superseded by G21-96(2002)	2
G31	Standard Practice for Laboratory Immersion Corrosion Testing of Metals	G31-72(2004)	ASTM site says G31-72(1999) has been superseded by G31-72(2004)	1

ASTM	DESCRIPTION	ASTM.org Active Standards December 31, 2005.	COMMENTS	# of BuildSite Products
G60	Standard Practice for Conducting Cyclic Humidity Exposures	G60-01	ASTM site says G60-95 has been superseded by G60	2