




Surface Water Management



2025

Product Price List

ACO Sport

Effective January 1, 2025


Type 4010 Constant Depth Channel - 39.37" (1 m)




System 4000 Parts

	Part No.	Price \$	Weight lbs	Pallet Qty
Type 4002 Constant Depth Channel - 39.37" (1 m)	06562	55.00	32.9	28
Type 4000-1 Sloped Channel - 39.37" (1 m)	138001	77.00	32.0	28
Type 4000-2 Sloped Channel - 39.37" (1 m)	138002	77.00	32.9	28
Type 4000-3 Sloped Channel - 39.37" (1 m)	138003	77.00	33.8	28
Type 4000-4 Sloped Channel - 39.37" (1 m)	138004	77.00	34.7	28
Type 4000-5 Sloped Channel - 39.37" (1 m)	138005	77.00	35.6	28
Type 4000-6 Sloped Channel - 39.37" (1 m)	138006	77.00	36.5	28
Type 4000-7 Sloped Channel - 39.37" (1 m)	138007	77.00	37.4	28
Type 4000-8 Sloped Channel - 39.37" (1 m)	138008	77.00	38.3	28
Type 4000-9 Sloped Channel - 39.37" (1 m)	138009	77.00	39.2	28
Type 4010 Constant Depth Channel - 39.37" (1 m)	06561	64.00	40.1	28
Type 4000-0103 Constant Depth Channel - 19.69" (0.5 m) ¹	138033	43.00	23.0	56
Type 4000-10 Sloped Channel - 39.37" (1 m)	138010	77.00	40.1	28
Type 4000-11 Sloped Channel - 39.37" (1 m)	138011	77.00	41.0	28
Type 4000-12 Sloped Channel - 39.37" (1 m)	138012	77.00	41.9	28
Type 4000-13 Sloped Channel - 39.37" (1 m)	138013	77.00	42.8	28
Type 4000-14 Sloped Channel - 39.37" (1 m)	138014	77.00	43.7	28
Type 4000-15 Sloped Channel - 39.37" (1 m)	138015	77.00	44.6	28
Type 4000-16 Sloped Channel - 39.37" (1 m)	138016	77.00	45.5	28
Type 4000-17 Sloped Channel - 39.37" (1 m)	138017	77.00	46.4	28
Type 4000-18 Sloped Channel - 39.37" (1 m)	138018	77.00	47.3	28
Type 4000-19 Sloped Channel - 39.37" (1 m)	138019	77.00	48.2	28
Type 4020 Constant Depth Channel - 39.37" (1 m)	06563	77.00	49.1	28
Type 4000-0203 Constant Depth Channel - 19.69" (0.5 m) ¹	138035	43.00	26.0	56
Type 4000-20 Sloped Channel - 39.37" (1 m)	138020	77.00	49.1	28
Type 4000-21 Sloped Channel - 39.37" (1 m)	138021	77.00	50.0	28
Type 4000-22 Sloped Channel - 39.37" (1 m)	138022	77.00	50.9	28
Type 4000-23 Sloped Channel - 39.37" (1 m)	138023	77.00	51.8	28
Type 4000-24 Sloped Channel - 39.37" (1 m)	138024	77.00	52.7	28
Type 4000-25 Sloped Channel - 39.37" (1 m)	138025	77.00	53.6	28
Type 4000-26 Sloped Channel - 39.37" (1 m)	138026	77.00	54.5	28
Type 4000-27 Sloped Channel - 39.37" (1 m)	138027	77.00	55.6	28
Type 4000-28 Sloped Channel - 39.37" (1 m)	138028	77.00	56.5	28
Type 4000-29 Sloped Channel - 39.37" (1 m)	138029	77.00	57.4	28
Type 4030 Constant Depth Channel - 39.37" (1 m)	138036	77.00	58.0	28
Type 4000-0303 Constant Depth Channel - 19.69" (0.5 m) ¹	138037	43.00	31.0	56
Type 4000-30 Sloped Channel - 39.37" (1 m)	138030	77.00	59.2	28
Closing End Cap	137090	13.00	4.5	-
108-4 4" Outlet Cap	137092	20.00	2.0	-
208-4 4" Outlet Cap	137094	20.00	2.6	-
208-6 6" Outlet Cap	137095	46.00	2.6	-
308-4 4" Outlet Cap	137097	20.00	3.3	-
308-6 6" Outlet Cap	137098	46.00	3.3	-
104-4 Inlet Cap with 4" SCH 40 pipe	137091	31.00	2.6	-
204-4 Inlet Cap with 4" SCH 40 pipe	137093	31.00	3.7	-
204-6 Inlet End Cap with 6" SCH 35 pipe	137099	65.00	3.3	-
In-Line Catch Basin - 19.69" (0.5 m)	05620	121.00	62.0	12
Plastic Catch Basin Trash Bucket	01498	42.00	1.1	-
Installation Device - 4" System	97477	20.00	2.8	-
Removable QuickLok® Bar for Catch Basin	98717	25.00	0.3	-
ACO Seal Polymer Concrete Sealant (10 oz tube)	91120	14.00	1.0	-
SAFETY EDGE CHANNELS & CATCH BASIN				
Type SE4002 Constant Depth Channel - 39.37" (1 m)*	06564	80.00	49.1	28
Type SE4010 Constant Depth Channel - 39.37" (1 m)*	06565	85.00	62.0	12
Type SE4020 Constant Depth Channel - 39.37" (1 m)*	06566	91.00	49.1	28
SE In-Line Catch Basin - 19.69" (0.5 m)*	06567	129.00	62.0	12
QUICKLOK® GRATES & ACCESSORIES				
Galvanized Slotted Grate - 39.37" (1 m) ²	31530	37.00	5.9	200
Galvanized Slotted Grate - 19.69" (0.5 m) ²	31531	18.00	3.0	100
Black Plastic Longitudinal Grate - 19.69" (0.5 m) ^{2,3}	97393	18.00	1.8	400
Gray Plastic Longitudinal Grate - 19.69" (0.5 m) ^{2,3}	97385	18.00	1.8	400
QuickLok® Locking Bar	02899	6.00	0.1	-
QuickLok® Grate Removal Tool	01318	20.00	0.3	-

Galvanized Slotted Grate



Black Plastic Longitudinal Grate



1. Bottom knockouts on 0.5 m channels only.
 2. Load Class A: 3,372 lbs - 116 psi; EN 1433 : 2002 Drainage channels for vehicular and pedestrian areas
 3. ADA compliant: The Americans with Disabilities Act of 2010, Section 302.3: Where grates are used within walking surfaces, the open slots should be no greater than 0.5" (12.7 mm) wide in one direction. Where the length of the slot is greater than 0.5", the opening should run perpendicular to the main direction of traffic.
- * These special products are made to order with variable lead time. Please contact ACO for product-specific information.


Straight Channel -
39.37" (1 m)



Straight Channel -
39.37" (1 m)



Straight 2.0" Wide
(Black Rubber)



System 2000 Parts

	Part No.	Price \$	Weight lbs	Pallet Qty
Straight Channel - 39.37" (1 m)	00784	110.00	66.0	28
Radius Channel - 39.37" (1 m)	00786	110.00	66.0	28
In-Line Catch Basin - 19.69" (0.5 m)	05620	121.00	62.0	12
Polymer Concrete Catch Basin Cover	00788	30.00	9.0	-
Plastic Catch Basin Trash Bucket	01498	42.00	1.1	-
Dia. 6" Outlet Pipe Oval Adapter for Catch Basin	95140	22.00	1.1	-
Installation Device - 4" System	97477	20.00	2.8	-
ACO Seal Polymer Concrete Sealant (10 oz tube)	91120	14.00	1.0	-

System 3000 Parts

	Part No.	Price \$	Weight lbs	Pallet Qty
Straight Channel - 39.37" (1 m)	05657	75.00	43.0	42
Radius Channel - 39.37" (1 m)	05658	75.00	43.0	42
In-Line Catch Basin - 21.75" (0.552 m)	05625	116.00	62.0	12
Polymer Concrete Catch Basin Cover	05661	29.00	9.0	-
Plastic Catch Basin Trash Bucket	01498	42.00	1.1	-
Installation device - 4" System	97477	20.00	2.8	-
ACO Seal Polymer Concrete Sealant (10 oz tube)	91120	14.00	1.0	-

System 7200 Sand Trap

	Part No.	Price \$	Length in (mm)	Overall Depth in (mm)	Weight lbs	Pallet Qty
Sand Trap	02739	110.00	39.37 (1000)	5.7 (145)	72.8	-
Metal Grate & Rubber Mat	01453	265.00	39.37 (1000)	1.9 (48)	32.0	-
End Cap	02740	43.00	19.69 (500)	6.8 (200)	12.0	-

System 7100 Safety Curb

	Part No.	Price \$	Length in (mm)	Overall Depth in (mm)	Weight lbs	Pallet Qty
Straight 2.0" Wide (black rubber)	00960	76.00	39.37 (1000)	9.80 (249)	31.8	48
Corner 2.0" Wide (black rubber)	01041	76.00	11.8 (300)	9.80 (249)	17.0	-

System 7310 High School Jump Pits

	Part No.	Price \$	Internal Size (m x m)	Weight lbs	Pallet Qty
OPTION A: FLUSH END					
Jump Pit System (curbs, sand traps & covers) Flush End - Black	91021	21,807.00	3 x 6.5	3,998.0	-
OPTION B: WRAP-AROUND					
Jump Pit System (curbs, sand traps & covers) Wrap-Around - Black	91008	22,348.00	3 x 6.5	4,318.0	-
OPTION C: CURB & COVER					
Jump Pit System (curbs, & covers) - Black	91023	14,196.00	3 x 6.5	2,215.0	-

System 7320 College (NCAA) Jump Pits

	Part No.	Price \$	Internal Size (m x m)	Weight lbs	Pallet Qty
OPTION A: FLUSH END					
Jump Pit System (curbs, sand traps & covers) Flush End - Black	91032	24,520.00	3 x 7.5	4,433.0	-
OPTION B: WRAP-AROUND					
Jump Pit System (curbs, sand traps & covers) Wrap-Around - Black	91045	25,115.00	3 x 7.5	4,791.0	-
OPTION C: CURB & COVER					
Jump Pit System (curbs, & covers) - Black	91027	16,945.00	3 x 7.5	2,475.0	-

System 7330 International (IAAF) Jump Pits

	Part No.	Price \$	Internal Size (m x m)	Weight lbs	Pallet Qty
OPTION A: FLUSH END					
Jump Pit System (curbs, sand traps & covers) Flush End - Black	91017	27,342.00	3 x 8.5	4,906.0	-
OPTION B: WRAP-AROUND					
Jump Pit System (curbs, sand traps & covers) Wrap-Around - Black	91028	27,882.00	3 x 8.5	5,264.0	-
OPTION C: CURB & COVER					
Jump Pit System (curbs, & covers) - Black	91036	18,864.00	3 x 8.5	2,735.0	-

System 7300 Accessories

	Part No.	Price \$	Internal Size (m x m)	Weight lbs	Pallet Qty
Jump Pit System Assembly Kit	91046	496.00	-	48.5	-
Sand Pit Aluminum Cover	91035	1,654.00	-	55.0	-

Complete Systems	Price \$/ft	Price \$/m
SYSTEM 4000 COMPLETE SYSTEM		
4002 Channel with Galvanized Slotted Grate	30.34	99.50
4002 Channel with Plastic Grate	30.03	98.50
4010 Channel with Galvanized Slotted Grate	32.93	108.00
4010 Channel with Plastic Grate	32.62	107.00
4020 Channel with Galvanized Slotted Grate	36.74	120.50
4020 Channel with Plastic Grate	36.43	119.50
4000 Sloping Channel with Galvanized Slotted Grate	36.74	120.50
4000 Sloping Channel with Plastic Grate	36.43	119.50
SE4020 Safety Edge Channel with Galvanized Slotted Grate	40.70	133.50
SE4020 Safety Edge Channel with Plastic Grate	40.40	132.50
SE4010 Safety Edge Channel with Galvanized Slotted Grate	39.02	128.00
SE4010 Safety Edge Channel with Plastic Grate	38.72	127.00
SE4002 Safety Edge Channel with Galvanized Slotted Grate	37.50	123.00
SE4002 Safety Edge Channel with Plastic Grate	37.20	122.00
SYSTEM 2000 COMPLETE SYSTEM		
Straight/Radius Channel - 39.37" (1 m)	32.01	105.00
SYSTEM 3000 COMPLETE SYSTEM		
Straight/Radius Channel - 39.37" (1 m)	21.80	71.50
SYSTEM 7100 COMPLETE SYSTEM		
2.0" Wide	22.10	72.50

ACO Terms & Conditions

PAYMENT - All pricing is in U.S. Dollars.

TERMS - Net 30 days from date of invoice. A service charge of 1.5% per month will be charged on all invoices unpaid 30 days after invoice date (equal to 18% annually).

FREIGHT - F.O.B. ACO

PRODUCT AVAILABILITY - Call Customer Service for current stock availability and lead times.

MISSING MATERIAL - Missing material must be reported to ACO's Customer Service Department within 48 hours of receipt of shipment.

DAMAGED MATERIAL - Damaged material must be noted on the bill of lading at final destination point. The receiver must file a freight claim with the carrier. ACO is not responsible for material damaged in transit.

TAXES - All State and Federal taxes are additional.

CHANGES - ACO, Inc. reserves the right to change prices, design, and materials of any products listed at any time.

RETURNS - Returned materials are subject to a 25% restocking charge. Prior return authorization (RGA) must be obtained from ACO before any material is shipped. Returned materials are subject to the following conditions:

- Items returned in a condition that does not allow for refurbish and resale will not be credited.
- Material must be returned to ACO within 30 days of receipt of RGA.
- All freight costs are the responsibility of those returning the material.
- All non-standard and fabricated material cannot be returned for credit.



Full ACO, Inc. Terms
and Conditions of Sale

ACO, Inc.

West Sales Office
825 W. Beechcraft Street
Casa Grande, AZ 85122
Tel: (520) 421-9988
Toll-Free: (888) 490-9552
Fax: (520) 421-9899

Northeast Sales Office
9470 Pinecone Drive
Mentor, OH 44060
Tel: (440) 639-7230
Toll-Free: (800) 543-4764
Fax: (440) 639-7235

Southeast Sales Office
481 Munn Road
Suite 225
Fort Mill, SC 29715
Toll-Free: (800) 543-4764
Fax: (803) 802-1063

info@acousa.com
www.acoswm.com

© January 2025 ACO, Inc.

All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice.

Print SP_PL2025_01

ACO. we care for water

