

## RXT 395 Single Ply Primer

### SECTION 1: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME:	ROOF X TENDER RXT 395 Single Ply Primer	Distributed By:	TRI-BUILT® Materials Group, LLC
CHEMICAL NAME:	Acrylic		
MANUFACTURER:	Gardner Asphalt Corporation	ADDRESS:	P.O. Box 70, Rutherford, NJ 07070
ADDRESS:	P.O. Box 5449	PHONE:	1-800-516-1485
PHONE:	Tampa, Florida 33675-5449	INTERNET:	www.tribuiltmaterialsgroup.com
EMERGENCY PHONE:	800-424-9300 CHEMTREC		
EFFECTIVE DATE:	10/12/2015		
Signature of Preparer:	W. Rammacher / Allied Building Products Corp.		

### SECTION 2: HAZARDS IDENTIFICATION

INGREDIENT	PERCENT	TLV PPM	PEL-TWA PPM
ACRYLIC/EPOXY COPOLYMER CAS # - MIXTURE	>35	ND	ND
SILICA CAS# - 7631-86-9	<1.0	ND	ND
PROPYLENE GLYCOL CAS# - 57-55-6	<1.0	ND	ND
2-AMINO METHYL PROPANOL CAS# - 124-68-5	<1.0	ND	ND

ND = NO DATA

### SECTION III – PHYSICAL DATA

BOILING RANGE: 212 °F	VAPOR DENSITY: HEAVIER THAN AIR
VAPOR PRESSURE: .1mm @ 68°F	Appearance: White Odor: Slight
EVAPORATION RATE: SLOWER THAN ETHER	PERCENT VOLATILE BY VOLUME 54 %
SOLUBILITY IN WATER: 100%	PHYSICAL STATE: Liquid
	WEIGHT PER GALLON 8.70 LBS
	Ph: 8.4

### SECTION IV – FIRE AND EXPLOSION HAZARD DATA

FLASH POINT = 247 F EXPLOSION HAZARD: Not Applicable

**EXTINGUISHING MEDIA-** CARBON DIOXIDE, FOAM, & DRY CHEMICAL

**UNUSUAL FIRE AND EXPLOSION HAZARDS-** CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. PRODUCTS OF COMBUSTION MAY BE TOXIC

**SPECIAL FIRE FIGHTING PROCEDURES-** WEAR SELF CONTAINED BREATHING APPARATUS. WATER MAY BE USED TO COOL CLOSED CONTAINERS. HIGH PRESSURE STREAM WILL SPREAD FIRE.

### SECTION V – REACTIVITY DATA

STABILITY: STABLE CONDITIONS TO AVOID: STORE AWAY FROM STRONG OXIDIZING MATERIALS.  
 PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE IN A COOL, DRY PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM FREEZING.  
 HAZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES AND TRACES OF INCOMPLETELY BURNED CARBON COMPOUNDS.  
 HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

## SECTION VI-HEALTH HAZARD DATA

---

### **EFFECTS OF OVEREXPOSURE:**

#### **ACUTE EFFECTS:**

SKIN: May cause slight irritation to sensitive skin.

INHALATION: Overexposure may cause dizziness

INGESTION: May cause nausea, consult physician immediately.

#### **CHRONIC EXPOSURE EFFECTS:**

SKIN: No known applicable information

INHALATION: No known applicable information

INGESTION: None known.

#### **EMERGENCY FIRST AID PROCEDURE**

EYES: Flush with clean, room temperature water for 15 minutes. Get medical attention if irritation persists.

SKIN: Wash with soap and water or waterless cleanser. Get medical attention if irritation develops or persists.

INHALATION: If symptoms develop, move to fresh air.

INGESTION: Do not induce vomiting. If symptoms develop, seek medical advice from a physician. No ingredient in this product is an IRAC, NTP or OSHA listed carcinogen.

---

## SECTION VII – SPILL OR LEAK PROCEDURES

---

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Observe all personal protection equipment recommendations described in Section VIII. Wipe up or scrape up and contain for disposal. Final cleaning may require use of hot water and/or detergents. Dispose of saturated absorbent or cleaning materials appropriately

**WASTE DISPOSAL METHOD:** Dispose of unused material in accordance with Federal, State, and Local Regulations.

---

## SECTION VIII – SPECIAL PROTECTION INFORMATION

---

**RESPIRATORY PROTECTION:** Use with adequate ventilation.

SKIN PROTECTION: Protective gloves are recommended for prolonged exposure.

EYE PROTECTION: Safety glasses with side shields.

OTHER PROTECTIVE EQUIPMENT: None required.

OTHER PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM FREEZING.

---

## SECTION IX – REGULATORY INFORMATION

---

**DOT CATEGORY:** NOT REGULATED

**TSCA STATUS:** ALL CHEMICAL SUBSTANCES IN THIS MATERIAL ARE INCLUDED ON OR EXEMPTED FROM LISTING ON THE TSCA INVENTORY OF CHEMICAL SUBSTANCES.

**CALIF. PROP. 65 • CHEMICAL WARNING** (CALIFORNIA HEALTH AND SAFETY CODE #25249.5 ET SEQ).

**WARNING:** This product contains chemicals known to the State of California to cause cancer, birth defects or reproductive harm.

### **Hazardous Materials Identification System (HMIS)**

Health	Flammability	Reactivity	Personal Protection
1	1	0	B

Prepared By:  
Israel Gutman