

MATERIAL SAFETY DATA SHEET
FOR COATINGS, RESINS AND RELATED MATERIALS

Date Issued 10/26/10

SECTION I – PRODUCT INFORMATION

MANUFACTURER'S NAME

TRIBUILT – DISTRIBUTED BY ALLIED BUILDING PRODUCTS

STREET ADDRESS

15 EAST UNION AVENUE

CITY, STATE, AND ZIP CODE

EAST RUTHERFORD, NJ 07073

EMERGENCY TELEPHONE NUMBER

1-800-424-9300 CHEMTREC

TRADE NAME

RXT WHITE, RXT BLACK, RXT FLEECE

PRODUCT CLASS

PRESSURE SENSITIVE ADHESIVE
ROOF TAPE / SEALANT

SECTION II- COMPONENT INFORMATION

| Component | CAS No. | Percent Range | Hazardous in Blend |
|--|---------|---------------|--------------------|
| This product does not contain hazardous components | | | |

This product is not hazardous according to OSHA 29 CFR 1910.1200.

Hazards:

Flammable/Combustible Yes Acute No Chronic No Carcinogen No
Pressure No Reactive No Exposure Limit No Target Organ Other

SECTION III- HAZARDS IDENTIFICATION

Emergency and Hazards Overview:

May cause moderate irritation to eyes. May be harmful if swallowed. Read and understand all health and safety information on the product label and Material Safety Data Sheet before use.

Ratings

Health 0 Flammability 1 Reactivity 0

Health Effect Information

Eye Contact: May cause eye irritation if wiped or rubbed into eyes.

Skin Contact: May cause mild skin irritation on prolonged or repeated contact.

Inhalation: Highly unlikely, lows order of acute oral toxicity.

Ingestion: Highly unlikely,

Medical Conditions Aggravated by Exposure: Possible skin irritation on contact, but no chronic effects known.

SECTION IV- FIRST AID INFORMATION

Eye Contact: Do not remove. Get medical attention immediately.

Skin Contact: Care should be taken in the removal from skin. Consult physician immediately.

Inhalation: Not Applicable.

Ingestion: Unlikely, but if ingested, it could create a blockage. Consult a physician immediately. Acute oral LD50 is greater than 10 g/kg.

SECTION V- FIRE AND EXPLOSION INFORMATION

Flammable Properties

Flash Point: 450°F

Test Method: COC

Flame extension: NA

Test Method: NA

Flammable Limits in Air

Upper Percent: NA

Lower Percent: NA

Auto ignition Temperature: NA

Test Method: NA

NFPA Classification: H 0 F 1 R 0

Extinguishing Media: CO₂, foam, dry chemical or water spray, and water fog.

Fire Fighting Measures:

Special Fire Fighting Procedures and Equipment: Firemen shall wear full protective gear.

Unusual Fire and Explosion Conditions: Toxic gas will form upon combustion.

SECTION VI- ACCIDENTAL RELEASE MEASURES

Personnel Safeguards: Evacuate non-essential personnel to safe areas.

Containment and Clean up: Prevent Product from entering drinking water supplies or streams. Sweep up and contain the material for proper disposal.

SECTION VII- HANDLING AND STORAGE INFORMATION

Handling: Keep away from flame and extreme heat.

Storage: Store in dry, cool environment.

SECTION VIII- EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits and Guidelines

| Component | CAS No. | Exposure Limit |
|-------------|---------|----------------|
| None Listed | N/A | N/A |

Personal Protective Equipment

Eye/Face Protection: Safety Glasses

Skin Protection: Use protective rubber gloves.

Respiratory Protection: N/A

Personal Hygiene: Avoid rubbing eyes during handling. Use good personal hygiene practices.

Ventilation: None required under normal conditions of use.

SECTION IX- PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--------------------------------------|
| Appearance: Material Backed Gray Tape | Vapor Pressure: NA |
| Odor: NA | |
| Physical state: solid | Vapor Density (air=1): NA |
| pH: NA | Percent Volatile by Weight: 0 |
| DOT Corrosivity: NA | Volatile Organic Content: N/A |
| Boiling Point: NA | Molecular Weight: NA |
| Melting Point: NA | Average Carbon Number: NA |
| Specific Gravity: 1.04 | Viscosity @ 77 F: NA |
| Pour Point: NA | |
| Solubility in Water: Insoluble | |
| Octanol / Water Coefficient: Log K_{ow} = NA | |

SECTION X- STABILITY AND REACTIVITY INFORMATION

Chemical Stability: Stable
Conditions to Avoid: Avoid extreme heat and flame.
Incompatible Materials to Avoid: Strong Acids and oxidizers.

SECTION XI- TOXICOLOGICAL INFORMATION

Primary Eye Irritation: Irritating
Primary Skin Irritation: NA
Sub acute Dermal Toxicity: NA
Dermal Sensitization: NA
Inhalation Toxicity: No evidence
Inhalation Sensitization: No data available
Carcinogenicity: No evidence
Reproductive Toxicity: No evidence
Teratogenicity: No evidence
Immunotoxicity: NA
Neurotoxicity: NA
Other: No other toxicological information available

SECTION XII- ECOLOGICAL INFORMATION

Aquatic Toxicity: No data available
Terrestrial Toxicity: No data available
Chemical Fate and Transport: Not known
Ecological Toxicity: No data available

SECTION XIII- DISPOSAL INFORMATION

Regulatory Information: Consult all regulations (federal, state, provincial, local etc.) or a qualified waste disposal firm when characterizing waste for disposal.
Waste Disposal Methods: Dispose of in accordance with all local, state, and federal regulations.

SECTION XIV- TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT)

Highway / Rail (Non-Bulk): Not regulated

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping descriptions.

International Information

| | |
|-------------------------|----------------|
| Vessel: IMDG Regulated: | Not classified |
| Air: ICAO Regulated: | Not classified |

Other: No other information available.

SECTION XV- REGULATORY INFORMATION

Regulatory Lists

U.S. TSCA Inventory: All components of this material are on the US TSCA Inventory, unspecified.

SECTION XVI- OTHER INFORMATION

MSDS Date: 10/28/10

Disclaimer of Warranty: The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.