

TRI-BUILT® Granulated Surfaced Self Adhesive Underlayment

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME:	TRI-BUILT® Granulated Surface SA Underlayment	DISTRIBUTED BY:	Beacon Sales Acquisition, Inc.
PRODUCT NUMBER:	OCIW00012	ADDRESS:	505 Huntmar Park Drive, Suite 300 Herndon, VA 20170
CATEGORY:	Self-Adhesive Underlayment	PHONE:	571-323-3939
PRODUCT USE:	Roofing underlayment	INTERNET:	www.becn.com
MANUFACTURER:	Owens Corning Roofing and Asphalt, LLC		
ADDRESS:	One Owens Corning Parkway Toledo, Ohio 43659		
PHONE:	1-800-ROOFING or 1-800-766-3464		
EMERGENCY PHONE:	CHEMTREC 1-800-424-9300 OR 1-703-741-5970 CCN17393 1-419-248-5330 (after 5 pm ET and weekends)		
EFFECTIVE DATE:	2/20/2020		

2. HAZARDS IDENTIFICATION

Regulatory Status

This product is considered an article. 29 CFR 1910.1200(c) definition of an article is as follows: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees

This product is considered an article per the Canadian Hazardous Products Regulation SOR/2015-17

Manufactured articles which meet the definition of the Canadian Hazardous Products Act (any article that is formed to a specific shape or design during manufacture, the intended use of which when in that form is dependent in whole or in part on its shape or design, and that, when being installed, if the intended use of the article requires it to be installed, and under normal conditions of use, will not release or otherwise cause an individual to be exposed to a hazardous product) are not regulated by the Canadian Hazardous Products Regulation SOR/2015-17

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health

TRI-BUILT® Granulated Surfaced Self Adhesive Underlayment

4. FIRST AID MEASURES

Description of First Aid Measures

- | | |
|---------------------|---|
| Eye contact | • Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician |
| Skin contact | • Wash skin thoroughly with soap and water |
| Inhalation | • Remove to fresh air |
| Ingestion | • Clean mouth with water and drink afterwards plenty of water |

5. FIRE-FIGHTING MEASURES

- | | |
|--|---|
| Suitable extinguishing media | • Use extinguishing agent suitable for type of surrounding fire |
| Protective equipment and precautions for firefighters | • As in any fire, wear self-contained breathing apparatus (positive-pressure), MSHA/NIOSH (approved or equivalent) and full protective gear |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|--------------------------------|---|
| Personal precautions | • Avoid contact with eyes and skin
• Use personal protective equipment as required |
| Methods for cleaning up | • Pick up and transfer to properly labeled containers |

7. HANDLING AND STORAGE

- | | |
|--------------------------------------|---|
| Precautions for safe handling | • Handle in accordance with good industrial hygiene and safety practice |
| Storage Conditions | • Keep in a dry place |
| Incompatible materials | • None known based on information supplied |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH REL
Petroleum Asphalt (non-paving use) 8052-42-4	TWA: 0.5 mg/m ³ benzene-soluble aerosol fume, inhalable particulate matter	0.5 mg/m ³ Respirable/inhalable fraction	Ceiling: 5 mg/m ³ fume 15 min

NIOSH REL Immediately Dangerous to Life or Health

- | | |
|-----------------------------|------------------|
| Engineering Controls | Eyewash stations |
|-----------------------------|------------------|

Individual protection measures, such as personal protective equipment

- | | |
|---------------------------------|--|
| Eye/face protection | • Wear safety glasses with side shields (or goggles) |
| Skin and body protection | • Wear protective gloves
• Wear long-sleeved shirt and long pants |

TRI-BUILT® Granulated Surfaced Self Adhesive Underlayment

Respiratory protection

• If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations

General Hygiene Considerations • Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid
Odor	Slight petroleum
Color	No information available
Water solubility	Insoluble in water

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions • None under normal processing conditions

Hazardous Decomposition Products • None known based on information supplied

11. TOXICOLOGICAL INFORMATION

Product Information No data available

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations

14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

International Inventories This product is classified as an article. Articles are exempted from registration or listing under chemicals inventories like TSCA (USA), DSL/NDL (CAN), REACH (EU), ENCS (JP), IECSC (CN), KECL (KR), PICCS (PH), AICS (AUS)

California Proposition 65



Warning

This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical name	California Proposition 65
Bitumen, extracts of steam-refined and air refined	Carcinogen

TRI-BUILT® Granulated Surfaced Self Adhesive Underlayment

9999-99-9	
-----------	--

16. OTHER INFORMATION

Creation Date	25-Nov-2019
Revision Date	27-Feb-2020
Revision Note	No information available

Disclaimer

The information provided in this Safe User Instruction Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safe Use Instruction Sheet