

TRI-BUILT® Building Wrap C

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME:	TRI-BUILT® Building Wrap C	Distributed By:	TRI-BUILT® Materials Group
CHEMICAL NAME:	Nonwoven Polyolefin Coated Fabric		
MANUFACTURER:		ADDRESS:	15 East Union Ave., East Rutherford, NJ 07073
ADDRESS:	NATIONAL SHELTER PRODUCTS, INC.	PHONE:	1-800-516-1485
PHONE:	(425) 557-7968	INTERNET:	www.tribuiltmaterialsgroup.com
EMERGENCY PHONE:	800-516-1485		
EFFECTIVE DATE:	8/11/2014		
Signature of Preparer:	W. Rammacher / Allied Building Products Corp.		

SECTION 2: PRODUCT INGREDIENT

HAZARDOUS INGREDIENTS
NOT A WHMIS CONTROLLED PRODUCT
WT%

POLYOLEFIN > 97
ADDITIVES (PROPRIETARY) < 3

SECTION 3: PHYSICAL DATA

PHYSICAL STATE:	SOLID	
ODOUR & APPEARANCE:	ODOUR FREE & COATED WOVEN FABRIC SHEET	
ODOUR THRESHOLD:	N/A	
VAPOUR PRESSURE:	N/A	
VAPOUR DENSITY:	N/A	
EVAPORATION RATE:	N/A	
SPECIFIC GRAVITY:	N/A	
BOILING POINT:	N/A	
FREEZING POINT:	N/A	
PH:	N/A	
COEFFICIENT OF WATER/OIL DISTRIBUTION:	N/A	
MELTING POINT:	239° F TO 266° F (115 ° C TO 130 °C)	

SECTION 4: FIRE AND EXPLOSION HAZARD DATA

CONDITIONS OF FLAMMABILITY:	MATERIAL IS A COMBINATION OF POLYPROPYLENE AND POLYETHYLENE AND OLEFIN MASTERBATCH.
MEANS OF EXTINCTION:	WATER SPRAY, "ALCOHOL" FOAM CARBON DIOXIDE, DRY CHEMICAL.
FLASHPOINT:	650° F (343 ° C)
UPPER FLAMMABILITY LIMIT:	N/A
LOWER FLAMMABILITY LIMIT:	N/A
AUTO-IGNITION TEMPERATURE:	630° F TO 775° F (330° C TO 410° C)
HAZARDOUS COMBUSTION PRODUCTS:	CARBON DIOXIDE, CARBON MONOXIDE, ALDEHYDES, AND SMALL AMOUNTS OF OTHER ORGANIC VAPOURS MAY BE PRODUCED
SENSITIVITY TO MECHANICAL IMPACT:	NOT SENSITIVE
SENSITIVITY TO STATIC DISCHARGE:	N/A

SECTION 5: FIRE-FIGHTING MEASURES

SECTION 6: ACCIDENTAL RELEASE MEASURES

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

SECTION 7: PREVENTATIVE MEASURES

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SECTION 10 STABILITY AND REACTIVITY

SECTION 11: TOXICOLOGICAL INFORMATION

SECTION 12: ECOLOGICAL INFORMATION

SECTION 13: DISPOSAL CONSIDERATIONS

SECTION 14: TRANSPORT INFORMATION

SECTION 15: REGULATORY INFORMATION

SECTION 16: OTHER INFORMATION

SECTION 17: HAZARDOUS MATERIAL IDENTIFICATION SYSTEM