

MATERIAL SAFETY DATA SHEET

TRI-BUILT Materials Group 15 East Union Avenue East Rutherford, NJ 07073

SECTION 1 IDENTIFICATION OF PRODUCT

CHEMICAL NAME: POLYOLEFIN LAMINATED FILM TRADE NAME: TRI-BUILT BUILDING WRAP PLUS

SECTION 2 HAZARDOUS INGREDIENTS

NOT A WHMIS CONTROLLED PRODUCT

INGREDIENT NAME WT%
POLYOLEFIN > 97
ADDITIVES (PROPRIETARY) < 3

SECTION 3 PHYSICAL DATA

PHYSICAL STATE: SOLID

ODOUR & APPEARANCE: ODOUR FREE & COATED WOVEN FABRIC SHEET

ODOUR THRESHOLD: N/A VAPOUR PRESSURE: N/A VAPOUR DENSITY: N/A **EVAPORATION RATE:** N/A SPECIFIC GRAVITY: N/A **BOILING POINT:** N/A FREEZING POINT: N/A PH: N/A

COEFFICIENT OF WATER/OIL DISTRIBUTION: N/A

MELTING POINT: 239° F TO 266° F (115 $^{\circ}$ C TO 130° C)

SECTION 4 – A FIRE AND EXPLOSION HAZARD DATA

CONDITIONS OF FLAMMABILITY: MATERIAL IS A COMBINATION OF POLYPROPYLENE AND

POLYETHYLENE AND OLEFIN MASTERBATCH.

MEANS OF EXTINCTION: WATER SPRAY, "ALCOHOL" FOAM CARBON DIOXIDE, DRY

CHEMICAL.

FLASHPOINT: 650° F (343° C)

UPPER FLAMMABILITY LIMIT: N/A LOWER FLAMMABILITY LIMIT: N/A

AUTO-IGNITION TEMPERATURE: 630° F TO 775° F (330° C TO 410° C)

HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, ALDEHYDES, AND

SMALL AMOUNTS OF OTHER ORGANIC VAPOURS MAY BE

PRODUCED

SENSITIVITY TO MECHANICAL IMPACT: NOT SENSITIVE

SENSITIVITY TO STATIC DISCHARGE: N/A

SECTION 4 – B HAZARDOUS REACTIVITY DATA

WHEN HEATED TO DECOMPOSITION, IT MAY EMIT TOXIC FUMES. CARBON MONOXIDE, CARBON DIOXIDE, ACROLEIN, KEYTONES, ALDEHYDES, AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED

UPON COMBUSTION

SECTION 5 STABILITY DATA

CONDITION WHEN CHEMICALLY UNSTABLE: N/A INCOMPATIBLE MATERIALS: N/A CONDITIONS OF REACTIVITY: N/A HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION 6 TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY: INGESTION SKIN CONTACT: SEE NOTE

SKIN ABSORBTIONS: N/A

EYE CONTACT: SEE NOTE INHALATION: SEE NOTE

INGESTION: NO KNOWN HEALTH HAZARD APPEARS TO BE POSED BY

THE INGESTION OF SMALL AMOUNTS OF POLYETHYLENE. A PHYSICIAN SHOULD BE CONSULTED IF LARGE AMOUNTS

ARE INGESTED.

EFFECTS OF ACCUTE EXPOSURE: N/A EFFECTS OF CHRONIC EXPOSURE: N/A **EXPOSURE LIMITS:** N/A **IRRITANCY OF PRODUCTS:** N/A SENSITATION TO PRODUCTS: N/A SYNERGISTIC PRODUCTS: N/A CARCINOGENICITY: N/A REPRODUCTIVE TOXICITY: N/A TERATOGENICITY: N/A MUTAGENICITY: N/A

SECTION 7 PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: NOT NEEDED (SEE NOTE)
EYES: NOT NEEDED (SEE NOTE)

RESPIRATORY: NOT NEEDED OTHER EQUIPMENT: NOT NEEDED

LEAK & SPILL PROCEDURE: N/A

WASTE DISPOSAL: DISPOSE WITH GARBAGE TO INCINERATOR OR LANDFILL IN

ACCORDANCE WITH FEDERAL, PROVINCIAL, AND LOCAL REGULATIONS, OR WHERE RECYCLING FACILITIES EXIST.

HANDLING PROCEDURE AND EQUIPMENT: NOT NEEDED

STORAGE REQUIREMENTS: GENERAL CONDITIONS.

SPECIAL SHIPPING INFORMATION: NOT NEEDED

SPECIAL PRECAUTIONS: MATERIAL IS SLIPPERY UNDERFOOT.

NOTE: USE OF PROTECTIVE EQUIPMENT IS A GOOD PRACTICE IN

ANY INDUSTRIAL ENVIRONMENT!

SECTION 8 FIRST AID MEASURES

NOTES TO PHYSICIAN: SMOKE AND HAZARDOUS DECOMPOSITION PRODUCTS

PRODUCED IN FIRES INVOLVING POLYETHYLENE RESINS CAN BE IRRITATING AND MAY CAUSE PULMONARY EDEMA IN SEVERELY EXPOSED INDIVIDUALS. AS THIS EFFECT MAY BE DELAYED IN ONSET, A 72-HOUR POST-EXPOSURE OBSERVATION IS RECOMMENDED. CARBOXYHEMOGLOBIN LEVELS SHOULD ALSO BE MONITORED TO ASSESS THE DEGREE OF CARBON MONOXIDE ABSORBTION IN THESE

INDIVIDUALS.

SECTION 9 PREPARATION OF MSDS

PREPARED BY: QUALITY ASSURANCE DEPARTMENT

NATIONAL SHELTER PRODUCTS, INC.

CONTACT NUMBER: (425) 557-7968

DATE: FEBRUARY 8, 2008. REV. 0

SUPERCEDES: N/A

The information presented herein, while not guaranteed, is to the best of our knowledge, true and accurate. No warranty or guarantee expressed or implied is made regarding the performance of any product since the manner of use and handling is beyond our control. Nothing contained herein is to be construed as permissible or as a recommendation to infringe on any patent. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.