




PRODUCT CATALOG

► The Choice of Top Professionals®



Con información en español

ROOF & FLASHING CEMENTS

CEMENTOS PARA FLASHINGS Y TECHOS



APOC 100 Pro-Gel® Plastic Roof Cement

Thick Trowel Grade
Heavy Bodied for Warmer Climates

*Espeso, aplicación con paleta
Consistencia robusta para climas calurosos*

- COMPLIANCE:
- ASTM D4586
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



APOC 109 Rain-Proof® Wet/Dry Roof Cement

Light Trowel Grade
Stops Leaks on Wet Surfaces

*Calidad de aplicación liviana aplicado con paleta
Detiene las goteras en las superficies mojadas*

- COMPLIANCE:
- ASTM D4586
 - ASTM D3409
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



**Available in: SG, IG, WG



APOC 122 Roof-Proof™ All Weather Flashing Cement

Premium Grade Flashing Cement
Easy Spread for Flat, Vertical & Wet Surfaces

*Cemento de primera calidad para flashing
Fácil de aplicar en superficies planas, verticales y mojadas*

- COMPLIANCE:
- ASTM D4586
 - ASTM D3409
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



**Available in: SG, IG, WG



Incredible® Tape Black, Fleece Top, & White

Metal Roof Flashings
Single Ply Seams & Repair

*Tapajuntas Metálicas de Techos
Cinta Simple que Sella y Repara*

Available Widths: 12", 6", 4", 2"

RUBBERIZED FLASHING CEMENTS

CEMENTOS ENGOMADOS PARA FLASHING



Black Gold® 115 Liquid Rubber Flashing Cement

Premium SBS Modified Cement
E-Z Spread Formula & Bonds Underwater

*Cemento SBS Premium Modificado
Fórmula Untable que se Aplica Fácilmente
aún bajo el Agua.*

- COMPLIANCE:
- ASTM D6511
 - ASTM D4586
 - ASTM D3409
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



APOC 128 All-Pro SBS Rubberized Flashing Cement

Thick Trowel Grade
Will Not Run or Sag

*Grado Espeso para Espátula
No se Corre ni se Hunde*

- COMPLIANCE:
- ASTM D4586
 - ASTM D3409
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



**Available in: SG, IG, WG



APOC 133 Pro-Lastic® SBS Modified Flashing Cement

Premium SBS Modified Cement
Superior Adhesion, Lap Strength & Sag Resistance

*Cemento modificado SBS de primera calidad
Adherencia superior, fuerza en el solapado y resistencia
al doblégar*

- COMPLIANCE:
- ASTM D4586
 - ASTM D3409
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



**Available in: SG, IG, WG



APOC 365® Eterna-Flash® All Weather SBS Flashing Cement

E-Z Spread Trowel Grade Formula
Highly Rubberized Solvent-Based Mastic

*Fórmula fácil de aplicar
Masilla basada en un solvente altamente modificado
con hule*

- COMPLIANCE:
- ASTM D4586
 - ASTM D3409
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



** Designates Products Available in:
SG - Summer Grade, IG - Intermediate Grade, and WG - Winter Grade



▶ APOC® 365® ETERNA-FLASH® All Weather/All Season SBS Flashing Cement

APOC® 365® is an extremely versatile, highly modified rubberized mastic that is specially formulated for the professional roofer. APOC 365 provides superior adhesion to wet surfaces while at the same time has sag resistance characteristics in warmer climates. APOC 365 ETERNA-FLASH provides an 'E-Z Spread' durable repair compound that is ideal for repairs in any weather condition.

Use 365. It's the only mastic you'll ever need.

ROOF ADHESIVES

ADHESIVOS PARA TECHOS



APOC 107 Fibrex® Cold Process Cement & Adhesive

Bonds Rolled Roofing & Granules
Interply Adhesive in Cold Systems

Pega el techado enrollado y los gránulos

Adhesivo para interlaminaciones en los sistemas fríos

COMPLIANCE:

- ASTM D3019
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 136 DuraBond® MBA Elastomeric Adhesive

Tenacious Tack & Lap Strength
Highly Modified SBS Interply Adhesive

Con fuerza superior para el solapado

Adhesivo SBS altamente modificado para interlaminaciones

COMPLIANCE:

- ASTM D3019
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



ROOFING, WATERPROOFING & DAMPPROOFING

TECHUMBRES, IMPERMEABILIZANTES Y PROTECTORES CONTRA HUMEDAD



APOC 200 Rainshield®-NF Non-Fibered Roof & Foundation

Prevents Rust & Oxidation
Use on Roofs, Foundations & Many Other Surfaces

Previene el Moho y la Oxidación

Úsalo en Techos, Cimientos y Muchas Otras Superficies

COMPLIANCE:

- ASTM D3019
- Asbestos Free



APOC 202 Rainshield®-F Fibered Roof & Foundation

Rejuvenates Worn Surfaces
Fiber Reinforced for Increased Durability

Reforzado con Fibra que Incrementa su Durabilidad

Úsalo en Techos, Cimientos y Muchas Otras Superficies

COMPLIANCE:

- ASTM D4479
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 300 Non-Fibered Asphalt Emulsion

Great for Below-Grade Dampproofing
Use with Polyester or Chopped Glass

Revestimiento asfáltico para techo y cimientos

Útil con poliéster y vidrio cortado

**Available in Spray Grade (275 Tote)*

COMPLIANCE:

- ASTM D1227
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 302 Weather-Proof Fibered Asphalt Emulsion

Excellent Base Coat for Polyester Systems
Brush Grade for Below-Grade Dampproofing

Excelente recubrimiento base para sistemas con poliéster

Apliquelo con cepillo para cubrir cuarteaduras

COMPLIANCE:

- ASTM D1227
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 305 Dampproofing Mastic

Ideal for Below-Grade Dampproofing
Thick Trowel Grade, Emulsion-Based Mastic

Ideal para impermeabilización en cimientos

Masilla de calidad gruesa aplicada con paleta

COMPLIANCE:

- ASTM D1227
- Asbestos Free



APOC 337 Bitucrylic™ Elastomeric Asphalt Emulsion

Ideal for Metal Roofs or Roofs With Movement
Excellent for Use in Waterways & Prior to Reflective Coatings

Ideal para techos de metal o techos con movimiento

Excelente para uso en vías fluviales antes de aplicar los recubrimientos reflectivos

COMPLIANCE:

- ASTM D1227
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 525 ArmorFlex® Thermoplastic Surfacing Compound

Withstands Ponding Water
Ideal for Waterproofing BUR, Coal Tar Modified & Gravel Roofs

Resiste la acumulación de agua

Ideal para la impermeabilización de techos BUR, de brea de carbón y de grava

COMPLIANCE:

- ASTM D3019
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- SCAQMD Compliant Version Available



Protection Panels

Sheet Size: 4' x 8', other sizes available
Panel Thicknesses: 1/4", 3/8", 1/2"

COMPLIANCE:

- ASTM E96
- ASTM D6506

Won't Rot or Degrade & Impervious to Water
Great as a Re-Cover Board & Below-Grade System Protector

No se deteriorará ni se degenerará y es impermeable a la humedad

Excelente como tablero de recubierto y para proteger los sistemas debajo del nivel del suelo



Bridge-Dek

Sheet Size: 4' x 8'
Panel Thicknesses: 1/8", 1/4", 3/8", 1/2"

Ideal for Use in Bridge and Railway Construction
Protects Waterproofing Membrane from Puncture

Ideal para uso en la construcción de puentes y líneas ferroviarias

Protege contra perforaciones en membranas impermeabilizadoras

COMPLIANCE:

- ASTM D517
- Meets all A.R.E.M.A. Specifications

ACRYLIC / ELASTOMERIC COATINGS

RECUBRIMIENTOS ACRÍLICOS REFLEJANTES Y FRESCOS



APOC 232

Insta-Kote® MB Ultra Cool Premium Elastomeric Roof Coating

Prevents Bleed Through
Ideal Base Coat with Exceptional Adhesion

Previene exudación

Es ideal como recubrimiento de base con una adherencia excepcional

COMPLIANCE:

- CRRC Listed
- Title 24
- ASTM D6083
- UL Classified
- Asbestos Free



APOC 246

Kool-Armor® Bright White Elastomeric Roof Coating

Elastic Roof Coating
Extends Roof Life & Reduces Cooling Costs

Recubrimiento elástico para techos

Extiende la vida útil del techo y reduce el costo de enfriamiento

COMPLIANCE:

- CRRC Listed
- Title 24
- ASTM D6083
- Energy Star
- Asbestos Free
- Miami-Dade Approved



APOC 247

Sun-Shield® White Reflective Roof Coating

Elastic Roof Coating
Extends Roof Life & Reduces Cooling Costs

Recubrimiento elástico para techos

Extiende la vida útil del techo y reduce el costo de enfriamiento

COMPLIANCE:

- CRRC Listed
- Title 24
- ASTM D6083
- Energy Star
- Asbestos Free
- Miami-Dade Approved
- FBC Approved



APOC 248

Arizona® White High Performance Elastomeric Roof Coating

Highly Reflective to Cool Roof Surfaces
Helps Reduce Energy Usage & Extends Roof Life

Altamente reflejante para enfriar las superficies de techos

Ayuda reducir el uso de energía y a extender la vida útil del techo

COMPLIANCE:

- CRRC Listed
- ASTM D6083
- Energy Star
- Asbestos Free
- FBC Approved
- Title 24
- UL Classified
- Miami-Dade Approved



APOC 252

Sunwhite® Premium Elastomeric Roof Coating

Highest Reflectivity, Tensile and Elongation
Drastically Reduces Roof Temperature & Cooling Costs

La más alta reflectividad, extensibilidad y elongación

Reduce radicalmente la temperatura del techo y los costos de la refrigeración

COMPLIANCE:

- CRRC Listed
- ASTM D6083
- Energy Star
- Asbestos Free
- FBC Approved
- Title 24
- UL Classified
- Miami-Dade Approved



APOC 258

Liquid Titanium® Elastomeric Coating

Premium Quick Set White Acrylic Coating

Recubrimiento acrílico blanco prémium de fraguado rápido

COMPLIANCE:

- CRRC Listed
- Title 24
- ASTM D6083
- Energy Star
- Asbestos Free
- Miami-Dade Approved
- FBC Approved



APOC 273

Cool-Gray Premium Elastomeric Roof Coating

Exceptional Tensile Strength & Elongation
Cool Gray Finish to Reduce Roof Temperature

Resistencia excepcional a tracción y elongación

Acabado gris para reducir la temperatura del techo

**Special Order Only / Solamente orden especial*

COMPLIANCE:

- CRRC Listed
- Title 24
- ASTM D6083
- UL Classified
- Energy Star
- Asbestos Free



APOC 274

Cool-Tan Premium Elastomeric Roof Coating

Exceptional Tensile Strength & Elongation
Cool Tan Finish to Reduce Roof Temperature

Resistencia excepcional a tracción y elongación

Acabado color café claro para reducir la temperatura del techo

**Special Order Only / Solamente orden especial*

COMPLIANCE:

- CRRC Listed
- Title 24
- ASTM D6083
- Energy Star
- UL Classified
- Asbestos Free



ALUMINUM COATINGS

RECUBRIMIENTOS DE ALUMINIO



APOC 207

Silver Guard®-NF Non-Fibered Aluminum Roof Coating

EZ-Stir Technology
Bright Silver Protective Coating
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante

Ideal para las membranas BUR, de metal y modificadas

COMPLIANCE:

- ASTM D2824
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 208

Silver Guard®-F Fibered Aluminum Roof Coating

EZ-Stir Technology
Bright Silver Protective Coating
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante

Ideal para las membranas BUR, de metal y modificadas

COMPLIANCE:

- ASTM D2824
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 211

Liquid Silver®-NF Non-Fibered Aluminum Roof Coating

EZ-Stir Technology
Bright Silver Protective Coating
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante

Ideal para las membranas BUR, de metal y modificadas

COMPLIANCE:

- ASTM D2824
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 212

Liquid Silver®-F Fibered Aluminum Roof Coating

EZ-Stir Technology
Bright Silver Protective Coating
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante

Ideal para las membranas BUR, de metal y modificadas

COMPLIANCE:

- ASTM D3805
- ASTM D2824
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 400

Sunbrite® Aluminum Emulsion Coating

Highly Reflective & Easier Application
Ideal for BUR, Metal & Modified Membranes

Recubrimiento de aluminio engomado de alta resistencia

Ideal para los sistemas de techos metálicos y modificados

COMPLIANCE:

- ASTM D6848
- UL Classified
- Miami-Dade Approved
- Asbestos Free
- FBC Approved



APOC 535

Silvershield Premium SEBS Aluminum Coating

Ideal for Metal & Modified Roof Systems
Heavy Duty Rubberized Aluminum Coating

Ideal para los sistemas de techos metálicos y modificados

Recubrimiento de aluminio engomado de alta resistencia

COMPLIANCE:

- ASTM D2824
- Asbestos Free



SILICONE & SPECIALTY COATINGS

SILICONES Y RECUBRIMIENTOS ESPECIALES



APOC 545

EternaFlex® White Thermoplastic Liquid Rubber Coating

Ultra Premium Liquid Rubber Coating
Ideal for Metal, Single Ply* & Other Roof Systems

Recubrimiento de hule líquido de ultra primera calidad
Ideal para los techos metálicos, techos de una capa y otros
sistema de techos

*Check type & manufacturer

- COMPLIANCE:
- CRRC Listed
 - ASTM D6083
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



APOC 585

Armor Flex® White Liquid Silicone Roof Membrane

Moisture Cure & High Solids
Pond-Proof® Technology for Standing Water Protection

Curador de Humedad y Altos Sólidos
Pond-Proof® Tecnología para Protección Permanente
del Agua

- COMPLIANCE:
- CRRC Listed
 - ASTM D6694
 - FBC Approved
 - Asbestos Free
 - FBC Approved
 - Title 24
 - UL Classified
 - Miami-Dade Approved



The Cool Roof Experts™



Church of the Nazarene

APOC is a leader in environmental design and cool roof technology. With increasing population and soaring energy demand, cool roofs provide relief to a world filled with energy challenges.

As a charter member of the CRRC and the ENERGY STAR programs, APOC is committed to cool roofing and providing solutions to roofing contractors, building owners, facility managers and property management companies.



PRIMERS

MPREGNADORES



APOC 103

Premium Asphalt Primer

High Penetrating Formula
Provides Superior Adhesion of Roofing Materials

Fórmula de alta penetración
Proporciona adherencia superior en materiales de techado

- COMPLIANCE:
- ASTM D41
 - Compliant with SCAQMD
 - Miami-Dade Approved
 - Asbestos Free
 - FBC Approved



APOC 290

Self Adhered Membrane Primer

Quick Dry Water Based Formula
Promotes Adhesion Over Wood & Concrete

Fórmula Base Agua de Secado Rápido
Promueve la Adherencia entre la Madera y el Concreto

- COMPLIANCE:
- Asbestos Free



APOC 291

Rust Inhibiting Primer

Inhibits Rust Formation
Improves Long Term Performance

Inhibe la formación de óxido
Mejora el rendimiento a largo plazo

- COMPLIANCE:
- Asbestos Free



APOC 295

Super Prime™ High Strength Adhesive Primer

Improves Adhesion
Improves Long Term Performance

Mejora la adhesión
Mejora el rendimiento a largo plazo

- COMPLIANCE:
- Asbestos Free



APOC 296

Single Ply Adhesive Primer

Improves Adhesion
Improves Long Term Performance

Mejora la adhesión
Mejora el rendimiento a largo plazo

- COMPLIANCE:
- Asbestos Free



APOC 299

Incredible Primer & Adhesion Promoter

Ideal for Cold Weather Conditions
Improves Adhesion & Bonding Strength

Ideal para Condiciones de Climas Fríos
Mejora la Adherencia y Uniones de Resistencia

- COMPLIANCE:
- VOC Compliant



APOC 583

Armor-Base™

Helps Reduce Bleedthrough
Prepares Surface for Silicone Coatings

Ayuda a reducir el taponamiento
Prepara la superficie para los recubrimientos de silicona

- COMPLIANCE:
- Asbestos Free



ROOF & CONSTRUCTION SEALANTS & ADHESIVES

SELLADORES Y ADHESIVOS PARA TECHOS Y CONSTRUCCIÓN



APOC AP-1

Green-Seal® Heavy Duty Construction Sealant & Adhesive

Permanent Leak, Moisture & Air Barrier Sealant
Ideal for Bonding & Sealing Construction Materials

*Barrera Permanente Contra Goteras, Humedad y Aire
Ideal para Unir y Sellar Materiales de Construcción*

COMPLIANCE:
• ASTM C920



Available in White & Gray



APOC 264

FLASH N' SEAL® Roof & Flashing Sealant

Water Based Cement
PolyCryl™ Hybrid Technology

*Cemento Base Agua
PolyCryl™ Tecnología Híbrida*

COMPLIANCE:
• ASTM D1475
• ASTM D2196
• ASTM D2939
• TAS 139
• Miami-Dade Approved
• Asbestos Free
• FBC Approved



APOC 501

Super-flash® Thermoplastic Flashing Cement

50 Year Durability & Watertight Guarantee
Compatible with Virtually Any Roof Surface

*Garantía de durabilidad y impermeabilidad de 50 años
Compatible con prácticamente cualquier superficie de techo*

COMPLIANCE:
• ASTM D4586
• ASTM D3509
• ASTM D6511
• Miami-Dade Approved
• Asbestos Free
• FBC Approved



APOC 515

Liquid Flash® Permanent Detail Sealant

Solvent Free, Moisture Cure Polymers
Excellent Adhesion to Pitch Pans, Pipes & Seams

*Libre de Solventes, Polímeros Curadores de Humedad
Excelente Adherencia en Bandejas de Calafateo, Tuberías y Traslapes.*

COMPLIANCE:
• Asbestos Free
• FBC Approved



Minimums & Additional Lead
Time for 2 Gallon Pails & Colors.
*12 Gray Sausages per Pail



APOC 581

Armor Flash™ 100% Silicone Patch & Sealant

Solvent Free, Single Component
Versatile Application

*Libre de Solvente, Componente Único
Aplicación versátil*

COMPLIANCE:
• Asbestos Free



APOC 5070

EverClear™ Tri-Polymer

Trowel Grade
Highly Flexible & Elastic

*Aplicación con Ilana
Altamente flexible y elástico*

COMPLIANCE:
• Asbestos Free



APOC 5075

EverClear™ Tri-Polymer

Brush Grade
Highly Flexible & Elastic

*Aplicación con brocha
Altamente flexible y elástico*

COMPLIANCE:
• Asbestos Free



APOC 5800

100% Silicone Sealant & Adhesive

Medium Modulus
Use on Windows, Doors & High Temp Pipes

*Módulo Medio
Úsalo en Ventanas, Puertas y Tuberías de Altas Temperaturas*

COMPLIANCE:
• TT-S-001543A
• TT-S-00230C
• ASTM C920
• Asbestos Free



Available in Clear, Gray, & White

APOC ACCESSORIES

ACCESORIOS APOC



Incredible® Tape

Black, Fleece Top, & White

Metal Roof Flashings
Single Ply Seams & Repair

*Tapajuntas Metálicas de Techos
Cinta Simple que Sella y Repara*

Available Widths: 12", 6", 4", 2"



Incredible® Tape

Double Sided

Nano Sealant Technology
Ideal for Seams on Metal & Single Ply Roof Systems

*Sellador de Nanotecnología
Ideal para sellar sobre metal y con sistemas de membrana simple*

Available Widths: 2", 1"



APOC 470

Cotton Asphalt Saturated Reinforcing Fabric

For BUR Split Repair & Flashing
Use With Asphalt Flashing Cements

*Úsalo con Cementos Tapajuntas de Asfalto
Para Reparación de Cuarteaduras y Tapajuntas*

4 lb./sq.
Widths: 12", 9", 6", 4", 3"
Special Order: 18", 24", 36"




APOC 483

Polyester Reinforcing Fabric

Works with Emulsion & Solvent Systems
Reinforces and Adds Strength & Durability

*Trabaja con sistemas de emulsión y solventes
Refuerza y agrega resistencia y durabilidad*

3 oz./sq. yd.
Available Widths:
40", 20" 12", 6", 4"
Also Available in
Firm (482F) & Soft (482S)



APOC 567

Pro-Tac Reinforced Self Adhering Membrane

Excellent Flashing Ply
Self-Adhered for Easy Application Without Mechanical Fasteners

*Excelente Membrana Tapajuntas
Auto adherible para una fácil aplicación sin sujetadores mecánicos*

Available Widths: 36", 12"




50lb

Fiberglass Roving

For Chopped Application Use
Reinforces Emulsion Systems for Seamless Surfaces

*Se aplica con los sistemas basados en emulsiones
Refuerza el recubrimiento para las superficies de techos sin costura*



DEK-TOP®

Walkways Pads

Ideal Around Roof Hatches & HVAC Units
Protects Roof Membrane from Costly Damage

*Protege la membrana del techo de daños costosos
Ideal alrededor de escotillas del techo y unidades HVAC*

COMPLIANCE:
• ASTM D517
• ASTM E108

Sheet Size: 3' x 4'
Panel Thicknesses: 1/2", 3/4", 1"

FELTS & UNDERLAYMENTS

FELPAS Y SUBYACENTES



APOC 26 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®
Excelente subyacente para techos escalonados muy inclinados*

- COMPLIANCE:
- Type II #30
 - ASTM D226
 - CSA A123.3-05
 - UL Classified
 - FBC Approved
 - Miami-Dade Approved

Available Size: 36" x 72'

A saturated felt for roofing systems classified by Underwriters Laboratories, Inc. as to external fire exposure only #R11333.



APOC 29 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®
Excelente subyacente para techos escalonados muy inclinados*

- COMPLIANCE:
- Type II #30
 - ASTM D4869
 - CSA A123.3-05
 - UL Classified

Available Size: 36" x 72'



APOC 46 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®
Excelente subyacente para techos escalonados muy inclinados*

- COMPLIANCE:
- Type I #15
 - ASTM D226
 - CSA A123.3-05
 - UL Classified
 - FBC Approved
 - Miami-Dade Approved

Available Size: 36" x 144'

A saturated felt for roofing systems classified by Underwriters Laboratories, Inc. as to external fire exposure only #R11333.



APOC 49 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®
Excelente subyacente para techos escalonados muy inclinados*

- COMPLIANCE:
- Type I #15
 - ASTM D4869
 - CSA A123.3-05
 - UL Classified

Available Size: 36" x 144'



Gator-Skin™ Synthetic Roof Underlayment

120 Day UV Exposure
Lightweight, Easy & Fast to Install

*120 días de exposición a los rayos ultravioleta
Ligero, fácil y rápido de instalar*

- COMPLIANCE:
- ASTM D4869
 - ASTM D226
 - TDI Listed
 - UL Classified
 - FBC Approved
 - Miami-Dade Approved

Available Size: 42" x 258.8'



CX-L CrossOver™ Hybrid Roof Underlayment

Greater Uplift with Fewer Fasteners
Waterproof & Nail Sealable Membrane

*Mayor elevación con menos sujetadores
Membrana impermeable con sellado alrededor de los clavos*

- COMPLIANCE:
- ASTM D4869
 - ASTM D226
 - ASTM D1970
 - UL Classified
 - FBC Approved
 - Miami-Dade Approved

Available Size: 37.25" x 145'



SB-1 Self-Bond™ Ice & Water Roof Underlayment

Ideal under Shingles, Slate, Wood Shake, & Other
Anti-Slip Granular Surface Featuring Safe-Step™ Technology

*Ideal para el uso debajo de tejas de madera, pizarras, tablillas de madera, tejas y otros
Superficie granular antideslizante con tecnología Safe-Step™*

- COMPLIANCE:
- ASTM D1970
 - UL Classified
 - TDI Listed
 - FBC Approved
 - Miami-Dade Approved

Available Size:
Approx. 2 squares



FT³ Fleece-Top Tile Roof Underlayment

Heavy Duty Polyester for Foam or Mechanical Attachment
RST® Reinforced Seam Technology for Added Strength

*Poliéster de alta resistencia para fijación mecánica o de espuma
Tecnología de unión reforzada RST® para una mayor resistencia*

- COMPLIANCE:
- ASTM D1970
 - FBC Approved
 - Miami-Dade Approved

Available Size:
Approx. 2 squares



HT³ High Temperature Metal Roof Underlayment

Withstands Extreme Heat & High Temp Applications
Cross Laminated Film for Superior Weathering

*Soporta el calor extremo y las aplicaciones de alta temperatura
Película laminada para una resistencia superior a la intemperie*

- COMPLIANCE:
- ASTM D1970
 - UL Classified
 - TDI Listed
 - FBC Approved
 - Miami-Dade Approved

Available Size:
Approx. 2 squares



▶ APOC® SB-1 Self-Bond™ Underlayment

SB-1 Self-Bond™ Roof Underlayment is your premium, all-purpose roof underlayment and leak barrier. SB-1 Self-Bond underlayment is ideal for use under shingle, slate, wood shake and other steep slope roofing materials. Engineered with high strength reinforcement, exceptional elasticity and a non-skid mineral finish, SB-1 provides a highly rubberized and flexible waterproofing membrane that helps keeps your home or building dry and provides a cleaner and healthier environment to live in. APOC Weather-Armor SB-1 Self-Bond roof underlayment can be used over an entire roof deck or for sealing critical areas on your roof such as perimeter edges, valleys, details, metal joints and penetrations.

APOC

A Division of Gardner Industries

Corporate Headquarters

P.O. Box 5449

Tampa, FL 33675

East

(813) 248-2101

West

(562) 423-6471

www.apoc.com

► **The Choice of Top Professionals®**

