

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 1/7

Printing date 02/28/2024

Reviewed on 02/28/2024

1. Identification of the substance/mixture and of the company/undertaking

info@aquafin.net

IDENTITY: Product Name: InjectProECO-ACCELERATOR-UNI

Product Use Description: Injection Grout Catalyst, For Further Information, Refer to the

Product Technical Data Sheet.

AQUAFIN, INC. 505 BLUE BALL RD. #160 ELKTON, MD 21921

24 hr Emergency Phone: Chem-Tel (800) 255-3924

Information Phone No: (410) 392-2300

www.aquafin.net

2. Hazard Identification

Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS 07

· Signal word: Danger

Hazard statements:

H319 Causes serious eye irritation.

SDS InjectProECO-ACCELERATOR-UNI SDS DATE: 28-FEB-24

· Precautionary statements:

P280 Wear protection gloves/eye protection/face protection

P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN ilmmediately take off all contaminated clothing. Rinse skin with water.

- · Additional information:
- · Other hazards
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable
- · vPvB: Not applicable

3. Composition/information on ingredients

Description: mixture of substances with nonhazardous additions.

Dangerous components:

CAS 6425-39-4 2,2'-dimorpholinyldiethyl

EINECS: 229-194-7 ether

Reg.nr.:

012119969278-20 xxxx

()

eye Irrit. 2, H319

20 - 60 %

Additional information: For the wording of the listed hazard phrases refer to section 16.

4. First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefor medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient stable inside position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist, consult a doctor.

5. <u>Fire-fighting measures</u>

- Extinguishing media.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- **Protective equipment:** Mouth respiratory protective device.

6. Accidential releases measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · References to other sections

See section 7 for information and safe handling.

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

SDS InjectProECO-ACCELERATOR-UNI SDS DATE: 28-FEB-24

7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- **Storage:** No special requirements
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- **Specific end use(s):** No further relevant information available.

8. Exposure control/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace: 6425-29-4 2,2'-dimopholinyldiethyl ether

Oral Long term systemic effects: 0,5 mg/kg (consumer) Dermal Long-term systemic effects: 0,5 mg/kg (consumer) 1 mg/kg (worker) Inhalative

Long-term systemic effects: 1,8 mg/m³ (consumer) $7,28 \text{ mg/m}^3 \text{ (Worker)}$

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- Personal protective equipment.
- General protective and hygienic measures:

Keep away from foodstuffs, beverages, and feed.

Wash hands before break and at the end of the work.

Avoid contact with eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.

Protection of hands:



Protective gloves

The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

Penetration time of glove material:

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

Eye protection:



Tightly sealed goggles.

9. Physical and technical properties

Information on basic physical and chemical properties

General information

Appearance:

Form Liquid Colour Light yellow Amine-like Odour Not determined. pH-value:

Change in condition

Melting point/freezing point: Not determined.

Initial boiling point and boiling range: 321 °C

Ignition temperature Not determined. >100 °C

Flash point: Flammability (solid,gas): Not applicable. Not determined. **Decomposition temperature:**

Product is not selfigniting. **Auto-ignition temperature:**

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 0,2 hPa. Density at 20 °C: 0.97 g/cm^3 Relative density: Not determinded. Not determined. Vapour density: **Evaporation rate:** Not determined.

Not miscible or difficult to mix. **Solubility in/miscibility with water:**

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

35 mPa.s Dynamic at 20 °C: **Kinematic:** Not determined.

Solvent content:

Organic solvent: 0.0 % VOC (EC):

Other information: No further relevant information.

10. Stability and reactivity

- Reactivity: No further relevant information available.
- Chemical stability:
- Thermal decomposition/conditions to be avoided: No decomposition if used according to
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition product known.

11. Toxicological information

Information on toxicological effects

• Acute toxicity: Harmfull if swallowed

LD/LC50 values relevant for classication: 6425-39-4 2,2'-dimorpholinyldiethyl ether

 Oral
 LD50
 2025 mg/kg (Rat)

 Dermal
 LD50
 3038 mg/kg (Rabbit)

.

- Primary irritant effect:
- Skin corrosion/irritation :

Based on available data, the classification criteria are not met.

Serious eve damage/irritation:

Causes serious eye irritation.

- Respiratory or skin sensitization:
- Based on available data, the classification criteria are not met.
- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- · Carcinogenicity: suspected of causing cancer.
- Reproductivity toxicity: based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met.
- **Aspiration hazard**: based on available data, the classification criteria are not met.

12. Ecological information

· Toxicity

Aquatic toxicity	
6425-39-4 2,2'-dimorpholinyldiethyl ether	
EC50/48 h	>100 mg/l (daphnia)
EC50/96 h	>100 mg/l (algae)
LC50/96 h	>2159 mg/l (freshwater fish)

Persistence and degradability: No further relevant information available.

- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- **Ecotoxical effects:** No further relevant information available.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for

Do not allow undiluted product or large quantities of it to reach ground water, water source or sewage system.

Results of PBT and vPvB assessments:

PBT: not applicable. **vPvB:** not applicable.

Other adverse effects: No further relevant information available.

13. Disposal consideration

- · Waste treatment methods
- Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleaning agents: water, if necessary together with cleansing agent.

14. Transport information

· UN-number

· ADR, IMDG, IATA Not regulated

· UN proper shipping name

ADR, IMGD, IATA Not regulated

· Transport hazard class(es)

ADR, AND, IMDG, IATA Not regulated

Class

Packing group

ADR; IMDG, IATA
 Environmental hazards:
 Special precautions for user
 Not regulated
 Not applicable

Transport additional information: Not applicable
 UN « Model regulation »: Not regulated

15. Regulatory information

Safety, health and environmental regulations: legislation specific for the product.

Directive 2012/18/EU

Named dangerous substances – ANNEX 1: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.

SDS DATE: 28-FEB-24

SDS InjectProECO-ACCELERATOR-UNI

16. Additional information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases referred to under sections 2 and 3:

H319 Causes serious eye irritation.

Abbreviations and acronyms:

ADR: European agreement concerning the International Carriage of Dangerous Goods by road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and labelling of chemicals.

EINECS: European Inventory of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persitent, Bioaccummulative and Toxic

vPvB: very Persitent and very Bioacummulative

Acute Tox. 4: Acute toxicity – inhalation – Category 4.

Skin Irrit. 2: Skin corrosion/irritation – Category 2.

Eye Irrit. 2 : Serious eye damage/eye irritation – Category 2.

Resp. Sens. 1: Respiratory sensititasion – Category 1.

Resp. Sens. 1B: Respiratory sensititasion – Category 1B.

Skin Sens. 1: Skin sensititatsion – Category 1.

Skin Sens. 1B: Skin sensititasion – Category 1B.

Carc. 2: Carcinogenicity – Category 2.

STOT SE3: Specific target organ toxicity (sngle exposure) – Category 3.

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2.

Data compared to the previous version altered.

SDS InjectProECO-ACCELERATOR-UNI SDS DATE: 28-FEB-24