
TRANSITIONS



Pre-engineered Time-Saving Integrated Solutions





Pre-Engineered for a smooth transition.

Straight or curvy, these transitions allow your design to move from one space to another seamlessly.

These transitions are pre-engineered with attention to detail to ensure you control the finished aesthetic of the ceiling and achieve your design intent.

Transitions can be found on nearly every project. We've created pre-engineered solutions for these and other common conditions to make installation easier and to provide a finished look that is consistent and reliable.





Transition Moldings



Axiom® Transitions



Axiom Moldings & Column Rings



Experience, Above All™

Transition Moldings



Create a smooth transition between drywall and suspended ceilings with acoustical and drywall transition molding.

Easier to Detail

- · Available CAD
- · One part number
- Factory painted to match Armstrong®
 Acoustical Suspension Systems

Easier To Install

- Fewer parts and pieces; combines acoustical molding with drywall taping flange
- Pre-punched vertical web to improve screw attachment
- Compatible with all types of framing including Armstrong FrameAll® drywall grid, ShortSpan, and SimpleSoffit

Armstrong Ceilings Transition Moldings Eliminate

- Vertical drywall return at the transition
- Return framing to support drywall return
- Separate acoustical wall angle installation
- · Corner bead and vertical taping




9/16" Transitions

9/16" Shadow Reveal Transition Molding

120", 3/8" shadow reveal with 9/16" horizontal flange; 120 linear ft./cnt.

• 7901






9/16" Flush Transition Molding

120", 9/16" horizontal flange; 120 linear ft./cnt.

- 7905
- · 7905PF *






9/16" Tegular Transition Molding

120", 9/16" horizontal flange; 120 linear ft./cnt.

• 7907







15/16" Shadow Reveal Transition Molding

120", 3/8" shadow reveal with 15/16" horizontal flange; 120 linear ft./cnt.

* 7902 | 1-3/16" | 3/8" | 15/16" | 1-5/16" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" | 1-3/8" |



15/16" Flush Transition Molding

120", 15/16" horizontal flange; 120 linear ft./cnt.

• 7904






15/16" Tegular Transition Molding

120", 15/16" horizontal flange; 120 linear ft./cnt.

• 7908







1" Flush T Transition Molding

120", 1" inverted T for monolithic horizontal transitions; 120 linear ft./cnt.

• 7903

Transitions

^{*} Protective film applied to face of wall molding flange for easier finishing.


F-Molding Transitions



F Vertical Transition Molding 120" vertical transition; 120 linear ft./cnt.

• 7906







Step Transition Molding

9/16" F Vertical Transition Molding; 120", 9/16" horizontal flange

• 7913







Step Transition Molding

15/16" F Vertical Transition Molding; 120", 15/16" horizontal flange

• 7914





F Vertical Transition Molding

7/8" F Vertical Transition Molding; 120", 7/8" horizontal flange

• 7915






Step Transitions

Step Transition Molding

15/16" 1" Step Transition Molding; 120", 15/16" horizontal flange

• 7909






Step Transition Molding

9/16" 1" Step Transition Molding; 120", 9/16" horizontal flange

• 7910








Shadow Reveal Transition Molding

9/16" Shadow Reveal Transition Molding; 120", 3/8 × 1/4" shadow reveal with 9/16" horizontal flange

• 7911






Shadow Reveal Transition Molding

15/16" Shadow Reveal Transition Molding; 120", $3/8 \times 1/4$ " shadow reveal with 15/16" horizontal flange

7912



F-Molding creates drywall height transitions without stud-and-track framing, eliminating the unsightly visual

Axiom® & Steel F-Molding Transitions

Armstrong Ceiling Solutions

 Minimize trade coordination with 40% faster installation time

Axiom® Benefits


- Axiom aluminum trim provides more crisp-edge detailing compared to traditional stud and drywall framing
- Axiom acoustical-to-drywall transitions are available straight and curved for perfect fit and finish every time
- Axiom is part of the Sustain[™] portfolio and meets the most stringent sustainability compliance standards today

Steel Benefits


- Steel transitions are factory painted to match Armstrong® Acoustical Suspension Systems
- Roll-formed steel with integrated mud flange – saves time, material, and labor on vertical transitions
- Fewer parts and pieces; integrates acoustical molding with a drywall taping flange
- Eliminates a vertical drywall return at the transition
- · New 3-5/8" capabilities

Features

- Accomodates acoustical-toacoustical, acoustical-to-drywall, drywall-to-drywall, and drywallto-acoustical
- Compatible with Armstrong®
 Acoustical Suspension Systems and FrameAll® Drywall Grid



Armstrong Ceiling Solutions



View Master Details

Transition between two ceilings planes at the same height

Axiom® & Steel Flush Transitions

Armstrong Ceiling Solutions

- Minimize trade coordination with 40% faster installation time
- Can eliminate stud framing to structure

Axiom® Benefits

- Axiom aluminum trim provides more crisp-edge detailing compared to conventional roll-formed steel systems
- Axiom acoustical-to-drywall transitions are available straight and curved for perfect fit and finish every time
- Axiom is part of the Sustain[™] portfolio and meets the most stringent sustainability compliance standards today


Steel Benefits

- Steel transitions are factory painted to match Armstrong Acoustical Suspension Systems
- Fewer parts and pieces; integrates Acoustical Molding with a Drywall Taping Flange
- Eliminates a vertical drywall return at the transition

Features


- Accommodates acoustical-toacoustical, acoustical-to-drywall, and drywall-to-drywall
- · Axiom can be straight or curved
- Compatible with Armstrong®
 Acoustical Suspension Systems
 and Drywall Grid Systems


View Master Details



Armstrong Ceiling Solutions

Flush Transition





Axiom Transitions; The Bowers Center for Sports, Fitness and Well-Being; Elizabethtown, PA; Cannon Design



Axiom Transitions



Fast and easy way to create crisp transitions between ceiling planes, regardless of material type.

> Calla®; Savanna; Malvern, PA; Meyer Design



Why Use Axiom® Transition Moldings?

- Extruded aluminum Axiom® transition moldings provide more crisp edge detailing compared to conventional roll-formed steel systems
- Compatible with Armstrong® suspension systems and drywall grid systems
- Axiom transitions are part of the Sustain[™] portfolio and meet the most stringent sustainability compliance standards today
- Acoustical-to-drywall transitions are available straight and curved for perfect fit and finish every time

- Axiom transitions for Vector® are available straight only; for use with full-size Vector panels (field cutting Vector panels can be avoided)
- Elevation change transitions accommodate acoustical-to-acoustical, acoustical-to-drywall, drywall-to-acoustical, and drywall-to-drywall height transitions of 2", 4", 6", 8", 10", and 12"



High Performance Sustainable Ceiling Systems

Axiom® Transitions


	Item No. ◆	Description	Dimensions (Inches)		
Dimensional	□AXSJ	10' Axiom® Slip Joint	120 × 24 × 2-1/16"	E	
	AXTRVESTR NOTE: For use with full-size	Straight Transition for Vector e Vector® panels.	120 × 2-9/16 × 1-11/16"		
	☐ AXTR7901STR	9/16" Shadow Reveal Transition Molding, Straight	120 × 2-9/16 × 1-13/16"	5 3	
	☐ AXTR7901CUR	9/16" Shadow Reveal Transition Molding, Curved	Varies × 2-9/16 × 1-13/16"		
	☐ AXTR7902STR	15/16" Shadow Reveal Transition Molding, Straight	120 × 2-9/16 × 2-3/16"	5 P	
	☐ AXTR7902CUR	15/16" Shadow Reveal Transition Molding, Curved	Varies × 2-9/16 × 2-3/16"		
Exposed Tee	☐ AXTR7911STR	9/16" Shadow Reveal Transition Molding, Straight	100 × 0/16 × 2 1/2"	5 2	
	☐ AXTR7911CUR	9/16" Shadow Reveal Transition Molding, Curved	120 × 9/16 × 2-1/2"		
	☐ AXTR7912STR	15/16" Shadow Reveal Transition Molding, Straight	120 × 15/16 × 2-1/2"		
	☐ AXTR7912CUR	15/16" Shadow Reveal Transition Molding, Curved	120 × 15/10 × 2-1/2		
	☐ AXTR7904STR	15/16" Flush Transition Molding, Straight	120 × 2-9/16 × 1-3/4"	4	
	☐ AXTR7904CUR	15/16" Flush Transition Molding, Curved	Varies × 2-9/16 × 1-3/4"		
	☐ AXTR7905STR	9/16" Flush Transition Molding, Straight	120 × 2-9/16 × 1-3/8"		
	☐ AXTR7905CUR	9/16" Flush Transition Molding, Curved	Varies × 2-9/16 × 1-3/8"		
	☐ AXTR7906STR	"F" Type Molding, Straight	120 × 1-13/16 × 1-11/16"		
	☐ AXTR7906CUR	"F" Type Molding, Curved	Varies × 1-13/16 × 1-11/16"		
	☐ AXTR7907STR	9/16" Tegular Transition Molding, Straight	120 × 2-9/16 × 1-11/16"		
	☐ AXTR7907CUR	9/16" Tegular Transition Molding, Curved	Varies × 2-9/16 × 1-11/16"	<u> </u>	
	☐ AXTR7908STR	15/16" Tegular Transition Molding, Straight	120 × 2-9/16 × 1-13/16"	4	
	☐ AXTR7908CUR	15/16" Tegular Transition Molding, Curved	Varies × 2-9/16 × 1-13/16"		
:em	☐ AXTR7909STR	15/16" Tegular Transition Molding – 1" Height, <i>Straight</i>	120 × 2-13/16 × 1-11/16"		
Sys	☐ AXTR7909CUR	15/16" Tegular Transition Molding – 1" Height, <i>Curved</i>	Varies × 2-13/16 × 1-11/16"		
Any Grid System	☐ AXTR7910STR	9/16" Tegular Transition Molding – 1" Height, Straight	120 × 2-13/16 × 1-3/8"	%	
	☐ AXTR7910CUR	9/16" Tegular Transition Molding - 1" Height, <i>Curved</i>	Varies × 2-13/16 × 1-3/8"	وا"ت	
	☐ AX15DSCSTR	1-1/2" Acoustical Double-sided Connection, Straight	120 × 1-15/16 × 1-1/2"		
	☐ AX15DSCCUR	1-1/2" Acoustical Double-sided Connection, Curved	Varies × 1-15/16 × 1-1/2"		
	□ AXFFP4	Axiom Field Face Plate	120" - 4" Unslotted		
	□ AXFFP6	Axiom Field Face Plate	120" - 6" Unslotted		

lacktriangled Add the 2-letter color suffix to the item number when specifying or ordering (e.g., AXTR7907STR H A). Minimum Bend Radius: Profile: AXTR7901 · Inside Curve – 48", Outside Curve – 120"

Profiles: AXTR7902, AXTR7904, AXTR7905 · Inside Curve - 96", Outside Curve - 600"

Used in place of a bulkhead when you are transitioning between two ceiling systems or changing ceiling system direction.

Axiom® Straight & Curved Flush Transitions



Armstrong Ceiling Solutions

Benefits


- · Improved aesthetics
- Axiom® aluminum trim provides more crisp-edge detailing compared to traditional stud framing bulkhead
- Axiom acoustical-to-drywall transitions are available straight and curved for perfect fit and finish every time
- Axiom is part of the Sustain™ portfolio and meets the most stringent sustainability compliance standards today

Features

- Transition from acoustical to acoustical without dropping a stud
- Available in 1-1/2", 4", or 6" (1-1/2" used to change direction in hallways/corridors)
- Used to transition between intersecting ceiling systems or to transition between two different types of ceilings
- Acoustical-to-acoustical transitions only

Armstrong Ceiling Solutions

Field Transition



View Master Details

Axiom® Transitions

Item No. ◆	Description	Dimensions (Inches)						
□ AXTR2STR	2" Transition, Straight	120 × 2 × 1-1/2"						
☐ AXTR2CUR*	2" Transition, Curved	Vary × 2 × 1-1/2"						
□ AXTR4STR	4" Transition, Straight	120 × 4 × 1-1/2"						1
☐ AXTR4CUR*	4" Transition, Curved	Vary × 4 × 1-1/2"						→ ~
□ AXTR6STR	6" Transition, Straight	120 × 6 × 1-1/2"				٦	F = 4	٩
☐ AXTR6CUR*	6" Transition, Curved	Vary × 6 × 1-1/2"			1		ia i	5
□ AXTR8STR	8" Transition, Straight	120 × 8 × 1-1/2"		9		و	10"	12" [
☐ AXTR8CUR*	8" Transition, Curved	Vary × 8 × 1-1/2"	1	<u> </u>	6"	8"		9
□ AXTR10STR	10" Transition, Straight	120 × 10 × 1-1/2"	2"	4"		3	, ,	6
☐ AXTR10CUR**	10" Transition, Curved	Vary × 10 × 1-1/2"		<u> </u>		<u> </u>	<u> </u>	<u>↓ </u>
□ AXTR12STR	12" Transition, Straight	120 × 12 × 1-1/2"						
☐ AXTR12CUR	12" Transition, Curved	Vary × 12 × 1-1/2"						

[♦] Add the 2-letter color suffix to the item number when specifying or ordering (e.g., AXTR2STR H A).

^{*} Minimum bending radius is 48" ** Minimum bending radius is 60"

Axiom® Transitions are used in place of a bulkhead when there is a height transition less than 12".

Axiom® Straight & Curved Transitions (1"– 12" Elevation Change)

Transition (Elevation Change) Acoustical Grid Metal Stud and Gypsum Board Vertical Transition

Armstrong Ceiling Solutions

Benefits

- Improved visual with up to 40% savings of installation time
- Axiom® Transitions create a smooth transition between drywall and suspended ceilings (mineral fiber, metal, or wood)
- Axiom aluminum trim provides more crisp-edge detailing compared to traditional stud and drywall framing
- Axiom is part of the Sustain[™] portfolio and meets the most stringent sustainability compliance standards today
- Axiom Acoustical-to-Drywall Transitions are available straight and curved for perfect fit and finish every time


Features

- Axiom® Vector® is available straight only for use with full-size Vector panels (field cutting Vector panels can be avoided)
- Elevation change accommodates acoustical-to-acoustical, acousticalto-drywall, and drywall-to-drywall height transitions of 1", 2", 4", 6", 8", and 10" and 12"
- Compatible with Armstrong®
 Acoustical Suspension Systems
 and Drywall Grid Systems

Armstrong Ceiling Solutions

Straight or Curved Transitions (1" to 12" Elevation Change)

Acoustical-to-Drywall



View Master Details

Axiom Transitions Quickship™ Corners


Item No. ◆	Description	Dimensions (Inches)		
☐ AXTR2QSIS	2" Transition Inside Corner	120 × 2 × 1-1/2"		
□ AXTR2QSOS	2" Transition Outside Corner	Vary × 2 × 1-1/2"		
☐ AXTR4QSIS	4" Transition Inside Corner	120 × 4 × 1-1/2"		
□ AXTR4QSOS	4" Transition Outside Corner	Vary × 4 × 1-1/2"		
☐ AXTR6QSIS	6" Transition Inside Corner	120 × 6 × 1-1/2"		
☐ AXTR6QSOS	6" Transition Outside Corner	Vary × 6 × 1-1/2"		Inside 90°
☐ AXTR8QSIS	8" Transition Inside Corner	120 × 8 × 1-1/2"	A	XTR10QSIS Corner
☐ AXTR8QSOS	8" Transition Outside Corner	Vary × 8 × 1-1/2"		
☐ AXTR10QSIS	10" Transition Inside Corner	120 × 10 × 1-1/2"		
☐ AXTR10QSOS	10" Transition Outside Corner	Vary × 10 × 1-1/2"	Outside 90° AXTR6QSOS Corner	
☐ AXTR12QSIS	12" Transition Inside Corner	12 × 12 × 1-1/2"	, MINOGOO OOMO	
☐ AXTR12QSOS	12" Transition Outside Corner	12 × 12 × 1-1/2"		

Add the 2-letter color suffix to the item number when specifying or ordering (e.g., AXTR2QSIS H A).
 Axiom pre-mitered corners are field assembled.


Details

CAD drawings available on armstrongceilings.com/axiom


Drywall-to-Acoustical




Acoustical-to-Acoustical



Acoustical-to-Drywall



Drywall-to-Drywall
























Accessories Complete the Look

- 5 molding profiles available, straight or curved, can be used as wall moldings or column rings
- Axiom® trim is part of the Sustain[™] portfolio and meets the most stringent sustainability compliance standards today
- · Compatible with Armstrong® acoustical and FrameAll® drywall systems

This extruded aluminum trim provides crisp edge detailing compared to conventional rollformed systems.

Axiom® Wall Moldings & Column Rings





Take the Next Step



877 276-7876

Customer Service Representatives 7:45 a.m. to 5:00 p.m. EST Monday through Friday

TechLine – Technical information, detail drawings, CAD design assistance, installation information, other technical services – 8:00 a.m. to 5:30 p.m. EST, Monday through Friday.

FAX: 800 572 8324 or

EMAIL: techline@armstrongceilings.com

armstrongceilings.com/commercial

Latest product news
Standard and custom product information
Online catalog
CAD, Revit®, SketchUp® files
A Ceiling for Every Space® Visual Selection Tool

Product literature and samples – express service or regular delivery

Contacts - reps, where to buy, who will install

armstrongceilings.com/projectworks

The power of **ProjectWorks®** Design and Pre-construction Service

ProjectWorks offers cutting-edge collaborative design services to ensure your projects are completed with unmatched precision and efficiency.

Receive 2D layouts, material budgets, and detailed 3D Revit® models to speed up project timelines and improve coordination.

Design with confidence. Partner with ProjectWorks today! Get started at armstrongceilings.com/projectworks



Cover Image: Acoustibuilt® & Axiom®; F5 Tower Boardroom, Seattle, WA; NBBJ

