

CLEANING GUIDELINES:

Ceilings, Walls, Suspension Systems, and Trim

Due to the potential impact on the finish, please follow the specific guidance below for general cleaning:

- It is recommended that only clear mild detergent cleaners be used, as dyed liquids can permanently discolor the finish of some ceiling tiles.
- Cleaning is only recommended for the finished face of the ceiling and wall panels.
- Mineral fiber and fiberglass ceiling and wall panels should never be soaked in water or other liquids.
- Custom colors or printed Create!™ Mineral fiber or fiberglass products should always use Cleaning Option 1.

Cleaning Option 1:

A commercial vacuum system with 100-inches/H2O vacuum capacity is recommended for removing dust particles. The vacuum system cleaning attachment should be a 3" diameter wand with natural hair bristle. A HEPA vacuum filter is recommended to minimize air borne dust during the cleaning process. Care must be taken while vacuuming to avoid excessive pressure. Use a blotting action to minimize potential damage of surface texture on ceiling and wall panels.

Cleaning Option 2:

Using a clean damp cloth or soft, smooth sponge with a mild, clear detergent, wipe lightly on the surface to remove any dirt. Dry any excess moisture with a clean, white microfiber cloth. Note: If moisture is not removed, it may stain the surface over time.

Cleaning conditions and aesthetics may be impacted by additional site conditions. These instructions pertain only to the maintenance of the aesthetics and integrity of Armstrong Ceiling & Wall Solutions products. Please consult the manufacturer's instructions and guidance regarding any cleaning product.

PRODUCT	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
AcustiBuilt®	•	•
Armatuff®	•	•
Backstage Noir™	•	
Calla® Calla® Health Zone™ Calla® High CAC Calla® High NRC Calla® PrivAssure™ Calla® Shapes for DesignFlex® Calla® Vector®	•	•
Calla® Calla® Health Zone™ AirAssure®	•	•
Canyon® Canyon® for Prelude® XL Max®	•	•
Ceramaguard® Ceramaguard® Fine Fissured™	•	•
Cirrus® Cirrus® High NRC Cirrus® Profiles Cirrus® Second Look® Cirrus® Themes™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
Clean Room™ Clean Room™ FL Clean Room™ FL for Prelude® XL Max® Clean Room™ VL	•	•
Cortega® Cortega® Second Look®	•	•
Designer™	•	•
DesignFlex® for Formations™	•	•
Dune™ Dune™ Second Look®	•	•
FeltWorks® FeltWorks® Acoustical Panels FeltWorks® Blades – HookOn FeltWorks® Blades – VarAffix™ FeltWorks® Open Cell	•	
Fine Fissured™ Fine Fissured™ for Prelude® XL Max® Fine Fissured™ High NRC Fine Fissured™ Second Look®	•	•
Fissured	•	•
Formations™ Formations™ Curves Cloud Kits Formations™ for Drywall Cloud Kits Formations™ Planks Cloud Kits Formations™ Squares & Rectangles Cloud Kits Formations™ Staggered Cloud Kits	•	•
Georgian™ High Washability	•	•
Graphis® Graphis® Finetex™ Graphis® Rustex™	•	•
Infill Panels	•	•
Infusions® Infusions® Accent Canopies Infusions® Blades – Concepts Infusions® Lay-in Infusions® Shapes	•	
InvisAcoustics™	•	•
Kitchen Zone™	•	•
Ledges®	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

Lyra® Lyra® Concealed Lyra® Plant Based (PB) Lyra® PB Direct Apply Lyra® PB Shapes for DesignFlex® Lyra® PB High CAC Lyra® PB Vector®	•	•
Mesa™ Mesa™ Second Look	•	•
MetalWorks™ MetalWorks™ 3D MetalWorks™ Blades – Classics MetalWorks™ Canopies MetalWorks™ Capz™ MetalWorks™ Clip-On MetalWorks™ Concealed MetalWorks™ Immix™ Blades Linear MetalWorks™ Open Cell MetalWorks™ Plank MetalWorks™ SecureLock MetalWorks™ Shapes for DesignFlex® MetalWorks™ Tegular MetalWorks™ Tegular for DesignFlex® MetalWorks™ Tin MetalWorks™ Torsion Spring MetalWorks™ Torsion Spring Shapes MetalWorks™ Vector® & Vector® Exterior MetalWorks™ Linear MetalWorks™ Linear – Classics MetalWorks™ Linear – Diverge™ MetalWorks™ Linear – Synchro™ MetalWorks™ Mesh Expanded Metal Welded Wire Woven Wire	•	•
Metaphors® Coffers	•	•
Optima® Create!™	•	
Optima® Optima® Concealed Optima® Health Zone™ Optima® Lay-in & Tegular Optima® PB Shapes for DesignFlex® Optima® Plant Based Optima® Vector® Optima® Capz™	•	•
Painted Nubby™	•	•
Pebble™	•	•
Random Fissured™	•	•
School Zone® Fine Fissured™ School Zone® Fine Fissured™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
School Zone® School Zone® Fine Fissured™ AirAssure®	•	•
Serpentina® Serpentina® Classic Serpentina® Components Serpentina® Vault Serpentina® Waves™	•	•
Shasta®	•	•
SoundScapes® SoundScapes® Acoustical Canopies SoundScapes® Basics SoundScapes® Blades SoundScapes® Shapes	•	•
Spectra® Capz™	•	•
Supercoat™ Touch-Up Paint (Ceiling)	•	•
TechZone® Panels TechZone® with Calla® Field Panels TechZone® with Lyra® PB Field Panels TechZone® with Lyra® PB Technical Panels TechZone® with MetalWorks™ Field Panels TechZone® with MetalWorks™ Technical Panels TechZone® with Optima® Field Panels TechZone® with Optima® Technical Panels TechZone® with Ultima® Field Panels TechZone® with Ultima® Technical Panels TechZone® with WoodWorks® Field Panels TechZone® with WoodWorks® Technical Panels	•	•
Tectum® Tectum® Blades & Baffles Tectum® Clouds & Shapes Tectum® Create!™ Tectum® Direct-Attach Ceilings Tectum® DesignArt™ Tectum® DesignArt™ – Lines Tectum® DesignArt™ – Shapes Tectum® Finale™ Ceiling Panels Tectum® Finale™ PB Tectum® High NRC Tectum® Lay-in Tectum® Tegular	•	•
Tincraft™	•	•
Tundra®	•	•
Ultima® Ultima® Create!™	•	
Ultima® Ultima® Health Zone™ Create!™	•	
Ultima® Ultima® Health Zone™ AirAssure®	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

Ultima®

- Ultima® for Prelude® XL Max®
- Ultima® Health Zone™
- Ultima® Health Zone™ High NRC
- Ultima® High NRC
- Ultima® Lay-in & Tegular
- Ultima® Shapes for DesignFlex®
- Ultima® Vector®
- Ultima® AirGuard™ Coating

•

•

VL

•

•

WoodWorks®

- WoodWorks® Canopies
- WoodWorks® Channeled Plank
- WoodWorks® Channeled Tegular
- WoodWorks® Channeled Vector®
- WoodWorks® Concealed
- WoodWorks® Grille – Classics
- WoodWorks® Grille – Forté
- WoodWorks® Grille Tegular
- WoodWorks® Linear Solid Wood Panels
- WoodWorks® Linear Tegular
- WoodWorks® Linear Veneered Panels
- WoodWorks® Linear Veneered Planks
- WoodWorks® Open Cell
- WoodWorks® Shapes for DesignFlex®
- WoodWorks® Tegular
- WoodWorks® Vector®

•

•

STANDARD CLEANING RECOMMENDATIONS – WALLS

PRODUCT

FeltWorks®
FeltWorks® Acoustical Panels

Cleaning Option 1

•

Cleaning Option 2

Infusions®
Infusions® Resilient Partitions
Infusions® Sheets
Infusions® Walls

•

•

MetalWorks™ Linear – Synchro™ Wall Panels

•

•

Optima™ Wall Panels

•

•

Painted Nubby™ Wall Panels

•

•

SoundScapes® Blades Walls

•

•

SoundSoak®
SoundSoak® 60 Mineral Fiber
SoundSoak® 85 Fiberglass

•

•

Tectum®
Tectum® Create!™
Tectum® Direct-Attach Walls
Tectum® DesignArt™
 Tectum® DesignArt™ – Lines
 Tectum® DesignArt™ – Shapes
Tectum® Finale™ PB
Tectum® Finale™ Wall Panels
Tectum® High NRC

•

•

WoodWorks®
WoodWorks® Channeled
WoodWorks® Walls
WoodWorks® Grille – Classics
WoodWorks® Grille – Forté

•

•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

PRODUCT

Cleaning Option 1

Cleaning Option 2

SUSPENSION SYSTEMS

Suprafine® XL®

- Suprafine® XL® 9/16" Exposed Tee
- Suprafine® XL® Fire Guard™ 9/16" Exposed Tee
- Suprafine® XL® High Recycled Content

Suprafine® XM

- Suprafine® XM® 9/16" Exposed Tee System for Shapes

1-1/2" Co-Extruded Clean Room™

15/16" Co-Extruded Clean Room™

360 Painted Grid

Axiom®

- Axiom® Building Perimeter Pockets for Lutron Shades
- Axiom® Building Perimeter Shade Pockets
- Axiom® Classic
- Axiom® Direct Light Covers
- Axiom® Drywall Trim
- Axiom® Glazing Channel
- Axiom® Indirect Field Light Covers
- Axiom® Indirect Light Covers
- Axiom® Indirect Light Ledge
- Axiom® Knife Edge®
- Axiom® Moldings & Column Rings
- Axiom® Paired
- Axiom® Transitions
- Axiom® Vector®
- Axiom® Interlude®

Accessories & Moldings

Accessories & Moldings – Seismic

Acoustical & Drywall Transition Molding

Continuous Load Path (CLP) for Prelude® XL®

DynaMax®

Drywall Grid Accessories

FrameAll™ Drywall Grid

Interlude® XL® HRC Dimensional Tee

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

PRODUCT

Cleaning Option 1

Cleaning Option 2

Prelude®

- Prelude® Concealed
- Prelude® ML
 - Prelude® ML 15/16" Exposed Tee
- Prelude® XL®
 - Prelude® XL® 15/16" Exposed Tee
 - Prelude® XL® 15/16" for Exterior Applications
 - Prelude® XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® XL® High Recycled Content
- Prelude® Plus XL®
 - Prelude® Plus XL® Aluminum 15/16" Exposed Tee
 - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® Plus XL® Stainless Steel 15/16" Exposed Tee
 - Prelude® Plus XL® 15/16" Exposed Tee
 - Prelude® Plus XL® 15/16" for Exterior Applications
 - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® Plus XL® High Recycled Content
- Prelude® XL Max®
- Prelude® XM
 - Prelude® XM 15/16" Exposed Tee System for Shapes

•

•

Quikstix™

- Quikstix™ Drywall Grid System Locking Pocket Mains
- Quikstix™ Drywall Grid System for Soffits

•

•

Shortspan® Drywall Framing System

•

•

Silhouette® XL®

- Silhouette® XL® 9/16" Bolt Slot – 1/4" Reveal
- Silhouette® XL® 9/16" Bolt Slot – 1/8" Reveal

•

•

SimpleSoffit® Drywall Framing System

•

•

Singlespan™ Acoustical Corridor System

•

Suprafine® ML 9/16" Exposed Tee

•

•

LIGHTING SOLUTIONS

Linear Lighting

- Linear Lighting for Drywall
- Linear Lighting for AcoustiBuilt®

•

•

All trademarks used herein are the property of AWI Licensing LLC and/or its affiliates
 © 2023 AWI Licensing LLC • Printed in the United States of America
armstrongceilings.com/commercial

