

# AXIOM<sup>®</sup>

Building  
Perimeter  
System

Lutron Compatible  
Shade Pockets



# Integrated SHADE POCKETS

Now, there's a new integrated pocket and shading solution for building perimeter systems, thanks to a collaboration between Armstrong World Industries and Lutron. This pre-engineered solution provides superior aesthetics, performance, and the most advanced shading solution on the market today.

## WHY CONSIDER THIS SOLUTION?

### ARCHITECTS:

- ▶ Easy to specify – pre-engineered pocket and shade solution
- ▶ Provides seamless integration to acoustical or drywall ceilings
- ▶ Industry-leading aesthetics
- ▶ Best in class performance
- ▶ Seismic code compliant

### CONTRACTORS:

- ▶ Reduces risk and eliminates guesswork
- ▶ Installs as part of a complete ceiling solution
- ▶ Faster system installation gets you on and off the job quicker
- ▶ Integrated sub-brackets make shade installation easier
- ▶ Lower cost of installation

## Seamless Integration








Also available for drywall installations


# ARMSTRONG® CEILING POCKETS

## Lutron Compatible Shade Pockets:


- Install 12 times faster than drywall pockets and twice as fast as traditional pockets
- Integrate with drywall and acoustical suspension systems like no other pocket can for perfect fit and finish
- Engineered specifically for Lutron Contract Roller and Sivoia® QS Roller




AXP355L



AXP355LE




AXP355D




AXP355MD



AXP355LD



AXP355LMLA



AXP355LMLD

# LUTRON® Shading Solutions


Lutron has been the leading provider of motorized shades for over 20 years with automated installations in the most recognized commercial buildings around the world.

In both new construction and renovation projects, Lutron commercial shades deliver world-class daylight control solutions that upgrade the value of any commercial space, improve the performance of buildings and people, and enhance the design of a project from the exterior to the interior.

Lutron's Performance Fabric Collection offers 300+ high-performance and sustainable solar screen and blackout fabric options.

## Start with the Right Fabric PerformanceShadingAdvisor.com

- Get fabric recommendations for your project
- Browse all 400+ fabrics and order free samples
- Select the right shade pocket
- Download product specifications and drawings
- Explore control options & keypad finishes



-  Spec Grade Solar Screens (THEIA™ Compliant Fabrics)
-  General Purpose Solar Screens
-  Sustainable Solar Screens
-  Blackouts





For standard commercial applications, choose Lutron’s Contract Roller with any Performance fabric. These commercial grade shading solutions ensure design consistency throughout your building and feature Lutron’s superior quality, service, and delivery.

**Motorized Roller Shades**

- Can move up to 6 Inhne shades (approx. 300 square feet) with a single low voltage drive
- Low voltage power and communication
- Lutron shades align with each other at all times to within 1/8" at start, stop, and in motion
- Integrates seamlessly with Lutron lighting control
- Available as a stand-alone solution or part of a fully automated environmentally responsive system.

**Manual Roller Shades**

- Width: 13.5 in (0.34 m) Min, 10 ft (3.05 m) Max.
- Height: 12 in (0.30 m) Min, 15 ft (4.57 m) Max.
- Available with the options to match Lutron motorized shades
- Durable clutch components and aluminum tubes

**Pocket Options:**

- Single pocket
- Dual pocket

Single and dual fascia also available to integrate with Contract Roller



For more info, visit: [Lutron.com/contractroller](http://Lutron.com/contractroller)

Specify this High Performance Solution (Division 12, Cross Reference Division 9)

- Quantum with Hyperion Solar Adaptive Shading System
- Radio Window Sensor
- Contract Roller QS motorized shades
- Lutron Compatible Shade Pocket by Armstrong

For existing Lutron shades, the Axiom pocket also integrates with Lutron’s Sivoia QS and QS Wireless roller shades.

**Compatible Roller Shades**



## The Perfect Solution for Your Ceiling Design

# Lutron Compatible Shade Pockets


Item Number	Description	Dimensions (Inches)	Length	
<b>MOTORIZED SHADE POCKETS – For attachment with 2-1/2" studs</b>				
<b>Acoustical Flange Shade Pocket and End Caps</b>				
<input type="checkbox"/> <b>AXP355L</b>	3-Sided Lutron Compatible Shade Pocket with Acoustical Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355LECR</b>	Lutron End Cap – Right	5 x 5"		
<input type="checkbox"/> <b>AXP355LECL</b>	Lutron End Cap – Left	5 x 5"		
<b>Seismic Flange Shade Pocket and End Caps</b>				
<input type="checkbox"/> <b>AXP355LS</b>	3-Sided Lutron Compatible Shade Pocket with Seismic Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355LSECR</b>	Lutron Seismic End Cap – Right	5 x 5"		
<input type="checkbox"/> <b>AXP355LSECL</b>	Lutron Seismic End Cap – Left	5 x 5"		
<b>Drywall Flange Shade Pockets</b>				
<input type="checkbox"/> <b>AXP355LD</b>	3-Sided Lutron Compatible Shade Pocket with Drywall Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355LDIC</b>	3-Sided Lutron Compatible Shade Pocket with Drywall Flange – Inside Corner	5 x 5"	12"	
<input type="checkbox"/> <b>AXP355LDOC</b>	3-Sided Lutron Compatible Shade Pocket with Drywall Flange – Outside Corner	5 x 5"	12"	
<b>Connection Perimeter Pockets and Connection Accessories</b>				
<input type="checkbox"/> <b>AXP355LC</b>	3-Sided Lutron Compatible Shade Pocket with Connection to Extension/Face Plate Piece	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355LEEC</b>	Lutron for AXP355LE and AXP355LC End Cap	5 x 5"	120"	

# AXIOM® Building Perimeter System


Lutron® Compatible Shade Pockets

Item Number	Description	Dimensions (Inches)	Length	
<b>MOTORIZED SHADE POCKETS – For Traditional Framing</b>				
<b>Exposed Shade Pocket and End Caps</b>				
<input type="checkbox"/> <b>AXP355LE</b>	3-Sided Exposed Lutron Compatible Shade Pocket	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355LE__*</b>	3-Sided Exposed Lutron Compatible Shade Pocket, colors	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355LEEC</b>	Lutron for AXP355LE and AXP355LC End Cap	5 x 5"		
<input type="checkbox"/> <b>AXP355LEEC__*</b>	Lutron Exposed End Cap, colors	5 x 5"		
<b>Acoustical Flange Shade Pockets and Corners</b>				
<input type="checkbox"/> <b>AXP355MLA</b>	3-Sided Lutron Compatible Shade Pocket with Acoustical Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355MLAIC</b>	3-Sided Lutron Compatible Shade Pocket with Acoustical Flange – Inside Corner	5 x 5"	12"	
<input type="checkbox"/> <b>AXP355MLAOC</b>	3-Sided Lutron Compatible Shade Pocket with Acoustical Flange – Outside Corner	5 x 5"	12"	
<b>Drywall Flange Shade Pockets and Corners</b>				
<input type="checkbox"/> <b>AXP355MLD</b>	3-Sided Lutron Compatible Shade Pocket with Drywall Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355MLDIC</b>	3-Sided Lutron Compatible Shade Pocket with Drywall Flange – Inside Corner	5 x 5"	12"	
<input type="checkbox"/> <b>AXP355MLDOC</b>	3-Sided Lutron Compatible Shade Pocket with Drywall Flange – Outside Corner	5 x 5"	12"	

Motorized Shade Pocket – For Attachment with 2-1/2" Studs



Motorized Shade Pocket – For Traditional Framing



# AXIOM® Building Perimeter System

Lutron® Compatible Shade Pockets

Item Number	Description	Dimensions (Inches)	Length	
<b>MANUAL SHADE POCKETS – For attachment with 2-1/2" studs</b>				
<b>Drywall Flange Shade Pocket and End Cap</b>				
<input type="checkbox"/> <b>AXP355D</b>	3-Sided Shade Pocket with Drywall Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355DISC</b>	3-Sided Shade Pocket with Drywall Flange – Inside Corner	12 x 5 x 12"	12"	
<input type="checkbox"/> <b>AXP355DOSC</b>	3-Sided Shade Pocket with Drywall Flange – Outside Corner	12 x 5 x 12"	12"	
<input type="checkbox"/> <b>AXP355DEC</b>	3-Sided End Cap for Drywall Flange Pocket	5 x 5"		
<b>MANUAL SHADE POCKETS – For Traditional Framing</b>				
<b>Acoustical Flange Pockets and Corners</b>				
<input type="checkbox"/> <b>AXP355MA</b>	Perimeter Pocket with Acoustical Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355MAOSC</b>	Perimeter Pocket with Acoustical Flange – Outside Corner	12 x 5 x 12"	12"	
<input type="checkbox"/> <b>AXP355MAISC</b>	Perimeter Pocket with Acoustical Flange – Inside Corner	12 x 5 x 12"	12"	
<b>Drywall Flange Pockets and Corners</b>				
<input type="checkbox"/> <b>AXP355MD</b>	Perimeter Pocket with Drywall Flange	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355MDOSC</b>	Perimeter Pocket with Drywall Flange – Outside Corner	12 x 5 x 12"	12"	
<input type="checkbox"/> <b>AXP355MDISC</b>	Perimeter Pocket with Drywall Flange – Inside Corner	12 x 5 x 12"	12"	
<b>Exposed Pockets and Corners (custom colors available)</b>				
<input type="checkbox"/> <b>AXP355ME</b>	Exposed Application Perimeter Pocket	5 x 5 x 5"	120"	
<input type="checkbox"/> <b>AXP355MEOSC</b>	Exposed Application Perimeter Pocket – Outside Corner	12 x 5 x 12"	12"	
<input type="checkbox"/> <b>AXP355MEISC</b>	Exposed Application Perimeter Pocket – Inside Corner	12 x 5 x 12"	12"	


# AXIOM® Building Perimeter System

Lutron® Compatible Shade Pockets

Item Number	Description	Dimensions (Inches)	Length
<b>MANUAL SHADE POCKETS (cont'd) – For Traditional Framing</b>			
<b>End Cap</b>			
<input type="checkbox"/> <b>AXP355MS</b>	Perimeter Pocket with Seismic (0.875") Flange	5 x 5 x 5"	120"
<input type="checkbox"/> <b>AXP355MSOSC</b>	Perimeter Pocket with Seismic (0.875") Flange – Outside Corner	12 x 5 x 12"	12"
<input type="checkbox"/> <b>AXP355MSISC</b>	Perimeter Pocket with Seismic (0.875") Flange – Inside Corner	12 x 5 x 12"	12"
<b>End Cap</b>			
<input type="checkbox"/> <b>AXP355MEC</b>	Perimeter Pocket End Cap for Traditional Framing Pockets (AXP355MA, AXP355MD, AXP355ME, AXP355MS)	5 x 5"	


Manual Shade Pocket – For Attachment with 2-1/2" Studs

**AXP355D**




Manual Shade Pocket – For Traditional Framing

**AXP355MD**



# AXIOM® Building Perimeter System

Lutron® Compatible Shade Pockets

Item Number	Description	Dimensions (Inches)	Length	
<b>ACCESSORIES</b>				
<b>Closure Clip</b>				
<input type="checkbox"/> <b>AXPCC3</b>	3" Shade Closure Clip for Manual Shade Pocket	3"	120"	
<input type="checkbox"/> <b>AXPCC3L</b>	3" Shade Closure Clip	3"	120"	
<input type="checkbox"/> <b>AXPCC3L__*</b>	3" Shade Closure Clip, colors	3"	120"	
<b>Installation Accessories</b>				
<input type="checkbox"/> <b>AXPWCCP2</b>	Axiom Wall Clip with Hook for Closure Clip Attachment	2 x 1/2"	2"	
<input type="checkbox"/> <b>BERCAXT</b>	Axiom Beam End Retaining Clip for Seismic Applications	—	—	
<input type="checkbox"/> <b>AXTBC</b>	Axiom T-Bar Connector Clip			
<input type="checkbox"/> <b>AX4SPLICE</b>	Axiom Splice Plate with Setscrews Provides positive lock between abutting pockets		8"	
<input type="checkbox"/> <b>AXPSPLINE</b>	Axiom Building Perimeter Interlocking Spline for connection between perimeter pocket and extension or face plate piece	—	120"	

\* Add the 2-letter color suffix to the item number when specifying or ordering (Example: AXP355LE **B** **L**, 3-Sided Exposed Lutron Compatible Shade Pocket in Black)

# TAKE THE NEXT STEP

## 1 877 276 7876

Customer Service Representatives  
7:45 a.m. to 5:00 p.m. EST  
Monday through Friday

**TechLine** – Technical information, detail drawings,  
CAD design assistance, installation information,  
other technical services – 8:00 a.m. to 5:30 p.m. EST,  
Monday through Friday. FAX 1 800 572 8324  
or email: [techline@armstrongceilings.com](mailto:techline@armstrongceilings.com)

## [armstrongceilings.com/commercial](http://armstrongceilings.com/commercial)

Latest product news  
Standard and custom product information  
Online catalog  
CAD, Revit®, SketchUp® files  
A Ceiling for Every Space® Visual Selection Tool  
Product literature and samples – express service  
or regular delivery  
Contacts – reps, where to buy, who will install

## YOU INSPIRE™ SOLUTIONS CENTER

email: [solutionscenter@armstrongceilings.com](mailto:solutionscenter@armstrongceilings.com)  
[armstrongceilings.com/youinspire](http://armstrongceilings.com/youinspire)

### Design Assistance

Collaborative design  
Detail drawings  
Specifications  
Planning and budgeting

### Pre-construction Assistance

Layout drawings for standard  
and premium products  
Project installation recommendations  
Contractor installation assistance

**you inspire™**  
solutions center

helping to bring your one-of-a-kind ideas to life

## Lutron Shading Customer Service

Phone: 1-800-446-1503  
Email: [shadingcustsvc@lutron.com](mailto:shadingcustsvc@lutron.com)  
[www.performanceshadingadvisor.com](http://www.performanceshadingadvisor.com)

 **LUTRON®**  
Shading Solutions

Lutron®, THEIA™, Quantum®, Hyperion™, Radio Window™, Sivoia®, roller 100™, roller 150™, and roller 300™ are trademarks of Lutron Electronics Co., Inc.; Revit® is a registered trademark of Autodesk, Inc.; SketchUp™ is a trademark of Trimble Inc. All other trademarks used herein are the property of AWI Licensing Company and/or its affiliates  
© 2018 AWI Licensing Company • Printed in the United States of America

[armstrongceilings.com/lutron](http://armstrongceilings.com/lutron)

 **Armstrong®**  
CEILING SOLUTIONS