

HPD UNIQUE IDENTIFIER: 1015785472

CLASSIFICATION: 09 53 00 Acoustical Ceiling Suspension Assemblies

PRODUCT DESCRIPTION: Pre-engineered extruded aluminum building perimeter trim integrates air distribution, draperies, blinds, mechanical shades, or changes in ceiling elevations without any visible fasteners. This system allows quality control at the perimeter, reduces time required to detail and specify the integration of perimeter solutions, and reduces risk associated with perimeter installations. Saves on framing, boarding taping, mudding, sanding and painting commonly used for drywall pockets. Custom slotting, perforating, cutting and seismic systems are available.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 0  
 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1  
 Nanomaterial ... No

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE**

**INVENTORY AND SCREENING NOTES:**

Residuals/impurities in select raw materials are quantitatively measured, and are displayed in the HPD when greater than 100ppm.

**AXIOM® AND DYNAMAX® ALUMINUM TRIMS, TRANSITIONS & SUSPENSION SYSTEMS** | ALUMINUM BM-1 | END | PHY | MAM  
**TITANIUM DIOXIDE** BM-1 | CAN | END | MAM **BARIUM SULFATE** BM-2 | CAN | MAM **AROMATIC NAPHTHA, TYPE 1** LT-1 | END | CAN | MUL | GEN | MAM | SKI | EYE **MAGNESIUM** LT-UNK | PHY | MAM | SKI | EYE **MANGANESE** LT-P1 | END | MUL | REP | MAM | AQU **SILICON, ELEMENTAL** LT-UNK **AMORPHOUS SILICA** BM-1 | CAN | MAM **ALUMINUM HYDROXIDE** BM-2 | SKI | EYE **CHROMIUM** LT-P1 | END | SKI | MAM | REP | RES **COPPER** LT-P1 | MUL | AQU | GEN | MAM | EYE | SKI **ZINC, ELEMENTAL** LT-P1 | END | MUL | PHY | AQU **BUTYL ALCOHOL** BM-2 | SKI | EYE | MAM ]

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario  
 LCA: Environmental Product Declaration (EPD) by ASTM

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.  
 Pre-checked for LEED v4.1 Option 1.

Third Party Verified? <input type="radio"/> Yes <input checked="" type="radio"/> No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2023-10-27 PUBLISHED DATE: 2023-10-27 EXPIRY DATE: 2026-10-27
---	---	---



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### AXIOM® AND DYNAMAX® ALUMINUM TRIMS, TRANSITIONS & SUSPENSION SYSTEMS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION  
COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100 ppm.

OTHER PRODUCT NOTES: For more information on the Axiom System visit: <https://www.armstrongceilings.com/axiom>  
For more information on the Dynamax System visit: <https://www.armstrongceilings.com/dynamax>

#### ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-27 13:09:47

%: 75.0000 - 100.0000      GreenScreen: BM-1      RC: Both      NANO: Unknown      SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - New Zealand	Flammable solids category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES: Hazards noted pertain to aluminum in a powder or fumigated state. It is an extruded aluminum product. Accordingly, the hazards noted would not pertain to aluminum in this form.

## TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-27 13:09:47

%: 0.0000 - 5.0000

GreenScreen: BM-1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Titanium dioxide is bound within the coating matrix and is not in a respirable form in the final product.

## BARIUM SULFATE

ID: 7727-43-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-27 13:09:47

%: 1.0000 - 5.0000      GreenScreen: BM-2      RC: None      NANO: Unknown      SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products

SUBSTANCE NOTES:

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-27 13:09:47

%: 0.0000 - 5.0000

GreenScreen: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
GEN	EU - REACH Annex XVII CMRs	Germ cell mutagens: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES:

## MAGNESIUM

ID: 7439-95-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-27 13:09:48**

%: **0.0000 - 5.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**MANGANESE**

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-27 13:09:48**

%: **0.0000 - 5.0000** GreenScreen: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES:

**SILICON, ELEMENTAL**

ID: 7440-21-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-27 13:09:48**

%: **0.0000 - 5.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Alloy element**



HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

### AMORPHOUS SILICA

ID: 7631-86-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-10-27 13:09:48	
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: Unknown SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials	
SUBSTANCE NOTES:			

### ALUMINUM HYDROXIDE

ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-10-27 13:09:48	
%: 0.0000 - 1.0000	GreenScreen: BM-2	RC: None	NANO: Unknown SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
SKI	GHS - New Zealand	Skin irritation category 2	
EYE	GHS - New Zealand	Eye irritation category 2	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES:

## CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-27 13:09:48**

%: **0.0000 - 1.0000** GreenScreen: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products

SUBSTANCE NOTES:

## COPPER

ID: 7440-50-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-27 13:09:48**

%: 0.0000 - 1.0000

GreenScreen: LT-P1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
GEN	GHS - New Zealand	Germ cell mutagenicity category 1
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	GHS - New Zealand	Acute oral toxicity category 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES:

ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-27 13:09:48

%: 0.0000 - 1.0000

GreenScreen: LT-P1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES:

## BUTYL ALCOHOL

ID: 71-36-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-10-27 13:09:49**

%: **0.0000 - 1.0000**

GreenScreen: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

RESTRICTED LIST

Green Science Policy Institute (GSPI)

GSPI - Six Classes Precautionary List

Some Solvents

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All facilities  
CERTIFICATE URL:  
<https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-america/certificates/grid-voc-certificate.pdf>  
CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2023-03-29  
EXPIRY DATE: 2024-03-28  
CERTIFIER OR LAB:  
SCS Global

### LCA

Environmental Product Declaration (EPD) by ASTM

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All facilities  
CERTIFICATE URL:  
<https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-america/epds/axiom-epd.pdf>  
CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2022-12-17  
EXPIRY DATE: 2027-12-17  
CERTIFIER OR LAB:  
ASTM International

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy, or completeness of the declaration form, or the standards, rules, classifications, warnings, or criteria utilized or referenced therein. Please refer to the Armstrong Commercial Ceilings website for more information on this product - <https://www.armstrongceilings.com/suspensionsystems>

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Armstrong World Industries  
**ADDRESS:** 2500 Columbia Avenue  
 Lancaster, PA 17603  
**COUNTRY:** United States

**WEBSITE:** [www.armstrongceilings.com](http://www.armstrongceilings.com)  
**CONTACT NAME:** Customer Service  
**TITLE:** Customer Service Representative  
**PHONE:** 1-877-276-7876 Option #2  
**EMAIL:** [techline@armstrongceilings.com](mailto:techline@armstrongceilings.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD*



