


# AXIOM® Classic

## Straight Perimeter Trim



Axiom Classic Trim

CAD/Revit® drawings at:  
armstrongceilings.com/cadrevit



Extruded perimeter trim solution for use in floating suspended ceiling applications.

### KEY SELECTION ATTRIBUTES

- Adjustable trim clip (Item 7239) makes Axiom® Classic Trim compatible with WoodWorks® and MetalWorks™ panels that drop greater than 3/8" below the grid flange
- Crisp-edge detailing and excellent corrosion resistance compared to roll-formed steel systems
- Factory precision mitering and custom lengths available as special order
- Axiom trim is part of the Sustain™ portfolio and meets the most stringent industry sustainability compliance standards today
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim (Cleaning and CDC-approved disinfecting options available on armstrongceilings.com/cleaning)
- Nine profile heights
- Compatible with Armstrong® Suspension Systems and FrameAll™ Drywall Grid
- Colors coordinate with Armstrong ceiling and suspension systems
- 10-Year Limited warranty, 30-year system warranty

new

**COLORS** Due to printing limitations, shade may vary from actual product.

#### Standard



# AXIOM® Classic

## Straight Perimeter Trim



LEED® WELL | LBC

50%

RECYCLED CONTENT

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/ bio-based producer resp.

biobased materials

recycled content

sourcing of raw materials

material ingredient reporting

low emitting/ materials

lighting quality

acoustics

Calculate sustainability with Ecomedes  
armstrongceilings.com/ecomedes


LOCATION DEPENDENT

### VISUAL SELECTION

	Item No.◆	Description	Dimensions (Inches)	Unit of Measure	INCLUDED ACCESSORIES			Factory Miter Minimum*
					AXTBC	AXSPLICE2	AX2HGC	
AXIOM® Classic Straight Perimeter Trim	AX2STR_ _ _ _	2" Straight Perimeter Trim	120 x 3/4 x 1-15/16"	PC	5	1	-	21°
	AX2STR12_ _ _ _	2" Straight Perimeter Trim	144 x 3/4 x 1-15/16"	PC	6	1	-	21°
	AX3STR_ _ _ _**	3" Straight Perimeter Trim	120 x 3/4 x 2-15/16"	PC	5	1	-	21°
	AX4STR_ _ _ _	4" Straight Perimeter Trim	120 x 3/4 x 3-7/8"	PC	5	2	-	21°
	AX4STR12_ _ _ _	4" Straight Perimeter Trim	144 x 3/4 x 3-7/8"	PC	6	2	-	21°
	AX6STR_ _ _ _	6" Straight Perimeter Trim	120 x 3/4 x 5-13/16"	PC	5	2	-	21°
	AX6STR12_ _ _ _	6" Straight Perimeter Trim	144 x 3/4 x 5-13/16"	PC	6	2	-	21°
	AX8STR_ _ _ _	8" Straight Perimeter Trim	120 x 3/4 x 7-13/16"	PC	5	2	-	35°
	AX10STR_ _ _ _	10" Straight Perimeter Trim	120 x 3/4 x 10"	PC	7	3	2	35°
	AX12STR_ _ _ _	12" Straight Perimeter Trim	120 x 3/4 x 12"	PC	7	4	2	35°
	AX14STR_ _ _ _	14" Straight Perimeter Trim	120 x 3/4 x 14"	PC	7	4	2	35°
	AX16STR_ _ _ _	16" Straight Perimeter Trim	120 x 3/4 x 16"	PC	7	5	2	35°

3/4"

Standard Heights



- \* Factory Mitered Minimums refers to a cut that is made at an angle other than 90 degrees to achieve field assembled corners.
- \*\* AX3STR does not include architectural reveal on face, see CAD files for detail.
- ♦ When specifying or ordering items with a color or finish, add the two-, three-, or four-letter suffix to the end of the item number.

### VISUAL SELECTION

	Item No.	Description	Length	PCS/CTN
Axiom Classic Full Carton Packaging Sizes	AX2CTN	2" Straight Perimeter Trim	120"	6
	AX3CTN	3" Straight Perimeter Trim	120"	6
	AX4CTN	4" Straight Perimeter Trim	120"	6
	AX6CTN	6" Straight Perimeter Trim	120"	6
	AX8CTN	8" Straight Perimeter Trim	120"	6
	AX10CTN	10" Straight Perimeter Trim	120"	3
	AX12CTN	12" Straight Perimeter Trim	120"	2



# AXIOM® Classic

## Straight Perimeter Trim



LEED® WELL | LBC

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/extended producer resp.

biobased materials

recycled content

sourcing of raw materials

material ingredient reporting

low emitting materials

lighting quality

acoustics

50% RECYCLED CONTENT

ALUMI-NUM

RECYCLED CONTENT

Calculate sustainability with Ecomedes

armstrongceilings.com/ecomedes

LOCATION DEPENDENT


### VISUAL SELECTION

	Item No. ♦	Description	Dimensions (Inches)	Profile Height
AXIOM® Classic Corner Posts	AX2ISCP_ _	2" Inside Corner Post	3/4" x 3/4"	2"
	AX2OSCP_ _	2" Outside Corner Post	7/8" x 7/8"	2"
	AX4ISCP_ _	4" Inside Corner Post	3/4" x 3/4"	4"
	AX4OSCP_ _	4" Outside Corner Post	7/8" x 7/8"	4"
	AX6ISCP_ _	6" Inside Corner Post	3/4" x 3/4"	6"
	AX6OSCP_ _	6" Outside Corner Post	7/8" x 7/8"	6"
	AX8ISCP_ _	8" Inside Corner Post	3/4" x 3/4"	8"
	AX8OSCP_ _	8" Outside Corner Post	7/8" x 7/8"	8"
	AX10ISCP_ _	10" Inside Corner Post	3/4" x 3/4"	10"
	AX10OSCP_ _	10" Outside Corner Post	7/8" x 7/8"	10"
	AX12ISCP_ _	12" Inside Corner Post	3/4" x 3/4"	12"
	AX12OSCP_ _	12" Outside Corner Post	7/8" x 7/8"	12"
AXIOM® Classic Pre-mitered Corners	AX2QIS_ _ _ _	2" Axiom Classic Inside QS Corner	12" x 3/4"	2"
	AX2QSOS_ _ _ _	2" Axiom Classic Outside QS Corner	12" x 3/4"	2"
	AX4QIS_ _ _ _	4" Axiom Classic Inside QS Corner	12" x 3/4"	4"
	AX4QSOS_ _ _ _	4" Axiom Classic Outside QS Corner	12" x 3/4"	4"
	AX6QIS_ _ _ _	6" Axiom Classic Inside QS Corner	12" x 3/4"	6"
	AX6QSOS_ _ _ _	6" Axiom Classic Outside QS Corner	12" x 3/4"	6"
	AX8QIS_ _ _ _	8" Axiom Classic Inside QS Corner	12" x 3/4"	8"
	AX8QSOS_ _ _ _	8" Axiom Classic Outside QS Corner	12" x 3/4"	8"
	AX10QIS_ _ _ _	10" Axiom Classic Inside QS Corner	12" x 3/4"	10"
	AX10QSOS_ _ _ _	10" Axiom Classic Outside QS Corner	12" x 3/4"	10"
	AX12QIS_ _ _ _	12" Axiom Classic Inside QS Corner	12" x 3/4"	12"
	AX12QSOS_ _ _ _	12" Axiom Classic Outside QS Corner	12" x 3/4"	12"
	AX14QIS_ _ _ _	14" Axiom Classic Inside QS Corner	12" x 3/4"	14"
	AX14QSOS_ _ _ _	14" Axiom Classic Outside QS Corner	12" x 3/4"	14"
	AX16QIS_ _ _ _	16" Axiom Classic Inside QS Corner	12" x 3/4"	16"
	AX16QSOS_ _ _ _	16" Axiom Classic Outside QS Corner	12" x 3/4"	16"


### PACKAGING

#### Corners/CTN

Axiom corner posts eliminate angled miter cuts at corners for a fast and easy installation.




Axiom Inside Corner Post



Axiom Outside Corner Post

Axiom factory-mitered inside and outside corner pieces are created to match your Axiom trim channel order. Two 12" pieces are field-assembled to form one 90° mitered corner.



Outside Corner



Inside Corner

NOTE: Custom degree corners available.

♦ When specifying or ordering items with a color or finish, add the two-, three-, or four-letter suffix to the end of the item number.

# AXIOM® Classic

## Straight Perimeter Trim



LEED® WELL™ LBC

50% RECYCLED CONTENT

energy management construction waste mgmt regional materials design for flexibility ALUMI-NUM EPD recyclable/ bio-based producer resp. materials recycled content sourcing of raw materials material ingredient reporting low emitting/ materials lighting quality acoustics

Calculate sustainability with Ecomedes  
armstrongceilings.com/ecomedes

LOCATION DEPENDENT

### ACCESSORIES

Item No.	Description	
AXAC*	<b>Alignment Clip</b> Sheet aluminum formed to fit into special trim channel bosses. Provides positive mechanical lock and screw-fastened connection to suspension members that intersect below the trim channel.	
AX2HGC	<b>Hanging Clip</b> Steel formed to fit into special trim channel bosses. Provides positive mechanical lock and screw-fastened connection to suspension members that intersect below the trim channel.	
AXTBC AXTBCSS**	<b>T-Bar Connection Clip</b> Galvanized sheet steel formed to fit into special trim channel bosses. Provides positive mechanical lock with factory-installed screw. Screw-fastened connection to suspension members that intersect the trim channel. AXTBCSS – Stainless Steel version available for non-ferrous applications.	
7239*	<b>Adjustable Trim Clip</b> Allows Axiom® trim to be positioned up to 3-3/4" below the grid face to accommodate deeper panel offsets (best aesthetic with Axiom ≥ 6" tall).	
AXSPICESS**	<b>Axiom Splice Plate</b> Stainless Steel for non-ferrous project applications.	
AXSPICE2	<b>Axiom Splice Plate</b> Galvanized sheet steel formed to fit into the trim channel bosses. Provides positive lock between abutting channels with factory-installed setscrews.	
AXSPTHDC*	<b>Axiom Serpentina Hold-down Clip</b> Steel metal panel hold-down clip used to secure the cut edges of metal ceilings at the Axiom/panel interface.	

\* Items must be ordered separately.

\*\* These will be provided in lieu of the aluminum accessories based on the application as needed.

### PHYSICAL DATA

**Material**  
Commercial quality 3003 aluminum alloy

**Surface Finish**  
Factory-applied paint finishes  
3SC - 360 Painted Standard Colors  
(reference colors listed above)  
3ZB/3ZW - 360 Painted Blizzard/Charcoal Finish  
3RAL - 360 Painted RAL® Colors  
3XX - 360 Painted Custom Colors  
SC- Standard Colors  
(reference colors listed above)  
ZW/ZB - Blizzard/Charcoal Finish  
RAL - RAL  
XX - Custom Colors  
ZZ - Wood-look  
YY - Architectural Film Finish

**Cleaning & Disinfecting**  
Cleaning and CDC-approved disinfecting options available on [armstrongceilings.com/cleaning](http://armstrongceilings.com/cleaning)

**Design Considerations**  
Physical product samples for standard and custom colors are available upon request. Please refer to the physical product sample prior to making a final selection. While we strive to ensure exact color matches, various factors such as differences in materials, texture, substrate porosity, painting processes, lighting, and observer subjectivity can all affect how paint colors appear on ceiling and wall panels, suspension systems, and trim products. Due to these and other differences, ceiling and wall panels, trim products, and suspension systems with the same color name will coordinate but may not be an exact color match. Product is dye-lotted. Order sufficient initial quantities and attic stock to minimize possible color variation.

All acoustical grid and Axiom trim accessories (a.k.a. clips) are supplied as unpainted items. Exposed clips will need to be field painted after installation, if required for the project. This ensures accessories meet the tested performance criteria and adhere to AWI installation instructions and warranted products or systems.

**Warranty**  
10-Year Limited Warranty; 30-Year System Warranty

**Profile**  
Nine standard height profiles available with 3/4" horizontal flange(s)

