### Armstrong Commercial Ceilings Canyon by Armstrong World Industries

# Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21556 CLASSIFICATION: 09 51 00 Acoustical Ceilings PRODUCT DESCRIPTION: Smooth finish, mineral fiber ceiling panel with TOTAL ACOUSTICS performance.

# 🟮 Section 1: Summary

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

C Material

Product

Threshold level

100 ppm
1,000 ppm
Per GHS SDS
Other

#### **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

#### All Substances Above the Threshold Indicated Are:

**Basic Method / Product Threshold** 

 Characterized
 C Yes Ex/SC • Yes C No

 % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ARMSTRONG COMMERCIAL CEILINGS CANYON [ MINERAL WOOL LT-UNK PERLITE NogS CORN STARCH LT-UNK CALCIUM CARBONATE LT-UNK CLAY LT-UNK | CAN CELLULOSE LT-UNK | RES FIBERGLASS LT-UNK POLYVINYL ACETATE LT-UNK DIATOMACEOUS EARTH LT-UNK SILICA LT-1 | CAN POLYVINYL ALCOHOL LT-UNK PLASTICIZER LT-P1 | MUL ETHYLATED STARCH NOGS FATTY OIL NoGS POLYCARBOXYLIC SALT NoGS QUARTZ LT-1 | CAN HYDROXYETHYLCELLULOSE LT-P1 | END CITRIC ACID LT-UNK PENTANEDIOL LT-UNK | CAN POLYETHYLENE GLYCOL LT-UNK ]

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

#### VOC emissions: UL/GreenGuard Gold Certified Other: ILFL Declare - Red List Free

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

LCA: Environmental Product Declaration (EPD) by UL

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-01 PUBLISHED DATE: 2020-09-01 EXPIRY DATE: 2023-09-01 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### **ARMSTRONG COMMERCIAL CEILINGS CANYON** PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm. OTHER PRODUCT NOTES: For more information on Armstrong Canyon Ceiling visit: https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/canyon-ceilingtiles.html#redirect term=canyon **MINERAL WOOL** ID: 65997-17-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-01 %: 60.0000 - 65.0000 GS: LT-UNK RC: None NANO: NO SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found SUBSTANCE NOTES: Filler PERLITE ID: 130885-09-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-01 %: 10.0000 - 15.0000 GS: NoGS RC: None NANO: **NO** SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: Filler **CORN STARCH** ID: 9005-25-8 HAZARD SCREENING DATE: 2020-09-01 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library %: 5.0000 - 10.0000 GS: LT-UNK RC: PostC NANO: **NO** SUBSTANCE ROLE: Binder

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

ID: 1317-65-3

SUBSTANCE NOTES: Binder

#### **CALCIUM CARBONATE**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings for	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Filler

#### CLAY ID: 1332-58-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-01 NANO: No%: 0.0000 - 5.0000 GS: LT-UNK SUBSTANCE ROLE: Filler RC: None HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Filler

HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	-09-01
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	Asthmag	gen (Rs) - sensiti	zer-induced	
SUBSTANCE NOTES: Binder				
FIBERGLASS				ID: <b>65997-17-</b>
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREENING DA	TE: 2020-09-01	
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None NANO:		CE ROLE: Structure component

HAZARD	TYPE

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Structure for facing

AZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	-09-01
6: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	3	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Binder				
DIATOMACEOUS EARTH				ID: <b>68855-54</b>
AZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCRE	ENING DATE: <b>2020</b>	0-09-01
6: <b>0.0000 - 1.0000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3	
None found		No warnings found on HPD Priority Haz		found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Filler				
SILICA				ID: <b>14464-46</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2020-	09-01
6: <b>0.0000 - 1.0000</b>	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Filler

POLYVINYL ALCOHOL				ID: <b>9002-89-5</b>
HAZARD SCREENING METHOD: PI	naros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-	-09-01
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder

PLASTICIZER				ID: <b>27138-3</b> 1
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2020	)-09-01
%: 0.0000 - 1.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to W	aters
SUBSTANCE NOTES: adhesive				

ETHYLATED STARCH				ID: 9005-27-0
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 1.0000	GS: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder

HAZARD	TVDE
HAZAND	TIFE

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder

				ID: <b>68604-67</b> -
ZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	0-09-01
0.0000 - 1.0000	GS: NoGS	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Surfactant
AZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
lone found			No warnii	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Surfactan	t			
DLYCARBOXYLIC SALT				ID: <b>68424-16</b> -
ZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	0-09-01
0.0000 - 1.0000	GS: NoGS	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Surfactant
AZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
lone found			No warnii	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Surfactar	nt			
JARTZ				ID: <b>14808-60-</b>
ZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCR	EENING DATE: 20	20-09-01
0.0000 - 0.1000	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: It is bound by the adhesives within the coating. It is not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazards list.

HYDROXYETHYLCELL	ULOSE			ID: <b>9004-62-0</b>	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 0.1000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potent	ial Endocrine Disru	otor	
SUBSTANCE NOTES: Filler					
-					
CITRIC ACID				ID: <b>77-92-9</b>	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE: 2020-	09-01	
%: 0.0000 - 0.1000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: <b>Filler</b>	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS		
None found			No warnings fo	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Filler					
PENTANEDIOL				ID: <b>25265-77-4</b>	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENIN	IG DATE: 2020-09-0	1	
%: 0.0000 - 0.1000	GS: LT-UNK	RC: None N	iano: <b>Unknown</b>	SUBSTANCE ROLE: Adhesive	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value SUBSTANCE NOTES: Adhesive **POLYETHYLENE GLYCOL** ID: 60828-78-6 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-01 %: 0.0000 - 0.1000 GS: LT-UNK SUBSTANCE ROLE: Surfactant RC: None NANO: **NO** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Surfactant

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: all CERTIFICATE URL: https://www.armstrongceilings.com/pdbupimages- clg/225347.pdf/download/canyon-greenguard- certificate.pdf CERTIFICATION AND COMPLIANCE NOTES: UL Greenguard (	issue date: 2018- 04-16 Gold	EXPIRY DATE: 2021- 05-02	CERTIFIER OR LAB: UL Environment
OTHER	ILFI Declare - Red List Free		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: all CERTIFICATE URL: https://www.armstrongceilings.com/pdbupimages- clg/224777.pdf/download/declare-label-canyon- ceiling-panels-papdf CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2020- 06-01	EXPIRY DATE: 2021- 06-01	CERTIFIER OR LAB: ILFI
LCA	Environmental Product Declaration (EPD) by UL		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: all CERTIFICATE URL: https://www.armstrongceilings.com/pdbupimages- clg/224465.pdf/download/epd-canyon-ceiling- panels.pdf CERTIFICATION AND COMPLIANCE NOTES: Product Specific	ISSUE DATE: 2017- 05-18	EXPIRY DATE: 2022- 05-18	CERTIFIER OR LAB: UL Environment

## 🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

For more information on Armstrong Canyon Ceiling panels visit: https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/canyon-ceilingtiles.html#redirect\_term=canyon

#### MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries Address: 2500 Columbia Avenue Lancaster PA 17603, USA WEBSITE: www.armstrongceilings.com CONTACT NAME: Anita Snader TITLE: Sustainability Manager PHONE: 1-877-276-7876 option #2 EMAIL: techline@armstrongceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

#### LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

# PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.