# Cirrus® & Cirrus® High NRC Ceiling Panels by Armstrong World Industries

# **Health Product** Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21638

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: Cirrus provides a medium-textured visual with good acoustical absorption (NRC) and blocking

(CAC).



## Section 1: Summary

## **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold level

C 1,000 ppm Per GHS SDS

C Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

O Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CIRRUS® & CIRRUS® HIGH NRC CEILING PANELS [ MINERAL WOOL LT-UNK PERLITE NoGS CALCIUM CARBONATE LT-UNK CORN STARCH LT-UNK CELLULOSE LT-UNK | RES CLAY LT-UNK | CAN KAOLIN LT-UNK POLYVINYL ACETATE LT-UNK SILICA LT-1 | CAN DIATOMACEOUS EARTH LT-UNK SODA ASH LT-UNK STARCH LT-UNK QUARTZ LT-1 | CAN SODIUM SALT LT-UNK CALCIUM CARBONATE BM-3 POLYETHYLENE GLYCOL LT-UNK PROPEONIC ACID LT-UNK TITANIUM DIOXIDE LT-1 CAN | END CELLULOSE ETHER LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified LCA: Environmental Product Declaration (EPD) by UL Other: ILFI Declare - Red List Free - Third Party Verified

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2020-09-08 **PUBLISHED DATE: 2020-09-08** EXPIRY DATE: 2023-09-08



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### **CIRRUS® & CIRRUS® HIGH NRC CEILING PANELS**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: To learn more about Armstrong Ceiling Cirrus visit:

https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/cirrus-square-lay-in-and-tegularceiling-tiles.html#contact-us

MINERAL WOOL ID: 65997-17-						
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-08				
%: 60.0000 - 65.0000	gs: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	Hazard Screening not performed					
SUBSTANCE NOTES: Filler						

PERLITE ID: 130885-09-5						
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-08				
%: 10.0000 - 15.0000	gs: <b>NoGS</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	Hazard Screening not performed					
SUBSTANCE NOTES: Filler						

CALCIUM CARBONATE				ID: <b>1317-65-3</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-08		
%: 10.0000 - 15.0000	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: In this product it is not regulated as a hazardous substance. In this product, it is not a registered pesticide under FIFRA. It is not registered persistent material.

CORN STARCH ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-08

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: NO SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Binder

CELLULOSE ID: 9004-34-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-08

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: NO SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Binder

CLAY 1D: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-08

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: In this product it is not regulated as a hazardous substance. In this product, it is not a registered pesticide under FIFRA. It is not registered persistent material.

KAOLIN ID: 92704-41-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-08

%: **0.0000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler** 

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Filler

POLYVINYL ACETATE ID: 9003-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-08

\*\*O.0000 - 1.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: In this product it is not regulated as a hazardous substance. In this product, it is not a registered pesticide under FIFRA. It is not registered persistent material.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

W: 0.0000 - 0.1000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

DIATOMACEOUS EARTH

ID: 68855-54-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.0000 - 0.1000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Filler

SUBSTANCE NOTES: Filler

SODA ASH ID: 68855-54-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-08

\*\*O.0000 - 0.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Filler

STARCH ID: 11120-02-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

WE 0.0000 - 0.1000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Binder

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MEDIANO SCREENING DATE: 2020-09-08

MANO: No SUBSTANCE ROLE: Filler

MAZARD TYPE

AGENCY AND LIST TITLES

MARNINGS

HAZARD TYPE

HAZARD SCREENING DATE: 2020-09-08

WARNINGS

WARNINGS

WARNINGS

SUBSTANCE NOTES: It is bound by the adhesives within the coating. It is not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazards list.

SODIUM SALT ID: 68891-38-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.0000 - 0.1000

GS: LT-UNK

RC: None

NANO: Unknown

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Binder

CALCIUM CARBONATE ID: 471-34-1

 HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: In this product it is not regulated as a hazardous substance. In this product, it is not a registered pesticide under FIFRA. It is not registered persistent material.

POLYETHYLENE GLYCOL ID: 60828-78-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MEDIANO SCREENING DATE: 2020-09-08

MEDIANO SUBSTANCE ROLE: Surfactant

HAZARD TYPE

AGENCY AND LIST TITLES

HAZARD SCREENING DATE: 2020-09-08

WARNINGS

HAZARD TYPE

HAZARD SCREENING DATE: 2020-09-08

WARNINGS

WARNINGS

SUBSTANCE NOTES: Surfactant

PROPEONIC ACID ID: 25212-88-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-08

RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Modifier

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

Materials Library

HAZARD SCREENING DATE: 2020-09-08

MRC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: It is bound by the adhesives within the coating. It is not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazards list.

CELLULOSE ETHER ID: 9004-58-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-08

MEC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: modifier



## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-

EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: all

04-16

05-02

**Environment** 

CERTIFICATE URL:

https://www.armstrongceilings.com/pdbupimagesclg/225259.pdf/download/cirrus-greenguard-

certificate.pdf

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold

### **LCA**

### **Environmental Product Declaration (EPD) by UL**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-

EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: all

03-31

03-31

Environment

CERTIFICATE URL:

https://www.armstrongceilings.com/pdbupimagesclg/215725.pdf/download/epd-cirrus-ceiling-

panels.pdf

CERTIFICATION AND COMPLIANCE NOTES: EPD Product Specific

https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-

### **OTHER**

ILFI Declare - Red List Free -**Third Party Verified** 

CERTIFYING PARTY: Third Party

ISSUE

**FXPIRY** 

CERTIFIER OR

APPLICABLE FACILITIES: all

DATE:

DATE:

LAB: **ILFI** 

CERTIFICATE URL:

2020-

2021-

america/certificates/cirrus-declare.pdf

05-20

05-20

CERTIFICATION AND COMPLIANCE NOTES: Red List Free



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

For more information on Armstrong Cirrus Ceiling System visit:

https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/cirrus-square-lay-in-and-tegular-



#### MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries

ADDRESS: 2500 Columbia Avenue Lancaster PA 17603, USA

WEBSITE: www.armstrongceilings.com

CONTACT NAME: Anita Snader
TITLE: Sustainability Manager
PHONE: 1-877-276-7876

EMAIL: techline@armstrongceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

**Recycled Types** 

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.