## METALWORKS<sup>™</sup> Product Family Trim and Accessories

#### TRIM Required clips must be ordered separately

| ltem<br>No.◆ | Description                              | Dimensions (Inches)<br>Nominal W x L x H | Colors  | Pieces/Cartor |
|--------------|--|--|---|---------------|
| AX2VESTR     | Axiom® Vector Trim – 2" Straight         | 3/4 x 120 x 2"                           | WH, SG, MY, BL  | _             |
| AX4VESTR     | Axiom Vector Trim – 4" Straight          | 3/4 x 120 x 4"                           | WH, SG, MY, BL  | -             |
| AX6VESTR     | Axiom Vector Trim – 6" Straight          | 3/4 x 120 x 6"                           | WH, SG, MY, BL  | -             |
| 5342         | 2" Effects <sup>™</sup> Wood Looks Trim* | Nominal 120" length                      | FXCH, FXDC, FXWN, FXOK, FXWE, FXSS, FXGR, FXNM,<br>FXPS, FXPC, FXSE, FXMA, FXAL, FXFL, FXCB, FXCM, FXCO   |               |
| 5344         | 4" Effects Wood Looks Trim*              | Nominal 120" length                      | FXCH, FXDC, FXWN, FXOK, FXWE, FXSS, FXGR, FXNM,<br>FXPS, FXPC, FXSE, FXMA, FXAL, FXFL, FXCB, FXCM, FXCO   |               |
| 5346         | 6" Effects Wood Looks Trim*              | Nominal 120" length                      | FXCH, FXDC, FXWN, FXOK, FXWE, FXSS, FXGR, FXNM, 6<br>FXPS, FXPC, FXSE, FXMA, FXAL, FXFL, FXCB, FXCM, FXCO |               |
| 7125         | Box Molding                              | 2 x 96 x 1-1/2"                          | WHA, SIA, MYA, SAA, LMA, BAA, BL, BL3 (360 Painted)   | 10            |
|              |  |  | Black is recommended for Sequels <sup>™</sup> and Natural Reflections finishes                            |               |
|              |  |  | 360 Painted Black is recommended for MetalWorks Mesh Torsion Spr  | ing           |
|              |  |  | Available in Effects as custom finish   |               |
| 7147         | Torsion Spring Perimeter Trim (Extruded) | 1 x 120 x 4"                             | WH, SG, MY, BL**  | 6             |
|              |  |  | Black is recommended for Sequels and Natural Reflections finishes   |               |
|              |  |  | Available in Effects as custom finish   |               |
| 7112         | Box Molding                              | 1 x 96 x 1"                              | WHA, SIA, MYA, SAA, LMA, BAA  | 10            |
| 7131         | Torsion Spring Perimeter Trim (Formed)   | 1 x 96 x 4-1/4"                          | SAA, LMA, BAA 6   |               |
| 7800         | 144" Hemmed Angle Molding                | -  | - 30  |               |
| 7835         | 120" Hemmed Channel Molding              | -  | - 20  |               |
| 7835SC       | Spreader Bar for Channel Molding         | _  | -   | 150           |
| 7870         | Spring Border Clip                       | -  | -   | 1000          |

When specifying or ordering, include the appropriate 2-, 3-, or 4-letter color suffix with the item number (e.g., AX2VESTR <u>W</u> <u>H</u>, 7125 <u>W</u> <u>H</u> <u>A</u>, or 5342 <u>E</u> <u>X</u> <u>C</u> <u>H</u>).
\* Effects Wood Looks Trim cartons include FXSPLICE plates and FXTBC clips.
\*\* Coordinates with WHA, SIA, MYA Torsion Spring finishes.

For information on additional Axiom Trim options and accessories, visit armstrongceilings.com/axiom

## TRIM COLORS (Not available for Axiom Trim.) Due to printing limitations, shade may vary from actual product



#### new COORDINATING TRIM FOR SEQUELS WOOD-LOOK FINISHES



1. La Jolla Oak (SQLO) and Gun Metal (MY)


2. New Haven Walnut (SQNW) and Tech Black (BL)

3. Cape May Cherry (SQCC) and Tech Black (BL)

4. Montauk Driftwood (SQMD) and Gun Metal (MY) or Tech Black (BL)



TechLine 877 276-7876 armstrongceilings.com/metalworks




\* Colors that are pre-qualified to meet Sustain<sup>™</sup> portfolio requirements are available upon request. Other made-to-order colors must be evaluated if sustainability criteria is required. Lead time will increase.

| VISUAL SELECTION  |            |   |                                       |   |
|---|------------|---|---------------------------------------|---|
|   | Item No. ◆ | Mounting  | Edge Detail                           | Options                                   |
| STRAIGHT:<br>Specify Indirect Light Cove<br>Item Number   | AXIASL     | CC – Ceiling-to-Ceiling<br>CW – Ceiling-to-Wall | 2 – 2" Classic<br>KE – Knife Edge ACT |   |
| Example:<br>AXIASLCC2 – Axiom Indirect Field<br>Light Cove, Ceiling-to-Ceiling,<br>2" Classic Light |            |   |                                       |   |
| CORNERS:<br>Specify Indirect Light Cove<br>Item Number  | AXIASL     | CC – Ceiling-to-Ceiling<br>CW – Ceiling-to-Wall | 2 – 2" Classic<br>KE – Knife Edge ACT | IC – Inside Corner<br>OC – Outside Corner |
| Example:<br>AXIASLCC2 – Axiom Indirect Field<br>Light Cove, Ceiling-to-Ceiling,<br>2" Classic Light |            |   |                                       |   |


When ordering colors, add an extra digit "3" before the color suffix as all of our Indirect Field Light Coves for Specialty Ceilings are painted inside and outside.


⊕€

#### 



Edge Cap Application – Use for cut MetalWorks Tegular and Vector® Panels







AXVTBC Clip

0

Effects Hold-Down Clip (Item FXSPTHDC) -

Use with cut MetalWorks<sup>™</sup> Tegular

and Vector® Panels

# METALWORKS<sup>™</sup> Product Family Trim and Accessories

#### ACOUSTICAL INFILL PANELS

#### ACOUSTICAL PERFORMANCE

| ltem No.    | Description  | Dimensions<br>(Nominal W x L x H) | Color          | Pcs/Ctn | 비행 Sound<br>Absorption | Job Sound<br>Blocking | II<br>Deval<br>Acoustics <sup>1</sup> |
|-------------|--|-----------------------------------|----------------|---------|------------------------|-----------------------|---------------------------------------|
| 2820/2820BK | Calla® Square Lay-in Panel   | 24 x 24 x 1"                      | White or Black | 10      | 0.85                   | 35<br>•               | BEST                                  |
| 2821BK      | Calla Square Lay-in Panel  | 24 x 48 x 1"                      | Black          | 10      | 0.85                   | 35<br>•               | BEST                                  |
| 2864BK      | Calla Square Lay-in Panel  | 24 x 72 x 1"                      | Black          | 10      | 0.85                   | 35<br>•               | BEST                                  |
| 1713/1713BL | School Zone <sup>®</sup> Fine Fissured <sup>™</sup><br>Square Lay-in Panel | 24 x 24 x 3/4"                    | White or Black | 12      | 0.70                   | 35<br>•               | BETTER                                |
| 1714        | School Zone Fine Fissured<br>Square Lay-in Panel                           | 24 x 48 x 3/4"                    | White          | 8       | 0.70                   | 40<br>•               | BETTER                                |
| 1318        | Backstage Noir™ Square Lay-in Panel  | 24 x 24 x 3/4"                    | Black          | 12      | 0.75                   | 30                    | N/A                                   |
| 1319        | Backstage Noir Square Lay-in Panel   | 24 x 48 x 3/4"                    | Black          | 6       | 0.75                   | 30                    | N/A                                   |
| 5479        | BioAcoustic <sup>™</sup> Infill Panel                                      | 24 x 24 x 5/8"                    | Beige Matte    | 12      | 0.75                   | N/A                   | N/A                                   |
| 5823        | BioAcoustic Infill Panel   | 24 x 24 x 5/8"                    | Black Matte    | 12      | 0.75                   | N/A                   | N/A                                   |
| 6657        | BioAcoustic Infill Panel   | 11 x 48 x 5/8"                    | Black Matte    | 12      | 0.75                   | N/A                   | N/A                                   |
| 8200T10     | Fiberglass Infill Panel  | 24 x 24 x 1"                      | Black Gloss    | 12      | 0.75                   | N/A                   | N/A                                   |
| 747*        | Cortega® Square Lay-in Panel   | 24 x 48 x 5/8"                    | White          | 8       | 0.55                   | 40                    | N/A                                   |
| 1728BL      | Fine Fissured™ Square Lay-in Panel   | 24 x 24 x 5/8"                    | Tech Black     | 16      | 0.55                   | 33                    | N/A                                   |

\* Recommended for high CAC acoustical performance with MetalWorks Extra Microperforated panels.
1 Total Acoustics<sup>®</sup> ceiling panels have an ideal combination of sound absorption and sound blocking in one product.
GOOD (NRC 0.60-0.65; CAC 35+) BETTER (NRC 0.70-0.75; CAC 35+) BEST (NRC 0.80+; CAC 35+)

#### INFILL PANEL DETAILS



- 1. BioAcoustic Infill Panel Beige
- 2. BioAcoustic Infill Panel Black
- 3. Backstage Noir<sup>™</sup> Square Lay-in Panel – Black
- 4. 1" Fiberglass Infill Panel (in poly bag)
- 5. Fine Fissured<sup>™</sup> Square Lay-in
- Panel Black 6. Cortega® Square Lay-in Panel
- 7. Calla® Square Lay-in Panel Black

mstrong **CEILING & WALL SOLUTIONS** 

# METALWORKS<sup>™</sup> Product Family Trim and Accessories

#### ACCESSORIES

| Panel Accessorie<br>Item | es  | Dimensions          |                |               |
|--------------------------|---|---------------------|----------------|---------------|
| No.                      | Description   | (Inches)            | Colors         | Pieces/Carton |
| 6096                     | 15/16" Edge Cap for Cut 5/16" Tegular Panels*                               | Nominal 24"         | WH, SG, MY, BL | 50            |
| 6099                     | 9/16" Edge Cap for Cut 5/16" Tegular Panels*                                | Nominal 24"         | WH, SG, MY, BL | 50            |
| 6098                     | Edge Cap for Vector® Cut Panels   | Nominal 24"         | WH, SG, MY, BL | 50            |
| 5494                     | MetalWorks™ Linear - Classics Contrast Filler Strip                         | 96 x 1/4 x 1/16"    | BL             | 50            |
| 5494S2                   | MetalWorks <sup>™</sup> Linear - Diverge <sup>™</sup> Contrast Filler Strip | 96 x 1/4 x 1/16"    | BL             | 50            |
| Trim Accessories         | s   |                     |                |               |
| FXSPLICE                 | Splice Plate w/ Setscrews   | -                   | N/A            | 10            |
| FX4SPLICE                | Splice Plate w/ Setscrews   | -                   | N/A            | 10            |
| FXSPTHDC                 | Effects <sup>™</sup> Hold-Down Clip for<br>Cut Panel Installations          | -                   | -              | 10            |
| FHDC                     | Faceted Hold-Down Clip  | -                   | -              | 1,000         |
| UHDC                     | Universal Hold-Down Clip  | -                   | -              | 1,000         |
| FZUHDC                   | FastShip™ Universal Hold-Down Clip  | _                   | -              | 50            |
| CHDC                     | Clear Hold-Down Clip  | -                   | -              | 50            |
| 7113BL3                  | Spreader Hold-Down<br>(for use with MetalWorks™ Mesh Torsion Spring)        | 1 x 10-5/8 x 1"     | BL3            | 40            |
| 7113                     | Spreader Hold-Down  | 1 x 10-5/8 x 1"     | -              | 40            |
| 7126                     | Spreader Hold-Down (for use with MetalWorks™ Torsion Spring)                | 1 x 10-5/8 x 1-1/2" | -              | 50            |
| FXTBC                    | Effects T-Bar Connector Clip  | -                   | N/A            | 10            |
| FXVTBC                   | Effects Vector T-Bar<br>Connector Clip                                      | -                   | -              | 10            |
| 7237\$3                  | MetalWorks™ Linear-Synchro™<br>Cut Panel Bracket                            | _                   | _              | 25            |

When specifying or ordering, include the appropriate 2-letter color suffix with the item number (e.g., 6096 <u>M Y</u>).
\* Edge caps in White, Silver Grey, Gun Metal Grey, and Black (for Effects finishes only).




TechLine 877 276-7876 armstrongceilings.com/metalworks

### CORNICES – STANDARD FOR USE WITH METALWORKS<sup>™</sup> TIN (Nail-up panels only)

|         | Description                                       | Dimensions (Inches) | Color     | Pieces/Carton |  |                |
|---------|---|---------------------|-----------|---------------|--|----------------|
| 56051   | Corner Molding                                    | 1-1/2 x 1-1/2 x 48" | See below | -             | 1-1/2<br>1-1/2<br>1-1/2 L  |                |
| 56053   | Corner Molding                                    | 1-7/8 x 1-7/8 x 48" | See below | -             | 2-5/8 <sup>-1</sup> ,7/8"  | ଗଗୁରୁବାର୍ଶ୍ୱରା |
| 56052   | Corner Molding                                    | 3 x 3 x 48"         | See below | _             | 4-1/4*   | 00000          |
| 56054   | Corner Molding                                    | 4-1/2 x 4-1/2 x 48" | See below | -             | 6-1/2"   |                |
| 56055   | Corner Molding                                    | 6-1/8 x 6-1/8 x 48" | See below | -             | 8-7/8"<br>6-1/8"   |                |
| 56056   | Corner Molding                                    | 9 x 9 x 48"         | See below | _             | 9°0°0°0°0°0°0°0°0°0°0°0°0°0°0°0° |                |
| 5600    | Conehead Nails (installs up to 200 SF per carton) | 1-1/4"              | See below | -             |  |                |
| 5600HDC | Tin Hold Down Clips                               | -                   | -         | 200           |  |                |



ACCESSORIES COLORS Due to printing limitations, shade may vary from actual product.



METALWORKS<sup>™</sup> TRIM & ACCESSORIES — Standard

TechLine / 1 877 276-7876 armstrongceilings.com/metalworks BPCS-5621-1122

All trademarks used herein are the property of AWI Licensing LLC and/or its affiliates  $\hfill \ensuremath{\mathbb{C}}$  2022 AWI Licensing LLC