

SUSPENSION SYSTEM MOLDINGS

LEED® WELL | LBC

UP TO 30% RECYCLED CONTENT

energy management
 construction waste mgmt
 regional materials
 design for flexibility
 EPD
 recyclable/producer resp.
 bio-based materials
 recycled content
 sourcing of raw materials
 material ingredient reporting
 low emitting materials
 lighting quality
 acoustics


Calculate sustainability with Ecomedes
armstrongceilings.com/ecomedes

LOCATION DEPENDENT

Angle molding, shadow molding, channel molding, and other wall moldings are an important detail in the design and installation of each ceiling system. Wall moldings offer a unique solution to each ceiling system by maintaining a consistent look and performance to each design.

Shadow Molding:

Hemmed with prefinished exposed flanges




Item No.	Length	(A) Flange	(B) Height	(C) Reveal	LFT/CTN
7823*	120"	2"	1-1/4"	3/4"	100
7871	120"	3/4"	15/16"	3/4"	300
7873	120"	9/16"	15/16"	3/8"	300
7874	120"	9/16"	15/16"	1/4"	300
7875	120"	3/4"	15/16"	1/2"	300
7877*	120"	15/16"	15/16"	1/4"	300
7878*	120"	15/16"	15/16"	3/8"	300
7897*	120"	15/16"	15/16"	1/2"	300

* Suitable for IBC Category D, E, F installations.

NOTE: Shadow molding can be rotated to be used with either flange.

Shadow Molding:

Hemmed with prefinished exposed flanges



Item No.	Length	(A) Flange	(B) Height	(C) Reveal	(D) Reveal	LFT/CTN
7888	120"	15/16"	15/16"	3/8"	1/4"	300
7889	120"	9/16"	15/16"	3/8"	1/4"	300

Shadow Molding:

(Compatible with Seismic Rx® and BERC 2)




Item No.	Length	(A) Flange	(B) Height	(C) Reveal	LF/CTN
7877*	120"	15/16"	15/16"	1/4"	300
7878*	120"	15/16"	15/16"	3/8"	300
7897*	120"	15/16"	15/16"	1/2"	300

* Suitable for IBC Category D, E, F installations.


NOTE: Shadow molding can be rotated to be used with either flange.

Shadow Molding:

Inside and outside corners



Inside Corner



Outside Corner

Item No.	Description
7874IC	Inside Corner for 7874 Molding
7874OC	Outside Corner for 7874 Molding
7861	Inside Corner for 7873 Molding
7862	Outside Corner for 7873 Molding
7877IC	Inside Corner for 7877 Molding
7877OC	Outside Corner for 7877 Molding
7878IC	Inside Corner for 7878 Molding
7878OC	Outside Corner for 7878 Molding

NOTE: Shadow molding can be rotated to be used with either flange (Corners will not work with rotated moldings).

SUSPENSION SYSTEM MOLDINGS

LEED® WELL LBC

UP TO 30% RECYCLED CONTENT

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/extended producer resp.

biobased materials

recycled content

sourcing of raw materials

material ingredient reporting

low emitting materials

lighting quality

acoustics


Calculate sustainability with Ecomedes
armstrongceilings.com/ecomedes

LOCATION DEPENDENT

Angle molding, shadow molding, channel molding, and other wall moldings are an important detail in the design and installation of each ceiling system. Wall moldings offer a unique solution to each ceiling system by maintaining a consistent look and performance to each design.

Angle Molding:

Hemmed with prefinished exposed flanges




Item No. ♦	Length	(A) Flange	(B) Height	LF/ CTN
7800_ _ *	144"	7/8"	7/8"	360
7800HRC	144"	7/8"	7/8"	360
7802	120"	7/8"	7/8"	300
7803_ _ ♦	144"	7/8"	7/8"	360
7804_ _ **	144"	9/16"	7/8"	360
7804HRC	144"	9/16"	7/8"	360
780410	120"	9/16"	7/8"	300
7805	120"	1-1/2"	1-1/2"	300
7807_ _ ***	120"	2"	1"	100
7808_ _ ***	120"	2"	2"	100
780812	144"	2"	2"	120
7809	144"	15/16"	15/16"	360
7813	120"	3"	1"	200
7850	144"	1-1/8"	7/8"	360
HD7801_ _ ****	120"	7/8"	7/8"	300
HD7801G90	120"	7/8"	7/8"	300
SS7801	120"	7/8"	7/8"	300
AL7801	120"	7/8"	7/8"	300
SWA9854HRC	144"	1-1/4"	15/16"	144
SWA9878HRC	144"	7/8"	15/16"	144


- * Available in Black, Light Grey, Grey Stone, Medium Taupe, Ivory, and White
- ** Available in Black, Light Grey, Grey Stone, Medium Taupe, Ivory, White, Silver Grey, Silver Satin, and Gun Metal Grey
- *** Available in Silver Grey and Gun Metal Grey
- **** Available in Black, Gun Metal Grey, Natural Aluminum, Silver Satin, Silver Grey, White Aluminum
- ♦ When specifying or ordering items with a color or finish, add the two-letter suffix to the end of the item number (e.g. 7807WH)
- ♦ Pre-punched

Slip-on Molding:

For glue-up tile



Item No.	Length	(A) Flange	(B) Height	LFT/ CTN
7842	120"	1/2"	5/8"	400
7843	120"	1/2"	3/4"	400



SUSPENSION SYSTEM MOLDINGS

LEED® WELL™ LBC

UP TO 30% RECYCLED CONTENT

energy management
 construction waste mgmt
 regional materials
 design for flexibility
 EPD
 recyclable/ biobased materials
 recycled content
 sourcing of raw materials
 material ingredient reporting
 low emitting materials
 lighting quality
 acoustics

Calculate sustainability with Ecomedes
 armstrongceilings.com/ecomedes


LOCATION DEPENDENT

Angle molding, shadow molding, channel molding, and other wall moldings are an important detail in the design and installation of each ceiling system. Wall moldings offer a unique solution to each ceiling system by maintaining a consistent look and performance to each design.


Fascia Molding: Prefinished exposed flanges




Item No.	Length	(A) Flange	(B) Height	LF/ CTN
7814	120"	1"	4"	50
7816	120"	1"	6"	50
7818	120"	1"	8"	50



Flex Molding: Steel base with flexible vinyl facing, minimum bending radius 6"




Item No. ♦	Length	(A) Flange	(B) Height	(C) Reveal	LF/ CTN
Angle					
7880_ _ *	96"	1"	1"	N/A	96
7882_ _ *	96"	7/8"	15/16"	N/A	96
7884_ _ *	96"	15/16"	15/16"	N/A	96
7885_ _ *	96"	9/16"	1"	N/A	96
7887	96"	2"	1-1/2"	N/A	96
Shadow					
7890	96"	3/4"	1-5/8"	3/4"	96
7898	96"	9/16"	1"	3/8"	96




* Available in Black and White.


Reverse Angle Molding: Hemmed with prefinished exposed flanges




Item No.	Length	(A) Flange	(B) Height	LF/ CTN
7857	144"	15/16"	15/16"	360
7858	144"	1-9/16"	15/16"	240




F Molding: For 1/2" and 5/8" drywall




Item No.	Length	(A) Width	(B) Face	(C) Flange	LF/ CTN
7852	120"	1/2"	1-1/16"	7/8"	200
7856	120"	5/8"	1-3/16"	7/8"	200



Channel Molding: Hemmed with prefinished exposed flanges



Item No. ♦	Length	(A) Flange	(B) Height	(C) Reveal	LF/ CTN
7830	120"	15/16"	1-15/16"	15/16"	160
7831	120"	15/16"	1-9/16"	15/16"	200
7834	120"	15/16"	1-1/4"	1/2"	240
7835_ _ **	120"	7/8"	1-3/4"	9/16"	200
7835SC ***	11"	7/8"	1-3/4"	9/16"	150



** Available in Gun Metal Grey and Silver Grey
*** Unpainted spreader channel