Armstrong Suspension Systems Suprafine (in Blizzard White) by Armstrong World Industries

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21649

CLASSIFICATION: 09 53 00 Acoustical Ceiling Suspension Assemblies

PRODUCT DESCRIPTION: Ceiling and drywall grid, trims, and, transitions engineered to install faster and easier, and

perform better. This label covers Prelude, Interlude, SupraFine and Silhouette Suspension Systems.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm Per GHS SDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

 ○ Yes Ex/SC Yes No Characterized

% weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ARMSTRONG SUSPENSION SYSTEMS SUPRAFINE (IN BLIZZARD WHITE) [STEEL LT-UNK ZINC LT-P1 | AQU | PHY | END | MUL ALUMINUM BM-1 | RES | PHY | END TITANIUM DIOXIDE LT-1 | CAN | END BARIUM SULFATE BM-2 | CAN NAPHTHA LT-1 | MAM | GEN | CAN | MUL | END ALUMINUM

OXIDE BM-2 | RES SILICA BM-1 | CAN BUTANOL BM-2 | SKI | EYE ETRIOL LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC

LCA: Environmental Product Declaration (EPD) by UL

Other: ILFI Declare - Red List Free

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-09 PUBLISHED DATE: 2020-09-09 EXPIRY DATE: 2023-09-09

Armstrong Suspension Systems Suprafine (in Blizzard White) hpdrepository.hpd-collaborative.org



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ARMSTRONG SUSPENSION SYSTEMS SUPRAFINE (IN BLIZZARD WHITE)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: For more information on Armstrong Suspension Systems visit: https://www.armstrongceilings.com/commercial/en-us/suspension-systems.html

HAZARD SCREENING METHOD: Phai	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-09				
%: 90.0000 - 100.0000	GS: LT-UNK	RC: Both	NANO: Unknown	SUBSTANCE ROLE: Structure component		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
None found			No wa	arnings found on HPD Priority Hazard Lists		

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCF	REENING DATE: 2020-09-09	
%: 0.0000 - 10.0000	GS: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)	H	100 - Very toxic to aquatic	life
CHRON AQUATIC	EU - GHS (H-Statements)	H	110 - Very toxic to aquatic	life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H2	250 - Catches fire spontan	eously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		260 - In contact with water nich may ignite spontaneo	releases flammable gases usly
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Po	otential Endocrine Disrupto	or
MULTIPLE	German FEA - Substances Hazardous t Waters	to CI	ass 2 - Hazard to Waters	

ALUMINUM ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-09			
%: 0.0000 - 10.0000	gs: BM-1 RC: None		NANO: Unknown SUBSTANCE ROLE: Structure compone		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) -	sensitizer-induced	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fi	ire spontaneously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases		t with water releases flammable gases	
ENDOCRINE	TEDX - Potential Endocrine Disru	otors	Potential Endocri	ine Disruptor	

SUBSTANCE NOTES: Hazards noted pertain to aluminum in a powder or fumigated state. It is an extruded aluminum product. Accordingly, the hazards noted would not pertain to aluminum is this form.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-09			
%: 0.0000 - 5.0000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Pigment			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels			

SUBSTANCE NOTES: It is bound by the adhesives within the coating. It is not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazards list.

BARIUM SULFATE ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-09			
%: 0.0000 - 2.0000	GS: BM-2	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogorisk under MAK/BAT levels		enotoxic carcinogen with low	

SUBSTANCE NOTES: Filler

NAPHTHA ID: 64742-95-6

IAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-09			
6: 0.0000 - 1.0000	gs: LT-1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	Н	304 - May be fatal if swallo	owed and enters airways	
GENE MUTATION	EU - GHS (H-Statements)	н	340 - May cause genetic c	defects	
CANCER	EU - GHS (H-Statements)	H	350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs		arcinogen Category 2 - Su garded as if they are Card	abstances which should be sinogenic to man	
GENE MUTATION	EU - REACH Annex XVII CMRs		utagen Category 2 - Subs garded as if they are Muta		
MULTIPLE	ChemSec - SIN List	C	MR - Carcinogen, Mutage	n &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Po	otential Endocrine Disrupt	or	
MULTIPLE	German FEA - Substances Hazardous to Waters	CI	ass 3 - Severe Hazard to	Waters	
CANCER	EU - Annex VI CMRs		arcinogen Category 1B - F nimal evidence	Presumed Carcinogen based or	
GENE MUTATION	EU - Annex VI CMRs	М	utagen - Category 1B		
GENE MUTATION	GHS - Australia	Н	340 - May cause genetic c	defects	
CANCER	GHS - Australia	Н	350 - May cause cancer		

ALUMINUM OXIDE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-09

%: 0.0000 - 1.0000

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Filler

SILICA ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-09

**O.0000 - 1.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation
SUBSTANCE NOTES: Pigment		

SUTANOL				ID: 71-
IAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-09		
: 0.0000 - 1.0000	GS: BM-2	RC: None	NANO: Unknown	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)	H3 ⁻	15 - Causes skin irritatio	on
EYE IRRITATION	EU - GHS (H-Statements)	H31	18 - Causes serious eye	damage

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-09		
%: 0.0000 - 0.1000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warnings fo	ound on HPD Priority Hazard Lis



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE: 2023-

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: all

09-09

09-09

CERTIFICATE URL:

https://www.armstrongceilings.com/commercial/enus/performance/sustainable-building-design/voccertificates.html

CERTIFICATION AND COMPLIANCE NOTES: This product in inherently non emitting.

LCA

Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-

EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: all

10-06

10-06

Environment

CERTIFICATE URL:

https://www.armstrongceilings.com/commercial/en-

us/performance/sustainable-building-

design/environmental-product-

declarations.html#redirect_term=epds

CERTIFICATION AND COMPLIANCE NOTES: Product Specific EPD

OTHER

ILFI Declare - Red List Free

CERTIFYING PARTY: Second Party

ISSUE

FXPIRY

CERTIFIER OR

APPLICABLE FACILITIES: all

DATE:

DATE:

LAB: **ILFI**

CERTIFICATE URL:

2020-

2021-

https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/northamerica/certificates/suspension-systems-declare.pdf

05-01

05-01

CERTIFICATION AND COMPLIANCE NOTES: ILFI Red List Free



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

For more information on this product visit: https://www.armstrongceilings.com/commercial/en-us/suspensionsystems.html

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries

ADDRESS: 2500 Columbia Avenue
Lancaster PA 17603, United States

WEBSITE: www.armstrongceilings.com

CONTACT NAME: Anita Snader
TITLE: Sustainability Manager

PHONE: 1-877-276-7876

EMAIL: techline@armstrongceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.