

# Nature-Inspired Design


Wood and Wood-look



**Armstrong®**  
World Industries


# Bring Nature Indoors

Enhance Indoor Environmental Quality (IEQ) and bring occupant well-being to the forefront of your design by incorporating natural elements. With a broad portfolio of wood and wood-look options, there's a nature-inspired solution that's perfect for every space.




6

WoodWorks®




12

WoodWorks® ACGI



16

MetalWorks™



18

Lyra® PB




20

SoundScapes®  
Blades




22

SoundScapes®  
Shapes



24

CastWorks™  
Metaphors®  
Ceiling Panels



26

Tectum®  
Create!™

Lyra® PB planks in  
Toffee Chestnut with  
9/16" Suprafine® XL®  
suspension system in Oat





WoodWorks® Grille – Forté veneered 3-slat panels, 3/4" W × 3" H in 96" lengths in Quartered Sapele

Cultivate  
Your Design



Bring occupant well-being to the forefront of your design with the inimitable beauty of solid and veneered wood. Wood interiors contribute to biophilic design, connecting us with nature and offering a natural warmth and comfort.

WoodWorks® Grille – Classics ceiling panels in Western Hemlock solid wood



# Distinguished Warmth

Tinted to replicate naturally occurring wood tones, curated WoodWorks® solid finishes enrich your space with unmistakable warmth and character.

WoodWorks solid wood finishes are part of the Sustain® portfolio and meet the most stringent industry sustainability compliance standards today.



**SUSTAIN®**  
High Performance Sustainable  
Ceiling Systems

## WOODWORKS® Finishes

Our tinted finishes allow the natural character of the poplar to shine through. The images below reflect the visual range that is likely within our product. Darkest to lightest tones may occur within an installation due to the character of wood.




Bleached Grey (GBG)



Classic Grey (GCG)



Carbon Grey (GCB)




Rich Mahogany (GRY)



Antique Oak (GAO)



Red Oak (GRK)



English Chestnut (GEC)




Golden Maple (GGM)



Natural Walnut (GWN)



Warm Oak (GWO)



Forest Walnut (GFW)



Hemlock Clear Coat (HCC)

## Legacy Finishes




Maple (GMP)



Light Cherry (GLC)



Dark Cherry (GDC)



White (GWH)\*

\* Painted White finish is not part of the Sustain portfolio.

Due to printing limitations, shade may vary from actual product.

# Exceptional Character

From rich colors to one-of-a-kind graining, a variety of species and veneer cuts offer unparalleled natural beauty.

## WOODWORKS® Real Wood Veneers



The carefully curated species and veneer cut offer a beautiful natural variation. The images below reflect the visual range that is likely within our product. Darkest to lightest tones may occur within an installation due to the character of wood.



Plain Slice White Maple (NWM)



Plain Slice White Ash (NWA)



Vertical Grain Fir (NVF)



Rift White Oak (NRO)




Plain Slice White Oak (NOK)




Plain Slice Cherry (NPC)



Quartered Mahogany (NQM)



Quartered Sapele (NQS)



Quartered Walnut (NQW)



Plain Slice Walnut (NWN)

## Custom Finishes




Custom Wood Species and Finishes Available

## Veneer Cuts


Different cuts of a log will yield different graining visuals. Choose your veneer to achieve your desired look.



**Plain Sliced**  
Produces the well-known cathedral or loop-grain effect.



**Quarter Sliced**  
Produces a striped, often straight-grain effect.



**Rift Sliced**  
Produces a tight, linear grain along the entire length of the veneer.



WoodWorks® Grille – Forté veneered 3-slat panels, 3/4" W × 2-1/2" H in 96" lengths in Plain Slice White Oak



WoodWorks® Tegular Panels in Quartered Walnut with Suprafine® XL® Suspension System



## NATURAL VARIATIONS™ Real Wood Veneers




Beech (NBE)



Maple (NMP)




Walnut (NWN)




Oak (NOK)



Light Cherry (NLC)



Dark Cherry (NDC)



Walnut Espresso (NWE)


## CONSTANTS™ Real Wood Veneers



Maple (CMA)



Cherry (CCY)




Walnut (CWA)



Redux Wood Wheat (CRW)

## Custom Finishes



Due to printing limitations, shade may vary from actual product.



# Extraordinary Visions

The sky's the limit with WoodWorks® ACGI custom wood capabilities. Seamlessly integrate ceiling and wall systems as well as interior and exterior visuals for your design in a variety of custom wood species and finishes.



WoodWorks® ACGI custom ceiling and wall installation, Emory Winship Cancer Institute, Atlanta, GA; Skidmore, Owings & Merrill LLP


# Beautifully Durable Metal

From interior to exterior, fast lead times to sustainable, find the perfect MetalWorks™ finish to bring the warmth of wood to your space. Three families of wood-look visuals are available as standard finishes on durable metal panels, including factory-cut downlight panels.


## SEQUELS™ Pre-coated Coil Finishes




La Jolla Oak (SQLO)



New Haven Walnut (SQNW)



Cape May Cherry (SQCC)



Montauk Driftwood (SQMD)

MetalWorks™ Immix™ Linear perforated 6" W × 1" H plank with 4 planks per panel in Cape May Cherry






MetalWorks™ Torsion Spring in Honey Maple and Fine Fissured™ High NRC, Dover High School, Dover, DE

## Natural Reflections Sustainable Laminate Finishes



Honey Maple (LHM)



English Walnut (LEW)




Cool Maple (LCM)




Honest Maple (LHS)



Spring Cherry (LSC)



Beloved Oak (LBO)



Midnight Forest (LMD)



SUSTAIN™

MetalWorks™ Natural Reflections finishes are part of the Sustain™ portfolio and meet the most stringent industry sustainability compliance standards today.

Due to printing limitations, shade may vary from actual product.



MetalWorks™ Blades – Classics in Effects™ Oak, Mesa Temple Visitors Center, Mesa, AZ, Architectural Nexus


**EFFECTS™ Classic  
Dye-sublimation Finishes  
(Interior, Exterior)**




Oak (FXOK, FXOK2)



Cherry (FXCH, FXCH2)



Dark Cherry (FXDC, FXDC2)



Walnut (FXWN, FXWN2)



Walnut Espresso (FXWE, FXWE2)



**SUSTAIN™**  
High Performance Sustainable  
Ceiling Systems

**EFFECTS Bold Dye-sublimation Finishes  
(Interior, Exterior)**




Sea Salt (FXSS, FXSS2)




Ginger (FXGR, FXGR2)



Nutmeg (FXNM, FXNM2)



Poppy Seed (FXPS, FXPS2)



Peppercorn (FXPC, FXPC2)



Almond (FXAL, FXAL2)

**EFFECTS Subtle Dye-sublimation Finishes  
(Interior, Exterior)**




Sesame (FXSE, FXSE2)




Macadamia (FXMA, FXMA2)



Cinnamon (FXCM, FXCM2)



Flax (FXFL, FXFL2)



Cocoa Bean (FXCB, FXCB2)



Coriander (FXCO, FXCO2)

# Realistic Wood-looks, Superior Acoustical Control


Lyra® PB Tegular and Vector wood-look panels provide the natural beauty of large format wood ceilings with superior sound absorption and sustainability attributes without the expense.

Lyra PB panels are part of the Sustain® portfolio and meet the most stringent industry sustainability compliance standards today.




**SUSTAIN®**  
High Performance Sustainable  
Ceiling Systems

## LYRA PB Printed Wood-look Visuals




Brown Sugar Walnut (WBS)




Toffee Chestnut (WTC)



Vanilla Ash (WVA)




Honey Oak (WHO)



Earl Grey Teak (WGT)



Bourbon Cherry (WBC)



Dark Mocha Walnut (WMW)

Lyra® PB Square Tegular panels in Brown Sugar Walnut with 9/16" Suprafine® XL® suspension system in Black





SoundScapes® Blades Wood Look wave designs in Vanilla Ash (WVA)

# Acoustics Excellence Meets Wood Looks

Bring the outdoors in and enhance your space using dynamic visuals with SoundScapes® Blades Wood Looks while achieving sound absorption of up to 2.05 NRC depending on blade depth and spacing.




**FAST 134**


Select Items Ship Fast  
[armstrongceilings.com/fast134](http://armstrongceilings.com/fast134)



### Wood-look Visuals




Brown Sugar Walnut (WBS)




Toffee Chestnut (WTC)



Vanilla Ash (WVA)




Honey Oak (WHO)



Earl Grey Teak (WGT)



Bourbon Cherry (WBC)



Dark Mocha Walnut (WMW)

# Playful Installations

Realistic wood looks in 9 standard shapes bring design flexibility to add energy to your space while achieving sound absorption of up to 1.15 NRC.




**FAST 134**

Select Items Ship Fast  
[armstrongceilings.com/fast134](http://armstrongceilings.com/fast134)

SoundScapes® Shapes trapezoid, parallelogram, and triangle wood-look panels in Toffee Chestnut (WTC)



Wood-look Visuals




Brown Sugar Walnut (WBS)



Toffee Chestnut (WTC)



Vanilla Ash (WVA)




Honey Oak (WHO)



Earl Grey Teak (WGT)



Bourbon Cherry (WBC)



Dark Mocha Walnut (WMW)





## Sky's the Limit

Versatile 24" x 24" modular Glass-Fiber Reinforced Gypsum (GRG) panels feature dimensional and coffered designs to create unique wood-look installations.




**SUSTAIN®**  
High Performance Sustainable  
Ceiling Systems



CastWorks™ Metaphors® ceiling panels,  
Parquet design in Walnut finish

### Wood-look Visuals



Walnut (CWN)



White Oak (CWO)



TECTUM® CREATE!™

A B D

Claim  
transport



Gates C21 - 46



Restrooms

C21

C23

HARVEY BROS.  
EST. 1975

BBQ

Tectum Create! Direct-Attach ceiling and wall panels in standard Rustic Plank design

# Textured Rustics

Tectum® Create!™ standard designs offer distinctive image depth and personality with Sustain performance and excellent sound absorption.

Tectum Create! panels are part of the Sustain portfolio and meet the most stringent industry sustainability compliance standards today.



**SUSTAIN®**  
High Performance Sustainable  
Ceiling Systems

# Wood & Wood-looks Selection Guide

| PRODUCTS                                      | Material                                         | Wood/<br>Wood-Look<br>Visual                                 | Wood/<br>Wood-Look<br>Trim                   | Material<br>Cost* | Maximum<br>Acoustic<br>Performance | Lead<br>Time                                                                          | Humidity/<br>Sag<br>Resistant | Sustainability                                                                                            |
|-----------------------------------------------|--------------------------------------------------|--------------------------------------------------------------|----------------------------------------------|-------------------|------------------------------------|---------------------------------------------------------------------------------------|-------------------------------|-----------------------------------------------------------------------------------------------------------|
| WoodWorks®<br>Ceilings & Walls                | Wood Veneer<br>with Fire-rated<br>Particle Board | True Wood<br>Character                                       | Coordinating<br>Trim Available               | \$\$\$            | 0.85 NRC**<br>35 CAC               |    |                               |                                                                                                           |
|                                               | Solid Wood                                       | Stained Poplar<br>and Western<br>Hemlock<br>Clear Coat       | Coordinating<br>Trim Available               | \$\$              | 0.85 NRC**<br>39 CAC               |    |                               |                        |
| WoodWorks®<br>ACGI Custom<br>Ceilings & Walls | Veneer &<br>Solid Wood                           | Custom<br>to Match<br>Millwork                               | Custom                                       | \$\$\$\$          | Varies                             | Varies                                                                                |                               |                                                                                                           |
| Lyra® PB<br>Tegular<br>& Vector<br>Ceilings   | Fiberglass with<br>Plant-Based<br>Binder         | Printed Scrim                                                | Standard<br>Axiom® Trim<br>Recommended       | \$                | Up to<br>0.95 NRC                  | 3-6 Weeks                                                                             | Yes                           | <br>+ Recycled Content |
| SoundScapes®<br>Blades<br>Ceilings & Walls    | Fiberglass                                       | Acoustically<br>transparent<br>membrane on<br>face and sides | Coordinating<br>Grid Available               | \$\$              | 2.05 NRC                           |   | Yes                           | Recycled Content                                                                                          |
| SoundScapes®<br>Shapes<br>Ceilings & Walls    | Fiberglass                                       | Acoustically<br>transparent<br>membrane on<br>face and sides | Standard<br>Suspension<br>recommended        | \$\$              | 1.15 NRC                           |  |                               | Recycled Content                                                                                          |
| MetalWorks™<br>Ceilings & Walls               | Aluminum<br>and Steel                            | Printed,<br>Dye-Sublimation<br>and Laminated                 | Coordinating<br>Trim for Effects<br>Finishes | \$\$\$            | 0.80 NRC<br>35 CAC                 |  | Yes                           |                      |
| CastWorks™<br>Metaphors®<br>Ceiling Panels    | Glass-Fiber<br>Reinforced<br>Gypsum (GRG)        | Painted<br>Wood Look                                         | Standard Grid<br>Recommended                 | \$\$\$            |                                    | Varies                                                                                |                               |                      |
| Tectum®<br>Create!™<br>Ceilings & Walls       | Cementitious<br>Wood Fiber                       | Printed<br>Rustic<br>Wood                                    | Standard<br>Axiom Trim<br>Recommended        | \$\$              | 0.85 NRC**                         | 6 Weeks                                                                               |                               |                      |
| Turf®<br>Ceilings & Walls                     | Felt                                             | Printed Felt                                                 | Custom                                       | \$\$              | 0.75 NRC                           | 6 Weeks                                                                               | Yes                           | Declare®<br>Red List Free,<br>HPD, Low-VOC                                                                |
| Arktura®<br>Ceilings & Walls                  | Metal & Felt                                     | Custom<br>to Match<br>Millwork                               | Custom                                       | \$\$\$            | Varies                             | Varies                                                                                | Yes                           | Declare®<br>Red List Free,<br>HPD, Low-VOC<br>Recycled Content                                            |
| Móz™<br>Ceilings & Walls                      | Metal                                            | Custom<br>to Match<br>Millwork                               | Custom                                       | \$\$\$            | Varies                             | Varies                                                                                | Yes                           | HPD,<br>Recycled Content                                                                                  |

\* Material cost indicates relative price point at the time of print. Please contact your Armstrong representative for pricing.

\*\* Maximum acoustical performance achieved with the use of an infill panel.

Red List Free as verified by our Declare® labels, ingredient transparency assured by Health Product Declarations (HPDs), Environmental Product Declarations (EPDs) for lifecycle impacts and low emissions certification with UL® GREENGUARD Gold.

# Take the Next Step

## **877 276-7876**

Customer Service Representatives

7:45 a.m. to 5:00 p.m. EST

Monday through Friday

**TechLine** – Technical information, detail drawings, CAD design assistance, installation information, other technical services – 8:00 a.m. to 5:30 p.m. EST, Monday through Friday.

FAX: 800-572 8324 or

EMAIL: [techline@armstrongceilings.com](mailto:techline@armstrongceilings.com)

## **[armstrongceilings.com/commercial](http://armstrongceilings.com/commercial)**

Latest product news

Standard and custom product information

Online catalog

CAD, Revit®, SketchUp® files

A Ceiling for Every Space® Visual Selection Tool

Product literature and samples – express service or regular delivery

Contacts – reps, where to buy, who will install



## **[armstrongceilings.com/projectworks](http://armstrongceilings.com/projectworks)**

The power of **ProjectWorks®** Design and Pre-construction Service

ProjectWorks offers cutting-edge collaborative design services to ensure your projects are completed with unmatched precision and efficiency.

Receive 2D layouts, material budgets, and detailed 3D Revit® models to speed up project timelines and improve coordination.

Design with confidence. Partner with ProjectWorks today! Get started at [armstrongceilings.com/projectworks](http://armstrongceilings.com/projectworks)

## **[armstrongceilings.com/woodlookportfolio](http://armstrongceilings.com/woodlookportfolio)**

Turf® is a trademark of Turf Design, Inc.; Revit® is a registered trademark of Autodesk, Inc. SketchUp® is a registered trademark of Trimble Navigation Limited; UL® is a registered trademark of UL LLC; Declare® is a registered trademark of the International Living Future Institute® Arktura® is a registered trademark of Arktura, LLC; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates  
© 2025 AWI Licensing LLC



**Armstrong®**  
World Industries